

Address

Shipping address see address

Order
 Estimate

Purchaser: _____

Telephone: _____



basic price from 2610,- €

Price valid from January 1st 2025 (until revoked)

All dimensions in cm
Dimensional tolerances +/- 0,5cm

Junior 2

Capacity up to 120 kg

user weight: _____ kg

Junior2 SLT

Active children wheelchair made of aluminium, foldable, with **integrated footrest** (without footrest and side guard)

frame straight

SD 26 - 38

Code 221

abduction frame *

SD 26 - 32 frame short
SD 34 - 38 frame long

Code 222

Basic Price 2540,- €

frame length

frame straight **abduction frame**

51cm = standard (SD 26-38) 54cm = short (SD 26-32)
57cm = long (SD 34-38)

* from 4° camber possible

- total length depends on wheel position and footrest position
- frame length with UNITOMIC L+3cm

Junior2 AR

Active children wheelchair made of aluminium, foldable, with **detachable footrest** (without swing away footrest and side guard)

frame straight

SD 26 - 34 frame middle **
SD 36 - 38 frame long

Code 599

abduction frame *

SD 26 - 34 frame short **
SD 36 - 38 frame long ***

Code 598

Basic price 2580,- €

frame length with FB holder

frame straight **abduction frame**

54cm = middle (SD 26-34) 52cm = short (SD 26-34)
58cm = standard (SD 36/38) 56cm = long (SD 36/38)

* from 4° camber possible

** Note: frame short only with 4°/5° and 20°/22° possible

*** Note: frame with 24° not possible!!!!

basic measures

<p>Seat width (SW)</p> <div style="display: flex; justify-content: space-around;"> <div><input type="checkbox"/> 24*</div> <div><input type="checkbox"/> 26*</div> <div><input type="checkbox"/> 28</div> <div><input type="checkbox"/> 30</div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div><input type="checkbox"/> 32</div> <div><input type="checkbox"/> 34</div> <div><input type="checkbox"/> 36</div> </div> <p style="font-size: small;">* frame straight CODE 221 not possible (only with abduction frame CODE 222)</p>	<p>Seat depth (SD)</p> <div style="display: flex; justify-content: space-around;"> <div><input type="checkbox"/> 26</div> <div><input type="checkbox"/> 28</div> <div><input type="checkbox"/> 30</div> <div><input type="checkbox"/> 32</div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div><input type="checkbox"/> 34</div> <div><input type="checkbox"/> 36</div> <div><input type="checkbox"/> 38</div> </div> <p style="font-size: small; text-align: center;">please note details for frame short and long !!</p>	<p>back height (BH)</p> <div style="display: flex; justify-content: space-around;"> <div><input type="checkbox"/> 25</div> <div><input type="checkbox"/> 30</div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div><input type="checkbox"/> 35</div> <div><input type="checkbox"/> 40</div> </div> <p style="font-size: small; text-align: center;">(+2,5cm adjustable)</p>	<p>Low Leg Length (LLL):</p> <p>LLL: cm (regarding seat upholstery without seat cushion)</p> <p>min. 12 cm (without cushion) max. 45 cm max. LLL = SH - 3cm</p> <p style="font-size: x-small; text-align: right;">technical data see back side</p>
---	---	---	---

note

Seat height in cm
see possible wheel combination on page 2
(without seat cushion)

front: _____ cm
(Standard = 48/49cm)

back: _____ cm
(Standard = 45/46cm)

Technical changes and print mistakes reserved.


Note: more measurements in special constructions possible !!

VD2359E-40

Technical data


seat width **SW**

from outside crossbar to outside crossbar +6mm




seat depth **SD**

from back tube to upper edge seat upholstery



back height **RH**

from upper edge seat upholstery to upper edge back upholstery



Lower Leg Length LLL:

Total width wheelchair:

with wheels and handrim
with drum brake

folding measurement:

with wheels
with drum brake
without wheels

maximum burden:

15 to 49 cm

SW + 18 cm
SW + 20 cm

about 30cm
about 32cm
about 22cm

120 kg

seat height **SH**

Junior 2

Real wheel	Castor fork	minimum seat height		maximum seat height	
		front	back	front	back
20 inch	4 inch - short	44 cm	36 cm*	46 cm	46 cm
	5 inch - short	44 cm	36 cm*	47 cm	46 cm
	6 inch - short	45 cm	36 cm*	48 cm	46 cm
	140 mm - wide	46 cm	36 cm*	50 cm	46 cm
22 inch	4 inch - short - long	43 cm 46 cm	39 cm* 39 cm*	46 cm 50 cm	46 cm 49 cm
	5 inch - short - lang	44 cm 46 cm	39 cm* 39 cm*	47 cm 51 cm	46 cm 49 cm
	6 inch - short - long	45 cm 48 cm	39 cm* 39 cm*	48 cm 52 cm	48 cm 51 cm
	140 mm - wide	46 cm	39 cm*	50 cm	49 cm
24 inch	4 inch - short - long	44 cm 46 cm	43 cm* 43 cm*	46 cm 50 cm	46 cm 49 cm
	5 inch - short - long	44 cm 47 cm	43 cm* 43 cm*	47 cm 51 cm	46 cm 50 cm
	6 inch - short - long	45 cm 48 cm	43 cm* 43 cm*	48 cm 52 cm	46 cm 51 cm
	140mm - wide	46 cm	43 cm*	50 cm	49 cm

All measurements ± 0,5 cm

*Advice: with drum brake you have to add 2cm!!

Notice: at the castor wheels **PU-black** are the minimal seat height with the fork **short** and **extra short** not possible

frame colour		Because of the material are different colours possible			
shiny	<input type="checkbox"/>  25 RAL9010 white	<input type="checkbox"/>  06 dormant red	<input type="checkbox"/>  44 RAL5015 sky blue met.	<input type="checkbox"/>  51 apple green metallic	
	<input type="checkbox"/>  56 RAL1021 gold yellow met.	<input type="checkbox"/>  40 red metallic	<input type="checkbox"/>  16 RAL5002 ultramarine blue	<input type="checkbox"/>  45 RAL6018 yellow green	
	<input type="checkbox"/>  24 RAL1028 melon yellow	<input type="checkbox"/>  43 RAL4010 telemagenta met.	<input type="checkbox"/>  17 dormant blue	<input type="checkbox"/>  60 mojit green met.	
	<input type="checkbox"/>  27 mandarin met.	<input type="checkbox"/>  53 cassis	<input type="checkbox"/>  64 petrol green met.	<input type="checkbox"/>  19 silver metallic	
	<input type="checkbox"/>  41 RAL3020 trafficed red met.	<input type="checkbox"/>  59 atlantic blue met.	<input type="checkbox"/>  50 apple green	<input type="checkbox"/>  23 RAL9005 black met. = metalized	





frame colour		Because of the material are different colours possible			
mat / satined	<input type="checkbox"/>  76 white satined	<input type="checkbox"/>  69 purpur met. satined	<input type="checkbox"/>  75 petrol green met. satined		
	<input type="checkbox"/>  65 gold yellow met. satined	<input type="checkbox"/>  61 cool mint mat	<input type="checkbox"/>  73 yellow green met. satined		
	<input type="checkbox"/>  66 mandarin met. satined	<input type="checkbox"/>  72 sky blue met. satined	<input type="checkbox"/>  74 mojit green met. satined		
	<input type="checkbox"/>  67 traffic red satined	<input type="checkbox"/>  71 atlantic blue met. satined	<input type="checkbox"/>  77 silver metallic satined		
	<input type="checkbox"/>  68 telemagenta met. satined	<input type="checkbox"/>  70 ultramarine blue satined	<input type="checkbox"/>  22 RAL9011 black mat		

met. = metalized

upholstery colours			
upholstery standard	<input type="checkbox"/>  DE290 black		
	upholstery breathable fabric	<input type="checkbox"/>  AG410 yellow	<input type="checkbox"/>  AG451 king blue
		<input type="checkbox"/>  AG430 red	<input type="checkbox"/>  AG460 lemon
		<input type="checkbox"/>  AG441 pink	<input type="checkbox"/>  AG470 grey
		<input type="checkbox"/>  AG450 ultramarine	<input type="checkbox"/>  AG490 black

only for adjustable back upholstery

Code 201 OE 68,- €

frame accessories					
Tip shackle <input type="checkbox"/> right <input type="checkbox"/> left  Code 105	Transit wheels  Code 102	Walking stick holder, aluminium, with a loop for 2 crutches <input type="checkbox"/> right <input type="checkbox"/> left  Code 103	Anti-tip wheel <input type="checkbox"/> right <input type="checkbox"/> left  Code 104	Anti-tip wheel high adjustable and with gear segment <input type="checkbox"/> right <input type="checkbox"/> left  Code 2405	
<input type="checkbox"/> Piece 72,- €	<input type="checkbox"/> Pair 242,- €	<input type="checkbox"/> Piece 85,- €	<input type="checkbox"/> Piece 145,- €	<input type="checkbox"/> Piece 185,- €	

note

Technical changes and print mistakes reserved.

VD2359E-40

Junior2 _{SLT} frame				Junior2 _{AR} frame			
Frame part +30mm backwards only for straight back Code 204 back tube 30mm displaced backwards (e.g. for straight back with back shell)		Spasticity frame back frame by street (reinforced version) recommended with strong spasticity Code 426		Frame part +30mm backwards only for straight back Code 204 back tube 30mm displaced backwards (e.g. for straight back with back shell)		Spasticity frame back frame by steel (reinforced version) recommended with strong spasticity Code 426	
<input type="checkbox"/>	OE 116,- €	<input type="checkbox"/>	OE 348,- €	<input type="checkbox"/>	OE 116,- €	<input type="checkbox"/>	OE 348,- €
footrest				footrest with holder			
Single footrest alu-profile black, angle adjustable abduction frame short frame straight from LLL 33cm abduction frame long from LLL 38cm Code 215 		Single footrest alu-profile, mounted in frame frame straight from SW28 abduction from SW24 LLL 12 to 38 clamp plate <input type="checkbox"/> 60mm LLL max. 28cm <input type="checkbox"/> 85mm Standard LLL max. 31cm <input type="checkbox"/> 145mm LLL max. 38cm Code 213 		Single footrest, alu. flat-profile black abduction short frame straight from LLL 31cm abduction long from LLL 34cm Code 2253 		Single footrest, alu. flat-profile, mounted in frame from LLL 12 to 35 Code 2255 <input type="checkbox"/> 60mm <input type="checkbox"/> 85mm <input type="checkbox"/> 145mm 	
<input type="checkbox"/>	Piece 300,- €	<input type="checkbox"/>	Piece 318,- €	<input type="checkbox"/>	Piece 318,- €	<input type="checkbox"/>	Pc. 318,- €
Double footrest, alu-profile black, angle adjustable from LLL 33 Code 216 		Double footrest alu-profile black, mounted in frame, angle adjustable frame straight from SW28 abduction from SW24 LLL 12 to 38 clamp plate <input type="checkbox"/> 60mm LLL max. 28cm <input type="checkbox"/> 85mm Standard LLL max. 31cm <input type="checkbox"/> 145mm LLL max. 38cm Code 218 		Double footrest, alu. flat-profile black, angle adjustable from LLL 33 Code 1161 		Double footrest, alu. flat-profile, mounted in frame from LLL 12 to 35 from SW28 Abdu from SW24cm Code 1162 <input type="checkbox"/> 60mm <input type="checkbox"/> 85mm <input type="checkbox"/> 145mm 	
<input type="checkbox"/>	Pair 330,- €	<input type="checkbox"/>	Pair 348,- €	<input type="checkbox"/>	Pair 330,- €	<input type="checkbox"/>	Pair 348,- €
Double footrest, alu profile black, angle adjustable with holder from LLL 33 from SW28 Code 214 		Double footrest, alu-profile, mounted in frame, with holder, angle adjustable from LLL 12 to 38 from SW28 Code 212 <input type="checkbox"/> 60mm <input type="checkbox"/> 85mm <input type="checkbox"/> 145mm 		Single footrest, alu. flat-profile, angle adjustment with holder from LLL 33 Code 1131 		Single footrest, alu. flat-profile, mounted in frame with holder from LLL 12 to 35 Code 1132 <input type="checkbox"/> 60mm <input type="checkbox"/> 85mm <input type="checkbox"/> 145mm 	
<input type="checkbox"/>	Pair 348,- €	<input type="checkbox"/>	Pair 368,- €	<input type="checkbox"/>	Pc. 318,- €	<input type="checkbox"/>	Pc. 336,- €
Double footrest alu-profile displaced with footrest bracket and clamp plate, angle adjustable frame straight from SW28 abduction from SW24 from LLL 20 Code 2246 		Single footrest, alu-profile displaced with footrest bracket and clamp plate frame straight from SW28 abduction from SW24 from LLL 20 Code 2247 		Double footrest, alu profile, displaced with footrest bracket and clamp plate, angle adjustable frame straight from SW28 abduction from SW24 from LLL 20 Code 210 		Single footrest, alu profile, displaced with footrest bracket and clamp plate, angle adjustable frame straight from SW28 abduction from SW24 from LLL 20 Code 517 	
<input type="checkbox"/>	Piece 368,- €	<input type="checkbox"/>	Piece 344,- €	<input type="checkbox"/>	Pair 385,- €	<input type="checkbox"/>	Piece 362,- €
Double footrest flat profile displaced with footrest bracket and clamp plate, angle adjustable frame straight from SW28 abduction from SW24 from LLL 20 Code 1167 		Single footrest flat profile displaced with footrest bracket and clamp plate angle adjustable frame straight from SW28 abduction from SW24 from LLL 20 Code 2257 		Double footrest flat profile displaced with footrest bracket and clamp plate, angle adjustable frame straight from SW28 abduction from SW24 from LLL 20 Code 5172 		Single footrest flat profile displaced with footrest bracket and clamp plate angle adjustable frame straight from SW28 abduction from SW24 from LLL 20 Code 5171 	
<input type="checkbox"/>	Piece 368,- €	<input type="checkbox"/>	Piece 344,- €	<input type="checkbox"/>	Piece 385,- €	<input type="checkbox"/>	Piece 362,- €
Elevating footrest with double footplate alu-profile angle adjustable and calf pads from SW 34 at straight frame from SW 28 at abduction frame from LLL 33/34 (from SD 32) Code 226 		Mechanism for swing away single footrest (footrest single to swing away outside) only in combination with single footrest from LLL 38cm Code 418 		Spasticity locking for single footrest footrest alu-profile Code 122 footrest alu. flat-profile Code 1122 Code 417 		Footrest (alu-profile) coloured like the frame colour * colour: _____ Code 417 (see frame colour on page 3)	
<input type="checkbox"/>	Pair 578,- €	<input type="checkbox"/>	Pc. OE 187,- €	<input type="checkbox"/>	Pair OE 151,- €	<input type="checkbox"/>	Pair 618,- €
Spasticity locking for double footrest footrest alu-profile Code 123 footrest alu. flat-profile Code 1123 Code 217 		Elevating footrest with double footplate alu-profile / in frame, angle adjustable and calf pads from SW 34 by frame straight from SW 28 by abduction frame from LLL 22 / 23 cm (from SD 32) Code 217 		Footrest (alu-profile) coloured like the frame colour * colour: _____ Code 417 (see frame colour on page 3)		Spasticity locking for double footrest footrest alu-profile Code 123 footrest alu. flat-profile Code 1123 Code 217 	
<input type="checkbox"/>	Pair 618,- €	<input type="checkbox"/>	Pair OE 187,- €	<input type="checkbox"/>	Pair OE 151,- €	<input type="checkbox"/>	Pair 618,- €

Technical changes and print mistakes reserved.

VD2359E-40

Height of push handles

Height of push handles for companion = Back height + Seat height + Height of push handle

$$\text{Height of push handles for companion} = \text{BH} + \text{SH} + \text{HPH}$$

Back
standard




Back with height adjustable push handle

15cm
normal



35cm
long




45cm
extra long
reinforced



cropped

bent rewards



HPH

min.

4cm

4cm

4cm

21cm

12cm

max.

3cm

19cm

39cm

49cm

38cm


29cm

push handle
each side 6cm
outside

push handle
each side 9cm
backwards

back					
back standard (standard handles)  <input type="checkbox"/> Code 107	Back with handles height adjustable <input type="checkbox"/> 15cm (standard) <input type="checkbox"/> 35cm (long) <input type="checkbox"/> offset outward <input type="checkbox"/> bent backwards  Code 108	Back with adjustable upholstery  Code 208	Back with adjustable upholstery and height adjustable handles <input type="checkbox"/> 15cm (standard) <input type="checkbox"/> 35cm (long) <input type="checkbox"/> cropped <input type="checkbox"/> bent rewards  Code 209	Push handles extra long 45cm the push handles are reinforced Code 2205L only in combination with Code 108 or Code 209	without back upholstery Code 507 only in combination with Code 107 or 108
Standard	<input type="checkbox"/> Piece OE 262,- €	<input type="checkbox"/> Piece OE 258,- €	<input type="checkbox"/> Piece OE 510,- €	<input type="checkbox"/> OE 180,- €	<input type="checkbox"/> Piece -

30°-back not approved for transport in the handicapped transport car			back	
Gear segment for back angle adjustment for straight back from BH 35  Code 407 Note: the combination with CODE 108 or CODE 209 is restricted possible!	Back 30° angle adjustable (stabilization bar and anti tip wheel recommended) with gas spring (infinitely variable)  from BH 30 Code 135	mechanical adjustable with quick release lever (0°, 10°, 20°, 30°) In combination with CODE 108 or 209: - from BH 35 - only with push handles 15cm (standard)  from BH 30 Code 136		
<input type="checkbox"/> Piece OE 206,- €	<input type="checkbox"/> Piece MP 492,- €	<input type="checkbox"/> Piece OE 390,- €		

Advice: price reduction for back upholstery already is considered in MATRIX price and in the price of the FIDIBUS back		back			
back system MATRIX light weight back cushion, breathable with individual adjustable holder and SlimLine-Design back MATRIX-Aktiv with 7cm contour depth from SW 32 Code: Aktiv <input type="checkbox"/> <input type="checkbox"/> head rest aktive <input type="checkbox"/> side pads straight <input type="checkbox"/> side guard offset inwards Code: Aktiv-K SPG SPA	SlimLine-Design for adjustable back upholstery with breathable fabric (AG410, 430, 441, 450, 451,460, 470 and 490) colour 1 (inside): black fabric 490 colour 2 (outside): biocoloured upholstery 	 SlimLine-Design at MATRIX-Aktiv back 			
Take prices and further information from respective MATRIX order form		<input type="checkbox"/> Code 202	OE 82,- €		

back			* Attention: with UNITOMIC back choose seat depth 2cm shorter
Back UNITOMIC * with adjustable upholstery (anatomical back) from BH35  Information: Choose seat depth 2cm shorter Code 206	Back UNITOMIC * with adjustable back and height adjustable handles from BH35  Information: Choose seat depth 2cm shorter Code 207	Gear segment for back angle adjustment for UNITOMIC back from BH40  Information: only in combination with CODE 410 or 412 possible! Code 411	
<input type="checkbox"/> Piece OE 352,- €	<input type="checkbox"/> Piece OE 582,- €	<input type="checkbox"/> Piece OE 206,- €	

back				
FIDIBUS back with clips ergonomic back unit with clips extrem light ergonomic formed back standard: SW 28 - 40cm / BH 20 - 40cm  curved back 30mm (standard) <input type="checkbox"/> Code 2292F curved back 50mm <input type="checkbox"/> Code 2292F-5 Please take prices and further information from FIDIBUS order form	FIDIBUS ASR back with clips ergonomic shaped back plate ASR alu back plate coloured, curved and beveled (without cushion) colour: frame colour 30mm curved back (standard) <input type="checkbox"/> CODE 2294F 50mm curved back <input type="checkbox"/> 2294F-5	ergonomic shaped back cushion ASR back cushion (foam) with cover (without back plate) 30mm curved back (standard) <input type="checkbox"/> CODE 2296A 50mm curved back <input type="checkbox"/> 2296A-5	FIDIBUS ASR back lockable anatomical shaped back plate ASR lockable Alu-back plate coloured, curved and beveled (without cushion) colour: frame colour from BH 30cm 30mm curved back (standard) <input type="checkbox"/> CODE 2294FV 50mm curved back <input type="checkbox"/> 2294FV-5 only with Code 108 or 110 possible!	anatomical shaped back cushion ASR back cushion (foam) with cover (without plate) 30mm curved back (standard) <input type="checkbox"/> CODE 2296A 50mm curved back <input type="checkbox"/> 2296A-5
<input type="checkbox"/> Piece OE 632,- €	<input type="checkbox"/> Piece OE 429,- €	<input type="checkbox"/> Piece OE 368,- €	<input type="checkbox"/> Piece OE 628,- €	<input type="checkbox"/> Piece OE 368,- €

Technical changes and print mistakes reserved.

VD2359E-40

Sitz



Cushion, compounded with black cover  Code 119 <input type="checkbox"/> Code 120 <input type="checkbox"/>	Cushion compounded with breathable cover ... Code 471 <input type="checkbox"/> Code 472 <input type="checkbox"/>	Change cover Cover black <input type="checkbox"/> Code 121 Cover breathable... <input type="checkbox"/> Code 470	Seat belt black Plastic closure Code 227 <input type="checkbox"/> Piece 75,- € Metal closure Code 125	Seat belt with pads, black 2-point pelvic, restraint belt with Metal closure Code 124	without seat upholstery Code 502				
Piece 110,- €		Piece 74,- €		Piece 88,- €		Piece 167,- €		Piece 0,- €	

Note: when using SlimLine-Design (Code 202) the seat cushion (Code 470 / 471 / 472) is also supplied in SlimLine-Design.



seat

Alu-Seat plate for cross bar Code 277 <input type="checkbox"/> 188,- €			Alu-Seat plate with safty pin for cross bar Code 278 <input type="checkbox"/> 246,- €			Alu-Seat plate with plastic clips for cross bar Code 279 <input type="checkbox"/> 225,- €			Seat cushion by wheelchair with back upholstery FIDIBUS-F ergonomic seat cushion straight at the back extrem light ergonomic formed seat cushion from SW 24 from SD 26  Code 2291F <input type="checkbox"/> OE 572,- €			Seat cushion by wheelchair with MATRIX- or FIDIBUS back FIDIBUS ergonomic seat cushion extrem light ergonomic formed seat cushion from SW 24 from SD 26  Code 2291 <input type="checkbox"/> OE 572,- €		
Instead of seat cover Attention seat cushion recommended price reduction for seat upholstery already is considered in seat plate price														





accessories

Head rest adjustable for back with CODE 107 and 208  Code 224 <input type="checkbox"/> 320,- €	Head rest adjustable for height adjustable handles for back with CODE 108, 209 and 207  Code 225 <input type="checkbox"/> 320,- €	Holder for head rest for height adjustable handles for back with CODE 108, 209 a. 207 for head rest tube: <input type="checkbox"/> 15x15mm Code 225V <input type="checkbox"/> Ø 19mm Code 225R  Code 225 <input type="checkbox"/> 204,- €	Stabilization bar only for height adjustable handles from BH 30  Code 178 <input type="checkbox"/> 153,- €	Stabilization bar push handles (= pushing bar)  Code 478 <input type="checkbox"/> 167,- €
---	--	---	--	--

accessories

Side pads pluggable mounted at push handle holder long  Code 137S <input type="checkbox"/> 422,- €	Side pads removable mounted at push handle holder long  Code 137A <input type="checkbox"/> 422,- €
pad size <input type="checkbox"/> size S L=12cm <input type="checkbox"/> size M L=15cm <input type="checkbox"/> size L L=18cm <input type="checkbox"/> size XL L=21cm	
pad rack <input type="checkbox"/> straight B = SB-4cm <input type="checkbox"/> 20mm (standard) B = SB-8cm <input type="checkbox"/> 40mm B = SB-12cm B = width between the pads	
(only in combination with back CODE 108 or 110)	


side pads

side pads narrow shape angle-adjustable with joint element mounted on the spacer with bar Cover black MM190 size side pads <input type="checkbox"/> size S D=12cm H=6cm <input type="checkbox"/> size M D=15cm H=7cm <input type="checkbox"/> size L D=18cm H=8cm <input type="checkbox"/> size XL D=20,5cm H=10cm W = SB-2,5cm W = width between the side pads Code 1371 <input type="checkbox"/> Pair 589,- €	side pads foldable with straight pad splint mounted at push handle holder Joint side pad holder flat foldable, with connecting joint and with straight pad splint  Code 1371 <input type="checkbox"/> Pair 589,- €	side pads foldable with straight pad splint mounted at push handle holder Plug-in connection side pad holder flat, with connection joint and with straight pad splint  Code 1372 <input type="checkbox"/> Pair 589,- €	side pads foldable with ball joint element mounted at push handle holder Joint side pad holder flat foldable, with connecting joint and with straight pad splint with ball  Code 1373 <input type="checkbox"/> Pair 686,- €	side pads pluggable with ball joint element mounted at push handle holder Plug-in connection side pad holder flat, with connection joint and with pad splint with ball  Code 1374 <input type="checkbox"/> Pair 686,- €	additional set of joint elements 2 additional joint elements for side pads (right and left)  Code 1379 <input type="checkbox"/> Pair 128,- €
--	--	--	--	---	--





Technical changes and print mistakes reserved.

VD2359E-40




side guard

<p>Clothing guard round screwed on, aluminium with cold protection (in frame colour)</p>  <p>Code 433</p>	<p>Clothing guard screwed on, plastic black</p>  <p>Code 430</p>	<p>Clothing guard round PC-Carbon screwed on (CARBON-optic)</p>  <p>Code 230</p>	<p>Clothing side guard ERGO AL aluminium with cold protection, screwed on (in frame colour)</p>  <p>Code 437</p>	
<input type="checkbox"/> Pair 284,- €	<input type="checkbox"/> Pair 225,- €	<input type="checkbox"/> Pair 272,- €	<input type="checkbox"/> Pair 292,- €	


side guard

<p>Clothing guard round pluggable, aluminium with cold protection (in frame colour)</p>  <p>Code 434</p>	<p>Clothing guard pluggable, plastic black</p>  <p>Code 431</p>	<p>Clothing guard round pluggable, PC Carbon</p> <p>normal wheel overlap 45mm</p>  <p>Code 525</p>	<p>wide wheel overlap 60mm</p>  <p>Code 525B</p>	
<input type="checkbox"/> Pair 348,- €	<input type="checkbox"/> Pair 312,- €	<input type="checkbox"/> Pair 338,- €	<input type="checkbox"/> Pair 402,- €	




side guard

<p>Clothing guard round aluminium with cold protection and armrest short (in frame colour)</p> <p><input type="checkbox"/> armrest short Code 231</p> <p><input type="checkbox"/> armrest long Code 231L</p>  <p>Code 231</p>	<p>Side guard plastic, black detachable / pluggable with armrest</p> <p><input type="checkbox"/> armrest long</p> <p><input type="checkbox"/> armrest short</p>  <p>Code 236</p>	<p>Armrest swingable to side and height adjustable</p> <p>Combination only with clothing guard pluggable/screwed on (not possible with 30° back)</p> <p><input type="checkbox"/> armrest short</p> <p><input type="checkbox"/> armrest long</p>  <p>Code 432 (without clothing guard)</p>	<p>Clothing guard ERGO AL aluminium with armrest short screwed on and with cold protection (in frame colour)</p> <p>armrest short</p>  <p>Code 4371</p>	
<input type="checkbox"/> Pair 330,- €	<input type="checkbox"/> Pair 322,- €	<input type="checkbox"/> Pair 274,- €	<input type="checkbox"/> Pair 359,- €	

side guard

<p>Side guard, screwed on aluminium with cold protection</p>  <p>Code 232</p>	<p>Side guard, screwed on with armrest short and with cold protection</p>  <p>Code 238</p>	<p>Side guard screwed on with armrest height adjustable</p> <p>Standard type (for capacity up to 50kg) armrest with rail</p> <p><input type="checkbox"/> armrest long</p> <p><input type="checkbox"/> armrest short</p> <p>Code 233</p>	<p>Strong type (for capacity up to 100kg) armrest holder with type profile</p> <p><input type="checkbox"/> armrest long</p> <p><input type="checkbox"/> armrest short</p> <p>Code 239</p>	
<input type="checkbox"/> Pair 237,- €	<input type="checkbox"/> Pair 281,- €	<input type="checkbox"/> Pair 342,- €		

therapy table

<p>Therapy table swing away (only in combination with armrest long)</p>  <p><input type="checkbox"/> right mounted (standard)</p> <p><input type="checkbox"/> left mounted</p> <p>Code 134</p>	<p>Therapy table mounted on the frame with clamp attachment on the frame</p>  <p>Code 138</p>	<p>Therapy table plug on the frame with plug attachment on the frame</p>  <p>Code 139</p>	<p>Therapy table on the frame quick release clamped (at the frame)</p>  <p>Code 138S</p>	
<input type="checkbox"/> Piece 304,- €	<input type="checkbox"/> Piece 472,- €	<input type="checkbox"/> Piece 472,- €	<input type="checkbox"/> Piece 498,- €	

Technical changes and print mistakes reserved.

VD2359E-40

Combinationen wheels with frame length

Rear wheel	Frame straight (integrated) CODE 221	Frame with abduction (integrated) CODE 222	Frame straight (with detachable footrest) CODE 599	Frame with abduction (with detachable footrest) CODE 598
20"	possible	possible	possible	possible
22"	possible	possible	possible	only with 4" / 5" possible
24"	possible	possible	frame (short) middle not possible frame long possible	not possible*

* only possible:
only by castor position „C“,
only with Pull-to-Lock-brake
mind. 4" Chamber
with brake holder „F“
(with anchor plate system not possible!)

Wheel plate:


Center of gravity adjustment (measured from back tube to wheel center)

Wheel plate standard / back straight:

A = 6,0 cm

B = 4,0 cm

C = 2,0 cm




Wheel plate standard / UNITOMIC back:

A = 6,0 cm (2,5cm at bow)

B = 4,0 cm (0,5cm at bow)

C = 2,0 cm (-1,5cm at bow)



* Note to the 24" rear wheels:
frame CODE 221 and frame CODE 222 is possible
frame CODE 589 only possible in combination with frame long
frame CODE 589 is not possible !!!

rear wheel standard

Rear wheel standard (Alu hub black) with quick release axle pneumatic <input type="checkbox"/> 20"x1* fine profile Code 142 <input type="checkbox"/> 20"x1 black fine profile Code 142S <input type="checkbox"/> 22"x1 3/8* rough profile Code 150 <input type="checkbox"/> 22"x1* fine profile Code 144 <input type="checkbox"/> 22"x1 black fine profile Code 144S <input type="checkbox"/> 24"x1 3/8* rough profile Code 151 <input type="checkbox"/> 24"x1* fine profile Code 157 <input type="checkbox"/> 24"x1 black fine profile Code 157S		solid <input type="checkbox"/> 20"x1 Code 240 <input type="checkbox"/> 20"x1 black Code 241 <input type="checkbox"/> 22"x1 3/8 grey Code 149 <input type="checkbox"/> 22"x1 grey Code 141 <input type="checkbox"/> 22"x1 black Code 141S <input type="checkbox"/> 24"x1 3/8 grey Code 153 <input type="checkbox"/> 24"x1 grey Code 154 <input type="checkbox"/> 24"x1 black Code 154S		Design rear wheel 24" (Alu hub silver) with quick release axle, straight spoke wheel <input type="checkbox"/> 24"x1 pneumatic Code 591 <input type="checkbox"/> 24"x1 pneumatic black Code 594 <input type="checkbox"/> 24"x1 solid Code 592 <input type="checkbox"/> 24"x1 solid black Code 593		Performance tyre Right Run 24"x1 Code 570 Marathon Plus (grey tyre) 22"x1 Code 577 Marathon Plus Evolution (black tyre) 24"x1 Code 572 Marathon Plus Evolution (black tyre)		Code 573 <input type="checkbox"/> red <input type="checkbox"/> blue <input type="checkbox"/> grey <input type="checkbox"/> black		Code 576 <input type="checkbox"/> black		Camber 0° <input type="checkbox"/> 2° <input type="checkbox"/> 4° (standard) <input type="checkbox"/> 7° <input type="checkbox"/> 10° <input type="checkbox"/>	
* grey tyres		Standard		max. 7° camber		OE 40,- €							

handrim for rear wheel standard

Handrim for rear wheel standard and Design rear wheel 24" aluminium black <input type="checkbox"/> 20" Code 158 <input type="checkbox"/> 22" Code 455 <input type="checkbox"/> 24" Code 454 extension narrow <input type="checkbox"/> wide <input type="checkbox"/>					Aluminium silver <input type="checkbox"/> 22" Code 492 <input type="checkbox"/> 24" Code 491		stainless less polished <input type="checkbox"/> 20" Code 291 <input type="checkbox"/> 22" Code 155 <input type="checkbox"/> 24" Code 156		TETRA-GRIP (Super Grip) <input type="checkbox"/> 20 inch Code 254 <input type="checkbox"/> 22 inch Code 252 <input type="checkbox"/> 24 inch Code 452		Maxgripp ERGO Para <input type="checkbox"/> 20 inch Code 558 <input type="checkbox"/> 22 inch Code 550 <input type="checkbox"/> 24 inch Code 554		GEKKO S black anodized with rubber lip Ø - smaller <input type="checkbox"/> 22" Code 4503 <input type="checkbox"/> 24" Code 4507 <input type="checkbox"/> narrow <input type="checkbox"/> wide		CURVE black anodized CURVE <input type="checkbox"/> 22 inch Code 4502 CURVE L <input type="checkbox"/> 24 inch Code 4504		Handrim cover black  <input type="checkbox"/> 20 inch Code 290 <input type="checkbox"/> 22 inch Code 191 <input type="checkbox"/> 24 inch Code 192	
Standard					OE 320,- €		OE 358,- €		OE 503,- €		OE 388,- €		<input type="checkbox"/> Pair 136,- €					

rear wheel




SAFETY-GRIP-rear wheel rim with integratd hand rim <input type="checkbox"/> 22 inch Code 261 <input type="checkbox"/> 24 inch Code 461 only in combination with rear wheel or rear wheel with drum brake <input type="checkbox"/> Pair OE 101,- €		Rear wheel with drum brake and quick release axle (for companion) <input type="checkbox"/> 20 inch Code 140 <input type="checkbox"/> 22 inch Code 160 <input type="checkbox"/> 24 inch Code 159 not in combinaiton with special rear wheel TENSIO, LWW or Design rear wheel <input type="checkbox"/> Pair OE 318,- €		"Black Edition" Drum brake rear wheel with black rim, black hub and quick release axle with black cap and with tyre Maraton Plus Evolution (black tyre) 22"x1 or 24"x1 Code 2263 (only in combination with CODE 159 or 160) <input type="checkbox"/> Pair OE 108,- €	
--	--	--	--	--	--


light weight wheel


one hand drive

Light weight wheel LWW with black rim, 24 spokes black radialspeaks and black alu hand rim and pneumatic tyre (fine profile) grey tyre Alu-handrim black anodized 20 x1" <input type="checkbox"/> CODE 565 22 x1" <input type="checkbox"/> CODE 564 24 x1" <input type="checkbox"/> CODE 563 Alu-handrim silver anodized CODE 565S CODE 564S CODE 563S black tyre hand rim black CODE 2868 CODE 2867 CODE 2866 not possible with solid tyre 1 max. 7° camber <input type="checkbox"/> Pair OE 188,- €			Handrim additional for the driven wheel handrim in stainless steel Code 198Z (only in combination with one hand drive) <input type="checkbox"/> Pc. OE 145,- €		One hand drive with quick release axle and stainless steel double handrim # from SW 28cm # camber max. 5° Combination with drum brake is possible!! left 22" <input type="checkbox"/> Code 193 normal <input type="checkbox"/> Code 2193 narrow 24" <input type="checkbox"/> Code 194 normal <input type="checkbox"/> Code 2194 narrow distance handrim normal narrow normal narrow right 22" <input type="checkbox"/> Code 195 normal <input type="checkbox"/> Code 2195 narrow 24" <input type="checkbox"/> Code 196 normal <input type="checkbox"/> Code 2196 narrow distance handrim normal narrow normal narrow <input type="checkbox"/> Pair OE 998,- €				gab / distance of double handrim normal  narrow  small distance for small hands
---	--	--	---	--	--	--	--	--	--

wheel plate for rear wheel

Center of gravity adjustment wheel position: 		Wheel extension for drum brake  Code 162 <input type="checkbox"/> Pair 200,- €		Wheel extension  Code 161 <input type="checkbox"/> Pair 155,- €	
---	--	---	--	--	--

brake				
<p>Knee angle brake offset with short lever stroke</p>  <p><input type="checkbox"/> Code 174K</p>	<p>Knee angle brake "Pull to lock"</p>  <p>pull to lock the brake</p> <p><input type="checkbox"/> Code 274</p>	<p>Brake lever extension straight foldaway</p>  <p>(only for CODE 174K)</p> <p>Code 175</p>	<p>One hand brake with brake lever extension</p> <p><input type="checkbox"/> right</p> <p><input type="checkbox"/> left</p> <p>Code 173</p>	
<p>Standard</p>		<p><input type="checkbox"/> Pair 81,- €</p>	<p><input type="checkbox"/> Piece OE 272,- €</p>	

brake				
<p>Knee angle brake 174K switched through companion</p> <p>(combination with drum brake Code 140 / 159 / 160 and with Code 175 not possible)</p>  <p>Code 2478</p>	<p>additional knee angle brake only for companion, activated with bowden cable</p> <p>(alternative for drumbrake)</p> <p>(additional drum brake mounted under the frame)</p>  <p>Code 2479</p> <p>(combination with drum brake Code 140 / 159 / 160 and with Code 175 not possible)</p>		<p>Knee angle brake offset with locking pin for locking</p>  <p>fixed in the braked position fixed in the braked and opened position fixed in the opened position</p> <p><input type="checkbox"/> Code 174Rast <input type="checkbox"/> Code 174RastD <input type="checkbox"/> Code 174RastO</p>	
<p><input type="checkbox"/> Pair OE 209,- €</p>	<p><input type="checkbox"/> Pair 330,- €</p>		<p>OE 188,- €</p>	<p>OE 288,- €</p>

brake					
<p>Knee angle brake integrated in side guard</p>			<p>Knee angle brake integrated in ERGO AL side guard</p>		
<p>with brake lever long cap (rubber)</p>  <p><input type="checkbox"/> Code 2289</p>	<p>with brake lever short hemisphere 2-piece screwed</p>  <p><input type="checkbox"/> Code 2289H</p>	<p>with brake lever curved ball Ø32mm screwed</p>  <p><input type="checkbox"/> Code 2289A</p>	<p>with brake lever long cap (rubber)</p>  <p><input type="checkbox"/> Code 2289E</p>	<p>with brake lever short hemisphere 2-piece screwed</p>  <p><input type="checkbox"/> Code 2289K</p>	<p>with brake lever curved ball Ø32mm screwed</p>  <p><input type="checkbox"/> Code 2289B</p>
<p><input type="checkbox"/> Pair only in combination with side guard CODE 433, 232 or 230 OE 174,- €</p>			<p><input type="checkbox"/> Pair only in combination with side guard ERGO AL CODE 437 OE 176,- €</p>		

accessories	
<p>Anchor plate system</p> <p>anchor plates for transport in cars (ISO 7176-19)</p> <p>Assembly kit for wheelchairs including mounting</p>  <p>Code 2490</p>	<p>note for anchor plate system:</p> <p>Junior2 Ar / SLT: wheel plate in position C and anchor plate system is from 7° camber possible !!!</p> <p>Junior2 AR: Anchor plate system with frame abduction short (SD 26-34) is not possible !!!</p> <p>Junior 2 AR: with abduction frame from SD 36/38cm possible !!!</p> <p>Junior 2 AR: with frame straight possible!</p>
<p><input type="checkbox"/> Set net price 450,- €</p>	

note
<p> </p>

Technical changes and print mistakes reserved.

VD2359E-40

Junior2 SLT		accessories	
traking extension TRIKE as steering and pushing aid hook closure  capacity up to 60kg (wheelchair incl. payload) size 1: frame straight SW 26cm - 28cm frame abduction SW 24cm - 28cm size 2: seat width 30cm - 34cm CODE 9901	# holder lateral at frame (for type d.23) with hook closure # castor 10x2" black alu fork # arrangement with gear segment # with ramp as mounting aid capacity up to 90kg (wheelchair incl. payload) size 3: seat width 36cm - 40cm size 4: seat width 42cm - 46cm CODE 9902	<h1>Trike</h1> traking extension as steering and pushing aid 	
<input type="checkbox"/> Piece 483,- €	<input type="checkbox"/> Piece 623,- €		

Junior2 AR			
traking extension TRIKE as steering and pushing aid hook closure  capacity up to 60kg (wheelchair incl. payload) size 1: frame straight SW 28cm - 28cm frame abduction SW 24cm - 28cm size 2: seat width 30cm - 34cm CODE 9906	# special holder lateral at frame (for type d.23) with hook closure # castor 10x2" black alu fork # Gestänge mit Zahnsegment # mit Rampe als Montagehilfe capacity up to 90kg (wheelchair incl. payload) size 3: seat width 36cm - 40cm size 4: seat width 42cm - 46cm CODE 9907		
<input type="checkbox"/> Piece 510,- €	<input type="checkbox"/> Piece 669,- €		

TRIKE colour frame		Edition "...-Color"			
Note: the TRIKE frame parts are made of aluminium	TRIKE- frame colour powder coated Colour : frame colour (see page 1) - frame type right / left - cross tube - castor fork Code 9908	Edition "Duo-Color" colour 1: _____ (castor fork) colour 2: _____ (frame type right / left, cross tube) Code 9909		Castor fork with brake for directional stability Code 9909F	
without extra charge <input type="checkbox"/>	OE 132,- € <input type="checkbox"/>	OE 143,- € <input type="checkbox"/>		<input type="checkbox"/> Piece OE 153,- €	

Junior2 SLT		accessories	
traking extension TRIKE as steering and pushing aid quick release (clamp)  capacity up to 60kg (wheelchair incl. payload) size 1: frame straight SW 26cm - 28cm frame abduction SW 24cm - 28cm size 2: seat width 30cm - 34cm CODE 9921	# holder quick release (clamp) at frame (for pipe Ø 23mm) # castor 10x2" black alu fork # arrangement of levers with gear segment # with ramp as mounting aid # with adjusting ring at frame (Ø 23mm) capacity up to 90kg (wheelchair incl. payload) size 3: seat width 36cm - 40cm Größe 4: Sitzbreite 42cm - 46cm CODE 9922		
<input type="checkbox"/> Piece 491,- €	<input type="checkbox"/> Piece 633,- €		

<h2>Note:</h2> Junior2 AR: combination TRIKE with anchor plate system is not possible !! Junior2 SLT: combination TRIKE (hook) with anchor plate system is from frame long (from SD 34) possible !! combination TRIKE (clamp) with anchor plate system is possible !!

note

Technical changes and print mistakes reserved.

VD2359E-40

General Terms and Conditions of Business (GTC)

Validity

All sales are subject to our delivery and payment conditions, without any exception. Orders and other agreements will not be valid unless confirmed by us in writing. We expressly object to the customer's purchase conditions.

Quotations and contract conclusion

Quotations are always subject to change, unless they are expressly limited in terms of time. Orders require a written confirmation. After confirmation, prices quoted in orders are fixed but we reserve the right to make adequate price adjustments in the event of price increases for which we are not responsible (e.g. tax increases, wage increases, price changes on the part of our suppliers). Cost estimates for customized products and repairs are always non-binding. We reserve the right to make technical modifications. The contract will not be concluded before the order is confirmed.

Shipment

To the extent the customer has not made any specification, shipment will be made in usual packaging using an adequate method. Insurance will only be taken out upon request and at the expense of the customer.

Delivery will be made carriage forward. We are free to select a method of shipment. If the customer has special requests, e.g. express delivery, express freight, etc., the additional cost will also be borne by the recipient. The goods will always be shipped at the buyer's risk. In case of damage during transport, the recipient must apply for an ascertainment of the facts with the respective forwarding agent.

Prices

All prices quoted by BEROLLKA will be quoted ex works, excluding any applicable statutory value added tax, public charges and levies such as potential customs tariffs, and insurance and packaging costs that will be charged separately.

Minimum quantity surcharge

If a small order is placed with a net value below 20 euros, an additional lump-sum minimum quantity surcharge of 15.00 euros will additionally be charged to cover administrative costs.

Delivery periods

The delivery dates and periods stated are subject to change. Any delay in delivery will not entitle the customer to withdraw from the contract. The assertion of damage claims is ruled out. BEROLLKA can make partial deliveries for justified reasons.

Wrong orders / return of merchandise

Any goods erroneously ordered will only be taken back provided we are responsible for such an error and the merchandise is in impeccable condition. In the event that an item erroneously ordered or merchandise that was returned is taken back in an individual case as a gesture of goodwill, attention must be paid to the following:

1. It is necessary to state the article number, the designation of the article, the date and number of the delivery note and the invoice number.
2. The return shipment must be carriage paid.
3. The merchandise must correspond to the article number(s) listed in the delivery note. In no event will any individual parts removed from an article be taken back.
4. The returned merchandise must be in impeccable condition.
5. Processing fees amounting to 10% of the net merchandise value not, however, less than €35.- will be charged for any instance where goods are taken back.

Deliveries effected more than 3 months earlier as well as sewing pieces and customized products cannot be exchanged. A copy of the delivery note or of the invoice will serve as proof in this regard.

Warranty and notices of defects

Excluding any further claims, the seller is liable for defects of the merchandise in that the seller will mend or replace all those parts free of charge that have become defective or unusable within 6 months due to provable defects of material or workmanship, and of which the seller has been notified in writing immediately after knowledge was gained of the defect. Should longer periods of time be required for statutory reasons, the warranty period is agreed to be 12 months.

The customer must grant the seller the required time and opportunity for effecting delivery of the replacement parts. Replaced parts will become the property of the seller. The buyer must check the merchandise without undue delay after it has been delivered by the seller and, if a defect is found, notify the seller of the defect without undue delay. Should the buyer fail to notify the seller, the merchandise will be deemed accepted unless a defect occurs that could not have been found when the merchandise was checked.

In any event in which a complaint is brought to the notice of BEROLLKA, BEROLLKA invariably has the right to inspect and check the item delivered that is the subject matter of said complaint, for which the customer will grant BEROLLKA the required time and opportunity. BEROLLKA can also demand that the customer sends the item delivered that is the subject matter of a complaint back to BEROLLKA at the expense of BEROLLKA. Should a notice of defects given by the customer turn out to be wilfully or gross negligently unfounded, the customer will be obliged to compensate BEROLLKA for any and all expenses incurred in this connection. BEROLLKA will be entitled to remedy warranty defects at its own discretion either by rectification of the defect or by replacement of the defective part or of the entire item delivered at no cost for the customer. Should the customer itself repair an item that gave rise to a complaint, or should the customer endeavour to rectify the defects itself without prior written approval of the seller, the seller will not grant any claims for reimbursement of expenses (such as transport, road, labour or material costs) or warranty claims.

The following are excluded from the liability for damages:

damage arising from natural wear and tear, damage due to negligent and/or improper treatment, or violent damage. A revocation of the purchase contract, a reduction of the purchase price or damage claims of any kind are ruled out. The warranty obligation will cease if repairs and/or modifications or replacements of individual parts are performed by other parties than the seller or the delivering company.

Reservation of title

With regard to resellers: The merchandise delivered will remain our property until any and all invoices – also for different deliveries – have been fully paid. Our merchandise that is hence still our property may only be resold within the ordinary course of business. Amounts receivable from any resale are assigned to us. We must be notified without undue delay and on the reseller's own initiative of any disposal of said merchandise outside of the ordinary course of business, e.g. through pledging our property or amounts receivable assigned to us.

Terms of payment

Any invoices are payable within 30 days from the date of the invoice strictly net cash. A 2% discount will be granted for payments received within 8 days provided any and all payment claims under earlier deliveries have been settled. We are entitled to charge default interest if the 30-day payment deadline is exceeded. The interest rate will be the customary market rate charged by major banks. We expressly reserve the right to effect delivery with cash on delivery.

Data Protection

BEROLLKA and the customer are responsible themselves for compliance with the respective data protection rules applicable to them. The customer must not provide BEROLLKA with personal data that is illegal or that the customer is not legally authorised to distribute.

The place of performance and the place of jurisdiction will be the place where the invoice is issued.

Heidelberg, Germany, will be the exclusive place of jurisdiction for any and all disputes arising under the contractual relationship. However, BEROLLKA is entitled to sue the customer at any other legal venue. These General Terms and Conditions of Business are governed by the laws of the Federal Republic of Germany, excluding of the United Nations Convention on Contracts for the International Sale of Goods of Goods (CISG).

Technical modifications and printing errors excepted. A current list of prices can be ordered at any time.