

Adress

Shipping address see address

Com.:

Order

Estimate

Basic Price 2825,- €

Price valid from January 1st 2025
(until revoked)

Purchaser: _____

Telephone: _____



ROOKIE

Foldable mobility base for seating systems

Capacity up to 120kg

user weight + seating system: _____ kg

Standard equipment:

- foldable aluminium frame with abduction
- back with hight adjustable handles
- seat angle adjustable
- back angle adjustable, tilttable
- castor and rear wheels

basic measure				
ROOKIE foldable frame <input checked="" type="checkbox"/> abduction frame (10 cm) Code U301	Seat width (SW)	Seat depth (SD) Length of the seat frame	Back height (BH)	Lower Leg Length (LLL): LLL: cm
	<input type="checkbox"/> 28 <input type="checkbox"/> 32 <input type="checkbox"/> 36 <input type="checkbox"/> 40 <input type="checkbox"/> 44	Gr. 1 frame short <input type="checkbox"/> ST 32 Standard	Gr. 2 frame long <input type="checkbox"/> ST 40 add charge (see U334 page 3)	<input checked="" type="checkbox"/> 45
		(seat extension 6cm backwards see page 3)		

technical data		
T seat depth: 32cm with short frame T seat depth: 40cm (optional) with long frame		Seat tilt -6 to 35° at straight / flat adjusted frame
A1 = total width front A1 = SB + 18cm A2 = frame width front A2 = SB + 10cm B = seat frame width B = SB C = seat width (= SW)	E = max. seat shell width E = C (SW) + 5cm by wheel cover D = total width D = SW + 24cm (without drum brake) D = SW + 28cm (with drum brake)	Incline back 80 to 120°
folding measure D = total width in folding position D = 34cm (with / without drum brake)		Weight: from 10,5 kg without footrest without wheel cover without drum brake
		All dimensions in cm Dimensions tol. +/- 0,5cm

Technical changes and print mistakes are reserved.
 VD2460E-25

measurements

seat height H:

Assumption for dimensions: the seat plate is parallel to the frame !

seat height back

(rear wheels) to the seat plate

20"

22"

24"

wheel up	41,0 cm	43,5 cm	46,0 cm
wheel centred	43,5 cm	46,0 cm	48,5 cm
wheel down	46,0 cm	48,5 cm	51,0 cm

seat heights with trapezium adapter +2,0cm

seat height front

(castor / fork) to the seat plate

fork
extra short
2564213

fork
short
4064201

fork
long
4064202

fork
45 wide
4064811

fork
60 wide
4064811

4"	wheel up	39,2 cm	42,2 cm	44,8 cm
	wheel centred	40,5 cm	43,5 cm	46,0 cm
	wheel down	41,8 cm	44,8 cm	48,5 cm


5"	wheel up	40,5 cm	43,5 cm	46,0 cm
	wheel centred	41,8 cm	44,8 cm	47,2 cm
	wheel down	43,0 cm	46,0 cm	49,8 cm

140mm	wheel up	45,5 cm		
	wheel centred	46,8 cm		
	wheel down	48,0 cm		


6"	wheel up	44,8 cm	47,2 cm
	wheel centred	46,0 cm	48,5 cm
	wheel down	47,2 cm	51,0 cm

7"	wheel up	47,2 cm	
	wheel centred	48,5 cm	
	wheel down	49,8 cm	

seat heights with trapezium adapter +2,0cm



seat height back



seat height front

Note: up to the position of the wheels, if the frame is not straight, you can get other angle of the seat plate !!

Technical changes and print mistakes are reserved.

VD2460E-25

frame colour

Because of the material are different colours possible

shiny

- | | | |
|---|--|--|
| <input type="checkbox"/>  25 RAL9010 white | <input type="checkbox"/>  16 RAL5002 ultramarine blue | <input type="checkbox"/>  19 silvermetallic |
| <input type="checkbox"/>  24 RAL1028 melonyellow | <input type="checkbox"/>  17 dormantblue | <input type="checkbox"/>  46 RAL 9023 perl darkgrey |
| <input type="checkbox"/>  27 mandarin met. | <input type="checkbox"/>  64 petrolgreen met. | <input type="checkbox"/>  63 platin met. |
| <input type="checkbox"/>  06 dormantred | <input type="checkbox"/>  51 applegreen metallic | <input type="checkbox"/>  23 RAL9005 black |
| <input type="checkbox"/>  40 redmetallic | <input type="checkbox"/>  45 RAL 6018 yellow green | |

met. = metalized

frame colour

Because of the material are different colours possible

mat / satined

- | | | |
|---|--|--|
| <input type="checkbox"/>  76 white satined | <input type="checkbox"/>  70 ultramarine blue satined | <input type="checkbox"/>  77 silvermetallic satined |
| <input type="checkbox"/>  66 mandarin met. satined | <input type="checkbox"/>  75 petrolgreen met. satined | <input type="checkbox"/>  78 platin met. satined |
| <input type="checkbox"/>  67 traffic red satined | <input type="checkbox"/>  73 yellowgreen met. satined | <input type="checkbox"/>  22 RAL9011 black mat |

met. = metalized

note

note

note

VD2460E-25 Technical changes and print mistakes are reserved.

frame accessories		armrest	
Tip shackle <input type="checkbox"/> right <input type="checkbox"/> links Code U311	Anti-tip wheel <input type="checkbox"/> right <input type="checkbox"/> left Code U312	Armrest adjustable in height with raster, for mounting on the seating shell <input type="checkbox"/> armrest long <input type="checkbox"/> armrest short Code U319 (self installation on the seating shell)	Armrest short adjustable in height and angle adjustable with raster, for mounting on the seating shell <input type="checkbox"/> armrest long <input type="checkbox"/> armrest short Code U318 (self installation on the seating shell)
<input type="checkbox"/> Piece 90,- €	<input type="checkbox"/> Piece 149,- €	<input type="checkbox"/> Pair 228,- €	<input type="checkbox"/> Pair 266,- €

footrest		
Single footrest alu-profile with knee angle and gear segment adjustable Code U322	Single footrest alu. flat-profile with gear segment knee angle Code U325	Double footrest alu. flat-profile with gear segment knee angle Code U326
<input type="checkbox"/> Piece 352,- €	<input type="checkbox"/> Piece 352,- €	<input type="checkbox"/> Pair 428,- €

back					
Back with single push handles, high adjustable, back angle adjustable with stabilization bar back angle displaceable -10/0/10/20/30° <input type="checkbox"/> <input checked="" type="checkbox"/> Code U340	Back guide for seating shells Code U346	Single push handles angle adjustable (with gear segment) Code U341	Head rest with attachment at the stabilization bar (with black cover) Code U342	Attachment for head rest (without the head rest) adapter tube 20x20 Code U343	Additional support for the head rest attachment (only in combination with CODE 342 possible) Code U344
Standard	<input type="checkbox"/> Piece 287,- €	<input type="checkbox"/> Piece OE 237,- €	<input type="checkbox"/> Piece 320,- €	<input type="checkbox"/> Piece OE 99,- €	<input type="checkbox"/> Pc. OE 194,- €

seat		
Seat standard (short) seat tubes with seat plate (angle adjustable) size 1 SD = 32cm seat frame short Code U330	Seat frame long, seat tube with seat plate (angle adjustable) size 2 SD = 40cm seat frame long (and basic frame long) Code U334	Seat extension 6cm backwards tube of seat is 6cm longer backwards (instead of normal seat tube) size 1 SD = 32 + 6cm = 38cm size 2 SD = 40 + 6cm = 46cm Code U331
Standard	<input type="checkbox"/> Set OE 213,- €	<input type="checkbox"/> Set OE 185,- €

adapter			
Trapezium adapter 2-pieces (for seating shell) Code U335	Trapezium adapter upper part (for seating shell) Code U336	Trapezium adapter lower part (for mobility base) Code U337	Edition "DUO-Color" ROOKIE colour 1: _____ - frame part right - frame part left - back tube colour 2: _____ - footrest - design-castor fork - hand rim* *only in combination with CODE U359
<input type="checkbox"/> Set 320,- €	<input type="checkbox"/> Piece 134,- €	<input type="checkbox"/> Piece 188,- €	<input type="checkbox"/> Code U305 OE 102,- €

Technical changes and print mistakes are reserved.
 VD2460E-25

rear wheel

Rear wheel with quick release axle and pneumatic tyre <input type="checkbox"/> 20" x1 3/8 Code U360 <input type="checkbox"/> 22" x1 3/8 Code U361 <input type="checkbox"/> 22" x1 Code U362 <input type="checkbox"/> 24" x1 3/8 Code U363 <input type="checkbox"/> 24" x1 Code U364	Rear wheel with quick release axle and solid tyre <input type="checkbox"/> 20" x1 3/8 Code U365 <input type="checkbox"/> 22" x1 3/8 Code U366 <input type="checkbox"/> 22" x1 black Code U366S <input type="checkbox"/> 24" x1 3/8 Code U367 <input type="checkbox"/> 24" x1 black Code U368 <input type="checkbox"/> 24"x1 Code U368S	Rear wheel with drum brake, hand rims aluminium and quick release axle (for companion) <input type="checkbox"/> 20 inch Code U351 <input type="checkbox"/> 22 inch Code U352 <input type="checkbox"/> 24 inch Code U353	"Black Edition" drum brake rear wheels with black hub, black wheels rim and quick release axle with black cover and with black tyres Marathon Plus Evolution <input type="checkbox"/> 22"x1 U352S Code <input type="checkbox"/> 24"x1 U353S Code (only in combination with CODE U355 / U354)	Wheel cover plastic (with holder) Code U390	Camber 0° <input checked="" type="checkbox"/>
Standard		<input type="checkbox"/> Pair OE 326,- €	<input type="checkbox"/> Pair OE 426,- €	<input type="checkbox"/> Pair 258,- €	

rear wheel

Handrim aluminium black <input type="checkbox"/> 20" Code U356 <input type="checkbox"/> 22" Code U355 <input type="checkbox"/> 24" Code U354 extension narrow <input type="checkbox"/> wide <input type="checkbox"/>	Hand rim stainless steel, polished <input type="checkbox"/> 22" Code U358 <input type="checkbox"/> 24" Code U357 extension narrow <input type="checkbox"/> wide <input type="checkbox"/>	handrim for rear wheel powder coated Code 8881 only with hand rim alu.	Spoke cover transparent <input type="checkbox"/> 20" Code U370 <input type="checkbox"/> 22" Code U371 <input type="checkbox"/> 24" Code U372	Handrim cover black <input type="checkbox"/> 20" Code U394 <input type="checkbox"/> 22" Code U395 <input type="checkbox"/> 24" Code U396	Wheel extension Code U376	
Standard		<input type="checkbox"/> Pair OE 190,- €	<input type="checkbox"/> Pair 178,- €	<input type="checkbox"/> Pair 136,- €	<input type="checkbox"/> Pair 184,- €	

castor

Castor solid with screw axle and design fork in colour of the wheelchair <input type="checkbox"/> 4 Zoll Code U381 <input type="checkbox"/> 5 Zoll Code U382 <input type="checkbox"/> 6 Zoll Code U383 <input type="checkbox"/> 6 Zoll PU soft black Code U383P <input type="checkbox"/> 140mm soft Code U384 <input type="checkbox"/> 140mm soft black Code U384S <input type="checkbox"/> 7 Zoll Code U385 *	Castor pneumatic with screw axle and design fork in colour of the wheelchair <input type="checkbox"/> 6 inch Code U386 <input type="checkbox"/> 7 inch Code U387 * * Castor fork only in black possible	Castor solid with aluminium rim silver and black tyre (small) <input type="checkbox"/> 4 inch Code U388 <input type="checkbox"/> 5 inch Code U389	Castor solid with aluminium rim black and black tyre small) <input type="checkbox"/> 5 inch Code U389S	Soft alu castor black soft tyre with black aluminium rim <input type="checkbox"/> 4 inch Code U3894S <input type="checkbox"/> 5 inch Code U3895S	Castor fork with lock Lock for diving forwards (only for 4"/5"/6") Code U380	
Standard		<input type="checkbox"/> Pair OE 75,- €	<input type="checkbox"/> Pair OE 75,- €	<input type="checkbox"/> Pair OE 102,- €	<input type="checkbox"/> Pair OE 215,- €	

brake

accessories

Knee agnle brake with short lever stroke Code U374	Brake lever extension straight, foldaway Code U375		Anchor plate system anchor plates for transport in cars (ISO 7176-19) Assembly kit for mobility bases including mounting Code U3091
Standard		<input type="checkbox"/> Pair 79,- €	<input type="checkbox"/> Set net price 450,- €

note

--

Technical changes and print mistakes are reserved.

VD2460E-25

note

Empty rectangular area for notes.

VD2460E-25
Technical changes and print mistakes are reserved.