

Address

Shipping address see address

Order
 Estimate

Com.:

Purchaser: _____
Telephone: _____



basic price from 2720,- €

Price valid from January 1st 2025 (until revoked)

Sprint

Capacity up to 136 kg

user weight: _____ kg

Technical changes and print mistakes are reserved.

Sprint SLT	All dimensions in cm Dimensional tol. +/- 0,5cm	Sprint AR
<p>Active-wheelchair made of aluminium, foldable, with integrated footrest</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>Frame without footrests and without side guards</p> <p>frame 70° (standard)</p> <p>Code 400 <input type="checkbox"/></p> </div> <div style="width: 50%;"> <p>length of frame (frame with 70°)</p> <p><input type="checkbox"/> 55cm = short SD 34-38 only with clothing guard</p> <p><input type="checkbox"/> 59cm = middle SD 34-42</p> <p><input type="checkbox"/> 63cm = long SD 44-46</p> <ul style="list-style-type: none"> ● total length depends on the wheel position and the position of the footrest ● frame length with UNITOMIC L+3cm ● frame length with abduction L+7cm <p>Basic Price 2720,- €</p> </div> </div>		<p>Active-wheelchair made of aluminium, foldable, with detachable footrest</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>Frame without footrests and without side guards</p> <p>Code 500 <input type="checkbox"/></p> </div> <div style="width: 50%;"> <p>length of the frame with footrest</p> <p><input type="checkbox"/> 58cm = short SD 34-38 only with clothing guard</p> <p><input type="checkbox"/> 62cm = middle SD 34-42</p> <p><input type="checkbox"/> 66cm = long SD 44-46</p> <ul style="list-style-type: none"> ● total length depends on the wheel position and the position of the footrest ● frame length with UNITOMIC L+3cm <p>Basic Price 2750,- €</p> </div> </div>

basic measures																																																				
<p>Seat width (SW)</p> <table style="width: 100%; text-align: center;"> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>32</td><td>34</td><td>36</td><td>38</td><td>40</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>42</td><td>44</td><td>46</td><td>48</td><td>50</td></tr> </table>	<input type="checkbox"/>	32	34	36	38	40	<input type="checkbox"/>	42	44	46	48	50	<p>Seat depth (SD)</p> <table style="width: 100%; text-align: center;"> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>34</td><td>36</td><td>38</td><td>40</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>42</td><td>44</td><td>46</td><td></td></tr> </table>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34	36	38	40	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42	44	46		<p>* short frame (only with clothing guard and side guard RACY)</p> <table style="width: 100%; text-align: center;"> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>48</td><td>50</td></tr> </table> <p>Special seat depth</p> <p>Code 409 OE 155,- €</p>	<input type="checkbox"/>	<input type="checkbox"/>	48	50	<p>Back height (BH)</p> <table style="width: 100%; text-align: center;"> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>30</td><td>35</td></tr> <tr><td><input type="checkbox"/></td><td><input type="checkbox"/></td></tr> <tr><td>40</td><td>45</td></tr> </table> <p>+2,5cm adjustable not with UNITOMIC-back</p>	<input type="checkbox"/>	<input type="checkbox"/>	30	35	<input type="checkbox"/>	<input type="checkbox"/>	40	45	<p>Lower Leg Length (LLL):</p> <p>LLL: cm (regarding seat upholstery/without seat cushion)</p> <p>from 35cm (without cushion)</p> <p>*Sprint SLT from 35cm Sprint AR from 32cm</p> <p>max. LLL = SH - 3cm</p> <p>technicality data see rear side</p>								
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																
32	34	36	38	40																																																
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																
42	44	46	48	50																																																
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																	
34	36	38	40																																																	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																	
42	44	46																																																		
<input type="checkbox"/>	<input type="checkbox"/>																																																			
48	50																																																			
<input type="checkbox"/>	<input type="checkbox"/>																																																			
30	35																																																			
<input type="checkbox"/>	<input type="checkbox"/>																																																			
40	45																																																			

Note: more dimensions in special construction on request possible !!


seat height	
<div style="display: flex; justify-content: space-around;"> </div>	<p>seat height in cm see possible wheel combination (without seat cushion)</p> <p>front: _____ cm (Standard = 48/49cm)</p> <p>back: _____ cm (Standard = 45/46cm)</p>

VD2352E-39

Technical data


seat width **SW**

from outside crossbar to outside crossbar +6mm




seat depth **SD**

from back tube to upper edge seat upholstery



back height **RH**

from upper edge seat upholstery to upper edge back upholstery



Lower Leg Length LLL:

Total width wheelchair:

with wheels and handrim
with drum brake
with One hand drive wheels
with One hand drive wheels+drum brake

35 to 49 cm

SW + 18 cm*

SW + 20 cm*

SW + 24 cm*

SW + 26 cm*

* + 1,5cm at side guard RACY

folding measurement:

with wheels
with drum brake
without wheels

about 30cm

about 32cm

about 22cm

maximum burden:

120 kg

Seat height **SH**

Note:
special seat heights in
special construction possible !!

Sprint

Rear wheel	Castor fork	minimum seat height		maximum seat height	
		front	back	front	back
22 inch	4 inch - short	43 cm	39 cm*	46 cm	46 cm
	- long	46 cm	39 cm*	50 cm	49 cm
	5 inch - short	44 cm	39 cm*	47 cm	46 cm
	- long	46 cm	39 cm*	51 cm	49 cm
24 inch	6 inch - short	45 cm	39 cm*	48 cm	48 cm
	- long	48 cm	39 cm*	52 cm	51 cm
	140 mm - wide	46 cm	39 cm*	50 cm	49 cm
	4 inch - short	44 cm	43 cm*	46 cm	46 cm
	- long	46 cm	43 cm*	50 cm	49 cm
24 inch	5 inch - short	44 cm	43 cm*	47 cm	46 cm
	- long	47 cm	43 cm*	51 cm	50 cm
	6 inch - short	45 cm	43 cm*	48 cm	46 cm
	- long	48 cm	43 cm*	52 cm	51 cm
	140mm - wide	46 cm	43 cm*	50 cm	49 cm
7 inch - wide	48 cm	43 cm*	51 cm	50 cm	

All measurements ± 0,5 cm

* note: with drum brake you have to add +2cm !!

Notice: at the castor wheels **PU-black** are the minimal seat height with the fork **short** and **extra short** not possible

frame colour Because of the material are different colours possible

shiny	<input type="checkbox"/> 25 RAL9010 white	<input type="checkbox"/> 06 dormantred	<input type="checkbox"/> 64 petrolgreen met.	<input type="checkbox"/> 19 silvermetallic
	<input type="checkbox"/> 56 RAL1021 goldyellow met.	<input type="checkbox"/> 53 cassis	<input type="checkbox"/> 50 applegreen	<input type="checkbox"/> 63 platin met.
	<input type="checkbox"/> 24 RAL1028 melonyellow	<input type="checkbox"/> 59 atlanticblue	<input type="checkbox"/> 51 applegreen metallic	<input type="checkbox"/> 23 RAL9005 black
	<input type="checkbox"/> 27 mandarin met.	<input type="checkbox"/> 16 RAL5002 ultramarine blue	<input type="checkbox"/> 60 mojitogreen	
	<input type="checkbox"/> 41 RAL3020 trafficrod met.	<input type="checkbox"/> 17 dormantblue		

met. = metalized

frame colour Because of the material are different colours possible

mat / satined	<input type="checkbox"/> 76 white satined	<input type="checkbox"/> 70 ultramarine blue satined	<input type="checkbox"/> 77 silvermetallic satined
	<input type="checkbox"/> 65 goldyellow met. satined	<input type="checkbox"/> 75 petrolgreen met. satined	<input type="checkbox"/> 78 platin met. satined
	<input type="checkbox"/> 66 mandarin met. satined	<input type="checkbox"/> 73 yellowgreen met. satined	<input type="checkbox"/> 22 RAL9011 black mat
	<input type="checkbox"/> 67 traffic red satined	<input type="checkbox"/> 74 mojitogreen met. satined	<input type="checkbox"/> 58 satinschblack
	<input type="checkbox"/> 71 atlanticblue satined		

met. = metalized

upholstery colours

upholstery standard	<input type="checkbox"/> DE290 black	upholstery breathable fabric	<input type="checkbox"/> AG410 yellow	<input type="checkbox"/> AG451 king blue
	<input type="checkbox"/> AG430 red		<input type="checkbox"/> AG460 lemon	
	<input type="checkbox"/> AG441 pink		<input type="checkbox"/> AG470 grey	
	<input type="checkbox"/> AG450 ultramarine		<input type="checkbox"/> AG490 black	

only for adjustable back upholstery

Code 201 OE 68,- €

frame accessories

<p>Tip shackle</p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p> <p>Code 105</p> <p><input type="checkbox"/> Piece 72,- €</p>	<p>Transit wheels</p> <p>Code 102</p> <p><input type="checkbox"/> Pair 242,- €</p>	<p>Walking stick holder, aluminium</p> <p>for 2 crutches</p> <p><input type="checkbox"/> rechts <input type="checkbox"/> links</p> <p>Code 103</p> <p><input type="checkbox"/> Piece 85,- €</p>	<p>Anti-tip wheel</p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p> <p>Code 104</p> <p><input type="checkbox"/> Piece 145,- €</p>	<p>Anti-tip wheel high adjustable nad with gear segment</p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p> <p>Code 2405</p> <p><input type="checkbox"/> Piece 185,- €</p>	
----------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

note

Technical changes and print mistakes are reserved.

VD2352E-39

Sprint SLT			frame	Sprint AR			
<p>Frame with 80° Frame length shorter about 4cm</p> <p>Code 401 (only with 4"/5" castor)</p>	<p>V-frame front (from SW 38cm) only with footrest Code 441 possible</p> <p>Code 421</p>	<p>frame offset inwards (from SW 38cm) (not in combination with CODE 401, 402, 403, 420 or 421)</p> <p>Code 423</p>	<p>frame for e-fix attachment (for e-Fix or e-Motion) (stronger frame parts in front)</p> <p>Code 425 (not in combination with CODE 421)</p>	<p>Abduction frame front front frame with 6cm abduction from LLL 35cm</p> <p>Code 522</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">not in combination with CODE 402 or 403</p>	<p>Spasticity frame steel back frame Recommended by strong spastics</p> <p>Code 426</p>	<p><input type="checkbox"/> 0,- € <input type="checkbox"/> OE 180,- € <input type="checkbox"/> OE 180,- €</p>	
<p>frame front for e-Fix attachment (e.g. for e-Fix or E-Drive annexe) (stronger frame parts in front)</p> <p>Code 425 (not in combination with CODE 421 or CODE 203)</p>	<p>Abduction frame frame in front with 6cm abduction from LLL 38cm</p> <p>Total frame length is 6cm longer Code 422 (from 4° camber possible)</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">not in combination with CODE 402 or 403</p>	<p>Spasticity frame Steel back frame Recommended by strong spastics</p> <p>Code 426</p>	<p>Special front frame Castor wheel mount displaced slightly outside and to the front</p> <p>Code 203 (not in combination with Code 425, 402, 403 und 401)</p>	<p>frame part +30mm backwards only for straight back</p> <p>Code 504</p> <p>back tube 30mm displaced backwards (e.g. for straight back with back shell)</p>	<p><input type="checkbox"/> OE 268,- € <input type="checkbox"/> OE 286,- € <input type="checkbox"/> OE 348,- €</p>		
footrest			footrest with holder				
<p>Single footrest alu-profile black, angle adjustable (not possible for V-frame)</p> <p>Code 115</p>	<p>double footrest, alu-profile black, angle adjustable</p> <p>Code 116</p>	<p>Double footrest, plastic black, angle adjustable (from SW 36)</p> <p>Code 419</p>	<p>Single footrest alu-profile black, adjustable with holder swing-away</p> <p>Code 113</p>	<p>Double footrest, alu-profile black angle adjustable with holder swing-away</p> <p>Code 114</p>	<p>Double footrest, plastic black, angle adjustable with holder swing-away (from SW 36)</p> <p>Code 519</p>	<p>Double footrest alu-profile black, angle adjustable with ALLROUND locking</p> <p>Code 312</p>	<p><input type="checkbox"/> Piece 300,- € <input type="checkbox"/> Pair 330,- € <input type="checkbox"/> Pair 282,- €</p> <p><input type="checkbox"/> Piece 318,- € <input type="checkbox"/> Pair 348,- € <input type="checkbox"/> Pair 312,- € <input type="checkbox"/> Pair 362,- €</p>
<p>Single footrest alu. flat-profile black angle adjustable (not possible for V-frame)</p> <p>Code 1151</p>	<p>Double footrest, alu. flat-profile black, angle adjustable (not possible for V-frame)</p> <p>Code 1161</p>	<p>Single footrest Alu-Plate, angle adjustable</p> <p>Code 441</p>	<p>Single footrest, alu. flat-profile black, adjustable with holder swing-away</p> <p>Code 1131</p>	<p>Double footrest, alu. flat-profile black adjustable with holder swing-away</p> <p>Code 1141</p>	<p>Singel footrest alu-profile black, angle adjustable with BASIC-locking</p> <p>BASIC-locking Code 513</p>	<p><input type="checkbox"/> Piece 300,- € <input type="checkbox"/> Pair 330,- € <input type="checkbox"/> Piece 311,- €</p> <p><input type="checkbox"/> Piece 318,- € <input type="checkbox"/> Pair 348,- € <input type="checkbox"/> Piece 354,- €</p>	
<p>Mechanism for swing away (single footrest swing up to the outside) from LLL 38cm</p> <p>Code 418 only with Code 113, 115, 1131 or Code 1151</p>	<p>Spasticity locking for single footrest</p> <p>footrest alu-profile Code 122</p> <p>footrest alu. flat-profile Code 1122</p> <p>only with Code 113, 115, 1131 or Code 1151</p>	<p>Footrest (profile) coloured for footrest aluminium CODE 113, 1131, 114, 1141, 115, 1151 116 or CODE 1161</p> <p>Colour: _____</p> <p>Code 417 (see frame colour on page 1)</p>	<p>Spasticity locking for double footrest</p> <p>footrest alu-profile Code 123</p> <p>footrest alu. flat-profile Code 1123</p> <p>only with Code 114, 116, 1141 or Code 1161</p>	<p>Double footrest plastic, angle adjustable with ergonomic lever (from SW 36)</p> <p>Code 314 BASIC-locking</p> <p>Code 310 ALLROUND-locking</p>	<p>Elevating footrest with double footrest plastic, angle adjustable and calf pad (from SW 36)</p> <p>Code 126</p>	<p><input type="checkbox"/> Piece OE 172,- € <input type="checkbox"/> Piece OE 87,- € <input type="checkbox"/> OE 64,- € <input type="checkbox"/> Pair OE 151,- € Pair 342,- € <input type="checkbox"/> Pair 566,- €</p>	


Technical changes and print mistakes are reserved.

VD2352E-39

Height of push handles

Height of push handles for companion = Back height + Seat height + Height of push handle

$$\text{Height of push handles for companion} = \text{BH} + \text{SH} + \text{HPH}$$

	Back standard	Back with height adjustable push handle				
		15cm normal	35cm long	45cm extra long reinforced	cropped	bent rewards
						
HPH						
min.		4cm	4cm	4cm	21cm	12cm
max.	3cm	19cm	39cm	49cm	38cm	29cm
					push handle each side 6cm outside	push handle each side 9cm backwards

back				
back standard (standard handles) <input type="checkbox"/> Code 107	back with handles height adjustable (for desk side guards from BH 35) <input type="checkbox"/> 15cm (standard) <input type="checkbox"/> 35cm (long) Code 108	back with adjustable upholstery Code 109	back with adjustable upholstery and height adjustable handles (for desk side guards from BH 35) <input type="checkbox"/> 15cm (standard) <input type="checkbox"/> 35cm (long) Code 110	push handle foldable only in combination with CODE 109 back with adjustable upholstery Code 4107 <small>not in combination with drum brake, height adjustable push handles or UNITOMIC back</small>
Standard	<input type="checkbox"/> Piece OE 262,- €	<input type="checkbox"/> Piece OE 174,- €	<input type="checkbox"/> Piece OE 428,- €	<input type="checkbox"/> Pair OE 163,- €

back				
30°-back not approved for transport in the handicapped transport car				
Gear segment for back angle adjuition for straight back from BH 35 Code 407 <small>Information: only in combination with CODE 108 or 110 possible !!</small>	back 30° angle adjustable (stabilization bar and antitip wheel recommended) with gas spring (infinitely variable) Code 135	mechanical adjustable with quick release lever (0°, 10°, 20°, 30°) Code 136	without back upholstery Code 507 <small>(only in combination with CODE 107 or 108)</small>	
<input type="checkbox"/> Piece OE 206,- €	<input type="checkbox"/> Piece OE 492,- €	<input type="checkbox"/> Piece OE 390,- €	<input type="checkbox"/> Piece 0,- €	

back		
	SlimLine-Design for adaptable, back upholstery with breathable fabric (fabric AG410 - AG490) bicoloured upholstery colour 1 (inside): AG 490 black colour 2 (outside): _____ <input type="checkbox"/> Code 202 OE 82,- €	SlimLine-Design at MATRIX-back cushion

back			
* Attention: with UNITOMIC back choose seat depth 2cm shorter			
back UNITOMIC * with adaptable upholstery (anatomical back) from BH 35 <small>Information: choose seat depth 2cm shorter</small> Code 412	back UNITOMIC * with adaptable upholstery and height adjustable from BH 35 <small>Information: choose seat depth 2cm shorter</small> Code 410	Gear segment for back angle adjuition for UNITOMIC back from BH 40 at Code 412 from BH 35 at Code 410 Code 411 <small>Information: only in combination with CODE 410 or 412 possible !!</small>	*Advice: To ensure the optimal and ergonomic seat position, we suggest from 2cm seat inclination the option gear segment (Code 411 or 407) for back adjustment !
<input type="checkbox"/> Piece OE 272,- €	<input type="checkbox"/> Piece OE 506,- €	<input type="checkbox"/> Piece OE 206,- €	

back				
back system MATRIX light weight back cushion, breathable with individual adjustable holder and Slim-Line -Design back MATRIX-Aktiv with 7cm contour depth Code: Aktiv <input type="checkbox"/> back MATRIX-Varlo with 12cm contour depth Code: Varlo <input type="checkbox"/> back MATRIX-VarloT with 18cm contour depth Code: VarloT <input type="checkbox"/> <table style="width: 100%; font-size: small;"> <tr> <td style="width: 50%;"> Code: <input type="checkbox"/> adapter 20x20 Aktiv-KH <input type="checkbox"/> headrest Aktiv (15x15) Aktiv-K <input type="checkbox"/> adapter Ø19 Aktiv-KLH <input type="checkbox"/> headrest light (Ø18,7) Aktiv-KL <input type="checkbox"/> lateral support straight SPG <input type="checkbox"/> lateral support cropped SPA </td> <td style="width: 50%;"> Code: <input type="checkbox"/> adapter 20x20 Varlo-KH <input type="checkbox"/> headrest Aktiv (15x15) Varlo-K <input type="checkbox"/> adapter Ø19 Varlo-KLH <input type="checkbox"/> headrest light (Ø18,7) Varlo-KL <input type="checkbox"/> positioning aid (Ø18,7) Aktiv-KLP </td> </tr> </table>		Code: <input type="checkbox"/> adapter 20x20 Aktiv-KH <input type="checkbox"/> headrest Aktiv (15x15) Aktiv-K <input type="checkbox"/> adapter Ø19 Aktiv-KLH <input type="checkbox"/> headrest light (Ø18,7) Aktiv-KL <input type="checkbox"/> lateral support straight SPG <input type="checkbox"/> lateral support cropped SPA	Code: <input type="checkbox"/> adapter 20x20 Varlo-KH <input type="checkbox"/> headrest Aktiv (15x15) Varlo-K <input type="checkbox"/> adapter Ø19 Varlo-KLH <input type="checkbox"/> headrest light (Ø18,7) Varlo-KL <input type="checkbox"/> positioning aid (Ø18,7) Aktiv-KLP	Take prices and further informations from respective MATRIX order form Advice: price reduction for back upholstery already is considered in MATRIX price!
Code: <input type="checkbox"/> adapter 20x20 Aktiv-KH <input type="checkbox"/> headrest Aktiv (15x15) Aktiv-K <input type="checkbox"/> adapter Ø19 Aktiv-KLH <input type="checkbox"/> headrest light (Ø18,7) Aktiv-KL <input type="checkbox"/> lateral support straight SPG <input type="checkbox"/> lateral support cropped SPA	Code: <input type="checkbox"/> adapter 20x20 Varlo-KH <input type="checkbox"/> headrest Aktiv (15x15) Varlo-K <input type="checkbox"/> adapter Ø19 Varlo-KLH <input type="checkbox"/> headrest light (Ø18,7) Varlo-KL <input type="checkbox"/> positioning aid (Ø18,7) Aktiv-KLP			

Technical changes and print mistakes are reserved. VD2352E-39

seat						
seat upholstery with patch pocket under the seat Code 118K	seat upholstery retighten the seat upholstery is on one side retighten Code 502	without seat upholstery Code 277	Alu-Seat plate for cross bar Code 278	Alu-Seat plate with safty pin for cross bar Code 279	Alu-Seat plate with plastic clips for cross bar Code 279	Seat UNITOMIC crossbar bended Code 438 Combination with MATRIX-seat cushion is not possible
instead of seat cover Attention seat cushion recommended price reduction for seat upholstery already is considered in seat plate price						
Standard	<input type="checkbox"/> Piece OE 82,- €	<input type="checkbox"/> Piece 0,- €	<input type="checkbox"/> Piece 188,- €	<input type="checkbox"/> Piece 246,- €	<input type="checkbox"/> Piece 225,- €	<input type="checkbox"/> Piece OE 248,- €

seat					
Cushion, compounded foam, with cover black Code 119 <input type="checkbox"/> Code 120 <input type="checkbox"/>	Cushion, compounded foam with cover breathable Code 471 <input type="checkbox"/> Code 472 <input type="checkbox"/>	Change cover cover black <input type="checkbox"/> Code 121 cushion breathable <input type="checkbox"/> Code 470	Seat belt black Plastic closure Code 227 <input type="checkbox"/> Piece 75,- € Metal closure Code 125	Seat belt with pads, black 2-point-pelvic restraint belt Metal closure Code 124	
Piece	110,- €	Piece	74,- €	<input type="checkbox"/> Piece 88,- €	<input type="checkbox"/> Piece 167,- €

accessories		seat
Side pads pluggable mounted at push handle holder long Code 137S (only in combination with back CODE 108 or 110)	Side pads removable mounted at push handle holder long Code 137A (only in combination with back CODE 108 or 110)	Ergonomic seat cushion MATRIX-Simplify light weight seat cushion, with breathable fabric <input type="checkbox"/> seat cushion MATRIX-Simplify up to SW42 Code: SIMPLY-1 <input type="checkbox"/> seat cushion MATRIX-Simplify SW 44 - 46 Code: SIMPLY-2 <input type="checkbox"/> seat cushion MATRIX-Simplify up to SW48 Code: SIMPLY-3 In combination with UNITOMIC seat (CODE 438) not possible!
<input type="checkbox"/> Pair 422,- €	<input type="checkbox"/> Pair 422,- €	Please take prices and further informations from respectiv MATRIX order form

side pads					
side pads narrow shape angle-adjustable with joint element mounted on the spacer with bar Cover black: MM190 size S D=12cm H=6cm size M D=15cm H=7cm size L D=18cm H=8cm size XL D=20,5cm H=10cm W = SB-2,5cm W = width between the side pads	side pads foldable with straight pad splint mounted at push handle holder Joint side pad holder flat foldable, with connecting joint and with straight pad splint Code 1371	side pads foldable with straight pad splint mounted at push handle holder Plug-in connection side pad holder flat, with connection joint and with straight pad splint Code 1372	side pads foldable with ball joint element mounted at push handle holder Joint side pad holder flat foldable, with connecting joint and with straight pad splint with ball Code 1373	side pads pluggable with ball joint element mounted at push handle holder Plug-in connection side pad holder flat, with connection joint and with pad splint with ball Code 1374	additional set of joint elements 2 additional joint elements for side pads (right and left) Code 1379
<input type="checkbox"/> Pair 589,- €	<input type="checkbox"/> Pair 589,- €	<input type="checkbox"/> Pair 686,- €	<input type="checkbox"/> Pair 686,- €	<input type="checkbox"/> Pair 128,- €	

accessories					
Head rest adjustable (for back with CODE 107, 109 and 412) Code 224	Head rest adjustable for height adjustable handles (for back with CODE 108, 110 and 410) Code 225	Holder for head rest for height adjustable handles for back with CODE 108, 110 a. 410 for head rest tube: 15x15mm Code 225V		Stabilization bar (only for height adjustable handles) Code 178	Stabilization bar for push handles (= pushing bar) Code 478
<input type="checkbox"/> Piece 320,- €	<input type="checkbox"/> Piece 320,- €	<input type="checkbox"/> Piece 204,- €		<input type="checkbox"/> Piece 153,- €	<input type="checkbox"/> Piece 167,- €

Note: when using SlimLine design (Code 202) the seat cushion (Code 470 / 471 / 472) is also supplied in SlimLine design.

Technical changes and print mistakes are reserved.


VD2352E-39

Wheel plate:

Center of gravity adjustment (measured from back tube to wheel center)


Wheel plate standard / Back straight:

A = 7,0 cm	(at 24" only with side guard ERGO)
B = 5,0 cm	
C = 3,0 cm	




Wheel plate standard / UNITOMIC back:

A = 10,0 cm	(6,5cm at bow)	(at 24" only with side guard ERGO)
B = 8,0 cm	(4,5cm at bow)	
C = 6,0 cm	(2,5cm at bow)	
D = 4,0 cm	(0,5cm at bow)	
E = 2,0 cm	(-1,5cm at bow)	




Wheel plate staggered (CODE 5951) / back straight:

A = 9,0 cm	(22" / 24" only with side guard ERGO) (short frame with 24" is not possible)
B = 7,0 cm	(at 24" only with side guard ERGO)
C = 5,0 cm	






Wheel plate staggered (CODE 5951) / UNITOMIC back:







A = 12,0 cm	(8,5cm at bow)	(22" / 24" only with side guard ERGO) (short frame with 24" is <u>not</u> possible)
B = 10,0 cm	(6,5cm at bow)	(at 24" only with side guard ERGO)
C = 8,0 cm	(4,5cm at bow)	
D = 6,0 cm	(2,5cm at bow)	
E = 4,0 cm	(0,5cm at bow)	








side guards

<p>Clothing guard round screwed on, Aluminium with cold protection (in frame colour)</p>  <p>810g/Pair Code 433</p>	<p>Clothing guard screwed on, plastic black</p>  <p>Code 430</p>	<p>Clothing guard round PC-Carbon screwed on (CARBON-Optic)</p>  <p>Code 230</p>	<p>Clothing side guard ERGO AL Aluminium with cold protection, screwed on (in frame colour)</p>  <p>Code 437</p>	<p>Clothing side guard ERGO CARBON Carbon, screwed on</p>  <p>Code 437CAR</p>
<input type="checkbox"/> Pair 284,- €	<input type="checkbox"/> Pair 225,- €	<input type="checkbox"/> Pair 272,- €	<input type="checkbox"/> Pair 292,- €	<input type="checkbox"/> Pair 708,- €





side guards

<p>Clothing guard round pluggable, Aluminium with cold protection (in frame colour)</p>  <p>Code 434</p>	<p>Clothing guard pluggable, plastic black</p>  <p>Code 431</p>	<p>Clothing guard round pluggable, PC Carbon</p> <p>normal width clothing guard 45mm</p>  <p>Code 525</p>	<p>wide width clothing guard 60mm</p>  <p>Code 525B</p>	<p>Clothing guard round with aluminium bow and cold protection, screwed on (in frame colour)</p>  <p>Code 433R</p>	<p>Clothing guard Carbon screwed on</p>  <p>Code 433CAR</p> <p>460g/Pair</p>
<input type="checkbox"/> Pair 348,- €	<input type="checkbox"/> Pair 312,- €	<input type="checkbox"/> Pair 338,- €	<input type="checkbox"/> Pair 402,- €	<input type="checkbox"/> Pair 498,- €	<input type="checkbox"/> Pair 998,- €




side guards

<p>Clothing guard round Aluminium with cold protection and arm rest (in frame colour)</p> <p>arm rest</p> <p><input type="checkbox"/> short Code 231</p> <p><input type="checkbox"/> long Code 231L</p> 	<p>Clothing guard round with Aluminium bow and cold protection and arm rest short (in frame colour)</p> <p>arm rest short</p>  <p>Code 231R</p>	<p>Side guard plastic, black detachable / pluggable with armrest</p> <p><input type="checkbox"/> arm rest long</p> <p><input type="checkbox"/> arm rest short</p>  <p>Code 436</p> <p>Combination with UNITOMIC seat CODE 438 is not possible!</p>	<p>Armrest swingable to side and height adjustable</p> <p>Combination only with clothing guard pluggable / screwed on (not possible with 30° back!!)</p> <p><input type="checkbox"/> arm rest short</p> <p><input type="checkbox"/> arm rest long</p>  <p>Code 432 (without clothing guard)</p>	<p>Clothing guard ERGO AL off alu. with arm rest short screwed on and with insulation for cold (In frame colour)</p> <p>arm rest short</p>  <p>Code 437I</p>
<input type="checkbox"/> Pair 330,- €	<input type="checkbox"/> Pair 532,- €	<input type="checkbox"/> Paar 322,- €	<input type="checkbox"/> Pair 274,- €	<input type="checkbox"/> Pair 359,- €

side guards

<p>Desk side guard, swing up detachable,* with short armrest</p>  <p>Code 127</p>	<p>Standard side guard swing up, detachable,* with long armrest</p>  <p>Code 129</p>	<p>Desk side guard, swing up detachable, with armrest height adjustable *</p> <p><input type="checkbox"/> arm rest long</p> <p><input type="checkbox"/> arm rest short</p>  <p>Code 428</p>	<p>Desk side guard RACY swing up and detachable, with armrest short *</p>  <p><input type="checkbox"/> Code 526 transparent (standard)</p> <p><input type="checkbox"/> Code 526B schwarz</p>	<p>Desk side guard RACY with height adjustable armrest, swing up and detachable *</p> <p><input type="checkbox"/> arm rest long</p> <p><input type="checkbox"/> arm rest short</p>  <p><input type="checkbox"/> Code 527 transparent (standard)</p> <p><input type="checkbox"/> Code 527B schwarz</p>	<p>*In combination with gear segment (CODE 407 or 411) and with 30°-back (CODE 135 and 136) aren't the side guards detachable II</p>
<input type="checkbox"/> Pair 305,- €	<input type="checkbox"/> Pair 305,- €	<input type="checkbox"/> Pair 362,- €	<input type="checkbox"/> Pair 328,- €	<input type="checkbox"/> Pair 380,- €	

therapy table

<p>Therapy table shwing away (only in combination with armrest long)</p>  <p><input type="checkbox"/> right mounted (standard)</p> <p><input type="checkbox"/> left mounted</p> <p>Code 134</p>	<p>Therapy table clamped on the frame with clamp attachment on the frame for SW 32 - 46</p>  <p>Code 138</p>	<p>Therapy table plug on the frame with plug attachment on the frame for SW 32 - 46</p>  <p>Code 139</p>	<p>Therapy table on the frame quick release clamped (at the frame) for SW 32 - 46</p>  <p>Code 138S</p>
<input type="checkbox"/> Piece 304,- €	<input type="checkbox"/> Piece 472,- €	<input type="checkbox"/> Piece 472,- €	<input type="checkbox"/> Piece 498,- €

Technical changes and print mistakes are reserved.

VD2352E-39


Combination rear wheels with frame length

rear wheel	Sprint SLT (with integrated footrest) CODE 400		Sprint AR (with detachable footrest) CODE 500	
	frame straight (integrated)	fram with aduction (integrated)	frame straight (with demountable footrest holder)	frame with abduction (with demountable footrest holder)
22"	SD 34 - 38 frame short possible <small>(only with castor 4" or 5" possible)</small> ST 40 - 42 frame middle possible ST 44 - 46 frame long possible	SD 34 - 38 frame short possible SD 40 - 42 frame middle possible SD 44 - 46 frame long possible	SD 34 - 38 frame short possible SD 40 - 42 frame middle possible SD 44 - 46 frame long possible	SD 34 - 38 frame short possible <small>(only with castor 4" or 5" possible) (wheel position „A“ not possible III) (wheel position „B“ only with pull to lock brake II)</small> SD 40 - 42 frame middle possible ST 44 - 46 frame long possible
24"	SD 34 - 38 frame short possible SD 40 - 42 frame middle possible SD 44 - 46 frame long possible	SD 34 - 38 frame short possible SD 40 - 42 frame middle possible SD 44 - 46 frame long possible	SD 34 - 38 frame short not possible SD 40 - 42 frame middle possible SD 44 - 46 frame long possible	SD 34 - 38 frame short not possible SD 40 - 42 frame middle possible <small>(only with castor 4" or 5" possible) (wheel position „A“ not possible III)</small> SD 44 - 46 frame long possible

Suspended wheel plate:

Seat height **SH** with suspended wheel plate

Technical changes and print mistakes are reserved.



rear wheel 22"

40cm
42,5cm
45cm
47,5cm

rear whell 24"

42,5cm
45cm
47,5cm
50cm

VD2352E-39

rear wheel

* grey tyres

Rear wheel standard (Alu hub black) quick release axle pneumatic <input type="checkbox"/> 22"x1 3/8" rough profile Code 150 <input type="checkbox"/> 22"x1* fine profile Code 144 <input type="checkbox"/> 22"x1 black Code 144S <input type="checkbox"/> 24"x1 3/8" rough profile Code 151 <input type="checkbox"/> 24"x1* fine profile Code 157 <input type="checkbox"/> 24"x1 black Code 157S		solid <input type="checkbox"/> 22"x1 3/8" Code 149 <input type="checkbox"/> 22"x1* Code 141 <input type="checkbox"/> 22"x1 black Code 141S <input type="checkbox"/> 24"x1 3/8" Code 153 <input type="checkbox"/> 24"x1* Code 154 <input type="checkbox"/> 24"x1 black Code 154S	Design-rear wheel 24" (Aluminium hub silver) with straight spokes and quick release axle <input type="checkbox"/> 24"x1 pneumatic grey Code 591 <input type="checkbox"/> 24"x1 pneumatic black Code 594 <input type="checkbox"/> 24"x1 solid grey Code 592 <input type="checkbox"/> 24"x1 solid black Code 593	Performance tyre <input type="checkbox"/> 24"x1 Code 570 Marathon Plus (grey tyre) <input type="checkbox"/> 22"x1 Code 577 Marathon Plus Evolution (black tyre) <input type="checkbox"/> 24"x1 Code 572 Marathon Plus Evolution (black tyre) <input type="checkbox"/> 24"x1.20 Code 5701 AIRBORNE (black tyre) <input type="checkbox"/> 24"x1 Code 5702 Schwalbe ONE (black tyre)		Right Run 24"x1 Code 573 22"x1 Code 576 <input type="checkbox"/> red <input type="checkbox"/> blue <input type="checkbox"/> grey <input type="checkbox"/> black	Camber 0° <input type="checkbox"/> 2° <input type="checkbox"/> (standard) 4° <input type="checkbox"/> 7° <input type="checkbox"/>
Standard				OE 40,- €			

handrim for rear wheel

Handrim for rear wheel standard and design rear wheel 24"							
aluminium black <input type="checkbox"/> 22" Code 455 <input type="checkbox"/> 24" Code 454 Extension narrow <input type="checkbox"/> wide <input type="checkbox"/>	aluminium silver <input type="checkbox"/> 22" Code 492 <input type="checkbox"/> 24" Code 491 Extension narrow <input type="checkbox"/> wide <input type="checkbox"/>	stainless steel polished <input type="checkbox"/> 22" Code 155 <input type="checkbox"/> 24" Code 156 Extension narrow <input type="checkbox"/> wide <input type="checkbox"/>	TETRA-GRIP (Super Grip) <input type="checkbox"/> 22" Code 252 <input type="checkbox"/> 24" Code 452 extension narrow	Maxgrepp ERGO Para <input type="checkbox"/> 22" Code 550 <input type="checkbox"/> 24" Code 554 extension narrow	CURVE black anodized CURVE <input type="checkbox"/> 22" Code 4502 CURVE L <input type="checkbox"/> 24" Code 4504 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide	GEKKO black anodized with rubber lip <input type="checkbox"/> 22" Code 4501 <input type="checkbox"/> 24" Code 4508 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide	GEKKO S black anodized with rubber lip small <input type="checkbox"/> 22" Code 4503 <input type="checkbox"/> 24" Code 4507 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide
Standard			OE 320,- €	OE 358,- €	OE 388,- €	OE 503,- €	OE 503,- €

rear wheel

SAFETY-GRIP-wheel rim with integrated hand rim <input type="checkbox"/> 22" Code 261 <input type="checkbox"/> 24" Code 461 only in combination with rear wheel Standard or rear wheel with drum brake <input type="checkbox"/> Pair OE 101,- €	Rear wheel with drum brake and quick release axle (for companion) <input type="checkbox"/> 22" Code 160 <input type="checkbox"/> 24" Code 159 not possible in combination with special rear wheels LWW, Design or Active <input type="checkbox"/> Pair OE 318,- €	Active 24 x 1" rim with double wall and high flange hub and stainless steel hand rim cross spoked Code 562 <input type="checkbox"/> Pair OE 236,- €	Rear wheel OFF-ROAD 24" with aluminium hand rim black (special size rim 507) combination with drum brake is possible I OFF ROAD 24"x1,75 (47-507) Mountainbike profile Code 260 <input type="checkbox"/> Pair OE 328,- €	Rear wheel OFF-ROAD 24" additional (special size rim 507) with aluminium hand rim black and with quick release axle additional to standard rear wheels 24" (to switch wheels) OFF ROAD 24"x1,75 (47-507) Mountainbike profile Code 260ZU <input type="checkbox"/> Pair 748,- €	handrim cover black <input type="checkbox"/> 22" Code 191 <input type="checkbox"/> 24" Code 192 <input type="checkbox"/> Pair 136,- €
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------

light weight wheel

one hand drive

Light weight wheel LWW with black rim, 24 radial spokes black with alu hand rim and pneumatic tyre (fine profile) grey tyre hand rim black <input type="checkbox"/> 22 x1" CODE 564 <input type="checkbox"/> 24 x1" CODE 563 hand rim silver <input type="checkbox"/> CODE 564S <input type="checkbox"/> CODE 563S black tyre hand rim black <input type="checkbox"/> CODE 2867 <input type="checkbox"/> CODE 2866 <input type="checkbox"/> Pair not possible with solid tyre I OE 188,- €	Light Weight Wheel 25" LWW 25"x1 black rim, black radial spokes, black pneumatic tyre (SENTINEL) black tyre black hand rim CODE 4863 <input type="checkbox"/> Pair OE 268,- €	handrim additional for the driven wheel handrim in stainless steel Code 198Z only in combination with an one hand drive set <input type="checkbox"/> Piece OE 145,- €	One hand drive with quick release axle and stainless steel hand rim from SW 28cm camber max. 7° Combination with drum brakes is possible I left 22" <input type="checkbox"/> Code 193 24" <input type="checkbox"/> Code 194 right 22" <input type="checkbox"/> Code 195 24" <input type="checkbox"/> Code 196 <input type="checkbox"/> Pair OE 998,- €
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



wheel plate for rear wheel

center of gravity adjustment wheel position: _____ SPRINT AR: short frame with 24" wheel and the wheel position A is not possible III not for the suspended wheel plate Code 595	staggered wheel plate 20mm staggered Code 5951 wheel extension, one hand drive or frame FLATLINE is not possible II <input type="checkbox"/> Pair OE 101,- €	wheel extension for drum brake Code 162 combination with Code 5951 not possible <input type="checkbox"/> Pair 200,- €	wheel extension Code 161 combination with Code 5951 not possible <input type="checkbox"/> Pair 155,- €	wheel plate suspended for rear wheel only with 0° camber user weight: _____ kg Code 595 combination with one hand drive and wheel extension not possible combination with anchor plate system not possible <input type="checkbox"/> Pair OE 498,- €
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


Technical changes and print mistakes are reserved.

VD2352E-39

brake

<p>knee angle brake incline</p>  <p><input type="checkbox"/> Code 174 for clothing guard</p>	<p>knee angle brake offset</p>  <p><input type="checkbox"/> Code 174A for Desk side guard and standard side guard</p>	<p>knee angle brake offset with short lever stroke</p>  <p><input type="checkbox"/> Code 174K for short frame sometime necessary!</p>	<p>knee angle brake "Pull to lock"</p>  <p>Code 174Pull</p>	
Standard			<input type="checkbox"/> Pair	OE 77,- €

brake

<p>Brake lever extension for knee angle brake offset</p> <p>straight pluggable</p>  <p>Code 172</p>		<p>straight foldaway</p>  <p>Code 175</p>	<p>One hand brake with brake lever extension</p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p> <p>Code 173</p>	<p>Knee angle brake offset with locking pin for locking</p>  <p>fixed in the braked position <input type="checkbox"/> Code 174Rast</p> <p>fixed in the braked and opened position <input type="checkbox"/> Code 174RastD</p> <p>fixed in the opened position <input type="checkbox"/> Code 174RastO</p>				
<input type="checkbox"/> Pair	71,- €	<input type="checkbox"/> Pair	81,- €	<input type="checkbox"/> Piece	OE 272,- €	OE 188,- €	OE 288,- €	OE 264,- €

accessories

<p>Anchor plate system</p> <p>anchor plates for transport in cars (ISO 7176-19) Assembly kit for wheelchairs including mounting</p>  <p>Code 590</p>		<p>Note:</p> <p>The wheelchair SLADE is tested and approved for transport in the car even without anchor plate (ISO 7176-19). The wheelchair must be equipped with a restraint system at the defined positions be attached to the wheelchair.</p> 
<input type="checkbox"/> Set	net price 450,- €	

note

--

note

--

Technical changes and print mistakes are reserved.

VD2352E-39

Sprint SLT

traking extension **TRIKE**
as steering and pushing aid

hook closure



capacity up to **60kg**
(wheelchair incl. payload)

size 1: seat width 26cm - 28cm
size 2: seat width 30cm - 34cm

CODE 9901

holder lateral at frame (for type d.23)
with hook closure
castor 10x2" black alu fork
arrangement with gear segment
with ramp as mounting aid

capacity up to **90kg**
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm
size 4: seat width 42cm - 46cm

CODE 9902

Trike

traking extension
as steering and pushing aid

 Piece

483,- €

 Piece

623,- €

Sprint AR

traking extension **TRIKE**
as steering and pushing aid

hook closure



capacity up to **60kg**
(wheelchair incl. payload)

size 1: seat width 26cm - 28cm
size 2: seat width 30cm - 34cm

CODE 9906

special holder lateral at frame (for type d.23)
with hook closure
castor 10x2" black alu fork
Gestänge mit Zahnsegment
mit Rampe als Montagehilfe

capacity up to **90kg**
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm
size 4: seat width 42cm - 46cm

CODE 9907

 Piece

510,- €

 Piece

669,- €

TRIKE colour frame Edition "...-Color"

<p>Note: the TRIKE frame parts are made of aluminium</p>	<p>TRIKE- frame colour powder coated</p> <p>Colour : frame colour (see page 1)</p> <ul style="list-style-type: none"> - frame type right / left - cross tube - castor fork <p>Code 9908</p>	<p>Edition "Duo-Color"</p> <p>colour 1: _____ (castor fork)</p> <p>colour 2: _____ (frame type right / left, cross tube)</p> <p>Code 9909</p>	<p>Castor fork with brake for directional stability</p> <p>Code 9909F</p>
	<p>without extra charge <input type="checkbox"/></p> <p>OE 132,- €</p>	<p><input type="checkbox"/></p> <p>OE 143,- €</p>	<p><input type="checkbox"/> Piece</p> <p>OE 153,- €</p>

Sprint SLT

traking extension **TRIKE**
as steering and pushing aid

quick release
(clamp)

capacity up to **60kg**
(wheelchair incl. payload)

size 1: seat width 28cm - 28cm
size 2: seat width 30cm - 34cm

CODE 9921

holder quick release (clamp)
at frame (for pipe Ø 23mm)
castor 10x2" black alu fork
arrangement of levers with gear segment
with ramp as mounting aid
with adjusting ring at frame (Ø 23mm)

capacity up to **90kg**
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm
size 4: seat width 42cm - 46cm

CODE 9922

 Piece

491,- €

 Piece

633,- €

Note:

Sprint AR: combination TRIKE with anchor plate system is **not** possible !!

Sprint SLT: combination TRIKE (hook) with anchor plate system is from frame middle (from SD 40) possible !!
combination TRIKE (clamp) with anchor plate system is possible !!

note

Technical changes and print mistakes are reserved.

VD2352E-39

General Terms and Conditions of Business (GTC)

Validity

All sales are subject to our delivery and payment conditions, without any exception. Orders and other agreements will not be valid unless confirmed by us in writing. We expressly object to the customer's purchase conditions.

Quotations and contract conclusion

Quotations are always subject to change, unless they are expressly limited in terms of time. Orders require a written confirmation. After confirmation, prices quoted in orders are fixed but we reserve the right to make adequate price adjustments in the event of price increases for which we are not responsible (e.g. tax increases, wage increases, price changes on the part of our suppliers). Cost estimates for customized products and repairs are always non-binding. We reserve the right to make technical modifications. The contract will not be concluded before the order is confirmed.

Shipment

To the extent the customer has not made any specification, shipment will be made in usual packaging using an adequate method. Insurance will only be taken out upon request and at the expense of the customer.

Delivery will be made carriage forward. We are free to select a method of shipment. If the customer has special requests, e.g. express delivery, express freight, etc., the additional cost will also be borne by the recipient. The goods will always be shipped at the buyer's risk. In case of damage during transport, the recipient must apply for an ascertainment of the facts with the respective forwarding agent.

Prices

All prices quoted by BEROLLKA will be quoted ex works, excluding any applicable statutory value added tax, public charges and levies such as potential customs tariffs, and insurance and packaging costs that will be charged separately.

Minimum quantity surcharge

If a small order is placed with a net value below 20 euros, an additional lump-sum minimum quantity surcharge of 15.00 euros will additionally be charged to cover administrative costs.

Delivery periods

The delivery dates and periods stated are subject to change. Any delay in delivery will not entitle the customer to withdraw from the contract. The assertion of damage claims is ruled out. BEROLLKA can make partial deliveries for justified reasons.

Wrong orders / return of merchandise

Any goods erroneously ordered will only be taken back provided we are responsible for such an error and the merchandise is in impeccable condition. In the event that an item erroneously ordered or merchandise that was returned is taken back in an individual case as a gesture of goodwill, attention must be paid to the following:

1. It is necessary to state the article number, the designation of the article, the date and number of the delivery note and the invoice number.
2. The return shipment must be carriage paid.
3. The merchandise must correspond to the article number(s) listed in the delivery note. In no event will any individual parts removed from an article be taken back.
4. The returned merchandise must be in impeccable condition.
5. Processing fees amounting to 10% of the net merchandise value not, however, less than €35.- will be charged for any instance where goods are taken back.

Deliveries effected more than 3 months earlier as well as sewing pieces and customized products cannot be exchanged. A copy of the delivery note or of the invoice will serve as proof in this regard.

Warranty and notices of defects

Excluding any further claims, the seller is liable for defects of the merchandise in that the seller will mend or replace all those parts free of charge that have become defective or unusable within 6 months due to provable defects of material or workmanship, and of which the seller has been notified in writing immediately after knowledge was gained of the defect. Should longer periods of time be required for statutory reasons, the warranty period is agreed to be 12 months.

The customer must grant the seller the required time and opportunity for effecting delivery of the replacement parts. Replaced parts will become the property of the seller. The buyer must check the merchandise without undue delay after it has been delivered by the seller and, if a defect is found, notify the seller of the defect without undue delay. Should the buyer fail to notify the seller, the merchandise will be deemed accepted unless a defect occurs that could not have been found when the merchandise was checked.

In any event in which a complaint is brought to the notice of BEROLLKA, BEROLLKA invariably has the right to inspect and check the item delivered that is the subject matter of said complaint, for which the customer will grant BEROLLKA the required time and opportunity. BEROLLKA can also demand that the customer sends the item delivered that is the subject matter of a complaint back to BEROLLKA at the expense of BEROLLKA. Should a notice of defects given by the customer turn out to be wilfully or gross negligently unfounded, the customer will be obliged to compensate BEROLLKA for any and all expenses incurred in this connection. BEROLLKA will be entitled to remedy warranty defects at its own discretion either by rectification of the defect or by replacement of the defective part or of the entire item delivered at no cost for the customer. Should the customer itself repair an item that gave rise to a complaint, or should the customer endeavour to rectify the defects itself without prior written approval of the seller, the seller will not grant any claims for reimbursement of expenses (such as transport, road, labour or material costs) or warranty claims.

The following are excluded from the liability for damages:

damage arising from natural wear and tear, damage due to negligent and/or improper treatment, or violent damage. A revocation of the purchase contract, a reduction of the purchase price or damage claims of any kind are ruled out. The warranty obligation will cease if repairs and/or modifications or replacements of individual parts are performed by other parties than the seller or the delivering company.

Reservation of title

With regard to resellers: The merchandise delivered will remain our property until any and all invoices – also for different deliveries – have been fully paid. Our merchandise that is hence still our property may only be resold within the ordinary course of business. Amounts receivable from any resale are assigned to us. We must be notified without undue delay and on the reseller's own initiative of any disposal of said merchandise outside of the ordinary course of business, e.g. through pledging our property or amounts receivable assigned to us.

Terms of payment

Any invoices are payable within 30 days from the date of the invoice strictly net cash. A 2% discount will be granted for payments received within 8 days provided any and all payment claims under earlier deliveries have been settled. We are entitled to charge default interest if the 30-day payment deadline is exceeded. The interest rate will be the customary market rate charged by major banks. We expressly reserve the right to effect delivery with cash on delivery.

Data Protection

BEROLLKA and the customer are responsible themselves for compliance with the respective data protection rules applicable to them. The customer must not provide BEROLLKA with personal data that is illegal or that the customer is not legally authorised to distribute.

The place of performance and the place of jurisdiction will be the place where the invoice is issued.

Heidelberg, Germany, will be the exclusive place of jurisdiction for any and all disputes arising under the contractual relationship. However, BEROLLKA is entitled to sue the customer at any other legal venue. These General Terms and Conditions of Business are governed by the laws of the Federal Republic of Germany, excluding of the United Nations Convention on Contracts for the International Sale of Goods of Goods (CISG).

Technical modifications and printing errors excepted. A current list of prices can be ordered at any time.