

Adress

Shipping address see adress

Com.:

Order
 Estimate

Purchaser: _____
 Telephone: _____



Basic Price 3235,- €

Price valid from January 1st 2025 (until revoked)

Yuki



All dimensions in cm
 Dimensional tolerances +/- 0,5cm

Capacity up to 75 kg

user weight: _____ kg

Active children wheelchair with rigid aluminium frame and mechanical tilting seat

basic measures

frame size	seat width (SW)	seat depth (SD)	back height (BH)	Lower Leg Length (LLL):
<input type="checkbox"/> size 22"	<input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36	<input type="checkbox"/> 26 <input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34	<input type="checkbox"/> 20 <input type="checkbox"/> 25	LLL: regarding cushion or LLL: regarding seat plate (without seat cushion) max. LLL = 34cm <small>(the max. LLL is depends on the seat height because the fouling footrest with castor)</small> Technical data see back side
<input type="checkbox"/> size 24"	<input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36 <input type="checkbox"/> 38 <input type="checkbox"/> 40 <small>Note: by seat tilting mechanical result from SW +1,5cm between the side guards</small>	<input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36 <input type="checkbox"/> 38 <input type="checkbox"/> 40	<input type="checkbox"/> 30 <input type="checkbox"/> 35 <input type="checkbox"/> 40	

Yuki

Yuki - abduction frame

basic equipment:



- # light aluminium frame with 12cm abduction
- # seat with mechanical tilting seat -5° up to 40°
- # seat plate of aluminium

- # castor
- # rear wheel

Seat height in cm
 see possible wheel combination
 (without seat cushion)


at horizontal seat plate:
 _____ cm

Code 27000

basic price 3235,- €

Note: measured if the seat plate is horizontal discontinued !!

note




Technical changes and print mistakes reserved.

VD2383E-13

Technical data


seat width **SW**

between the side guards




seat depth **SD**

from back tube to upper edge seat plate



back height **RH**

from upper edge seat to upper edge back upholstery



Lower Leg Length LLL:

20 to 34 cm *

*regarding seat plate (without seat cushion)

total width wheelchair:

with wheels and handrim

at 4° camber SW +28cm
at 7° camber SW +30cm
at 9° camber SW +33cm
at 11° camber SW +36cm

with drum brake wheels and handrim

at 4° camber SW +29cm
at 9° camber SW +37cm

seat height **SH** (by 0° seat bracket)

Yuki

rear wheel	castor fork	minimum seat height front / back	maximum seat height front / back
22 inch	4 inch	41 cm	46 cm
	5 inch	41 cm	46 cm
24 inch	4 inch	43,5 cm	48,5 cm
	5 inch	43,5 cm	48,5 cm

seat height **SH** with 5cm seat lifter (by 0° seat bracket)

rear wheel	castor fork	minimum seat height front / back	maximum seat height front / back
22 inch	4 inch	46 cm	51 cm
	5 inch	46 cm	51 cm
24 inch	4 inch	48,5 cm	53,5 cm
	5 inch	48,5 cm	53,5 cm

All measurements ± 0,5 cm

measurements by 7° camber determined (by 9° camber is the seat height 0,5 cm lower)
(by 11° camber is the seat height 1cm lower)

frame colour

Because of the material are different colours possible

shiny

<input type="checkbox"/>  25 RAL9010 white	<input type="checkbox"/>  06 dormant red	<input type="checkbox"/>  44 RAL5015 sky blue met.	<input type="checkbox"/>  51 apple green metallic
<input type="checkbox"/>  56 RAL1021 gold yellow met.	<input type="checkbox"/>  40 red metallic	<input type="checkbox"/>  16 RAL5002 ultramarine blue	<input type="checkbox"/>  45 RAL6018 yellow green
<input type="checkbox"/>  24 RAL1028 melon yellow	<input type="checkbox"/>  43 RAL4010 telemagenta met.	<input type="checkbox"/>  17 dormant blue	<input type="checkbox"/>  60 mojit green met.
<input type="checkbox"/>  27 mandarin met.	<input type="checkbox"/>  53 cassis	<input type="checkbox"/>  64 petrol green met.	<input type="checkbox"/>  19 silver metallic
<input type="checkbox"/>  41 RAL3020 trafficed met.	<input type="checkbox"/>  59 atlantic blue met.	<input type="checkbox"/>  50 apple green	<input type="checkbox"/>  23 RAL9005 black

met. = metalized

frame colour

Because of the material are different colours possible

mat / satined

<input type="checkbox"/>  76 white satined	<input type="checkbox"/>  69 purpur met. satined	<input type="checkbox"/>  75 petrol green met. satined
<input type="checkbox"/>  65 gold yellow met. satined	<input type="checkbox"/>  61 cool mint mat	<input type="checkbox"/>  73 yellow green met. satined
<input type="checkbox"/>  66 mandarin met. satined	<input type="checkbox"/>  72 sky blue met. satined	<input type="checkbox"/>  74 mojit green met. satined
<input type="checkbox"/>  67 trafficed satined	<input type="checkbox"/>  71 atlantic blue met. satined	<input type="checkbox"/>  77 silver metallic satined
<input type="checkbox"/>  68 telemagenta met. satined	<input type="checkbox"/>  70 ultramarine blue satined	<input type="checkbox"/>  22 RAL9011 black mat

met. = metalized

upholstery colours

upholstery standard

 DE290 black

upholstery breathable fabric

<input type="checkbox"/>  AG410 yellow	<input type="checkbox"/>  AG451 king blue
<input type="checkbox"/>  AG430 red	<input type="checkbox"/>  AG460 lemon
<input type="checkbox"/>  AG441 pink	<input type="checkbox"/>  AG470 grey
<input type="checkbox"/>  AG450 ultramarine	<input type="checkbox"/>  AG490 black

note




note






Technical changes and print mistakes reserved.

VD2383E-13

frame accessories

<p>Anti-tip wheel adjustable in the height, swing away</p> <p>SW 26 and SW28 single from SW 30 double</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p><input type="checkbox"/> right and / or <input type="checkbox"/> left</p> <p>Code 27004</p> </div> <div style="text-align: center;">  <p><input checked="" type="checkbox"/> right and <input checked="" type="checkbox"/> left</p> <p>Code 27006</p> </div> </div>		<p>Tip shackle</p> <div style="text-align: center;">  <p><input type="checkbox"/> right <input type="checkbox"/> left</p> <p>Code 27005</p> </div>	<p>Note: # for SW 26 or SW 28 can be installed 1 or 2 anti-tip wheels. # from SW 30cm must be installed 2 anti-tip wheels !</p>
<p><input type="checkbox"/> Piece 153,- € <input type="checkbox"/> Pair 287,- €</p>	<p><input type="checkbox"/> Piece 118,- €</p>		

footrest

<p>Single footrest plate, black, mounted central and backward foldable footrest tube long: up to LLL 34cm footrest tube extra long: up to LLL 40cm * (at maximum seat height)</p> <div style="text-align: center;">  <p>Code 27045</p> </div>	<p>Single footplate, mounted central and backward foldable Footrest tube long: to LLL 34cm Footrest tube extra long: to LLL 40cm (at maximum seat height) From SD 30cm possible.</p> <div style="text-align: center;">  <p>Code 27046</p> </div>	<p>Calf cushion for footrest plate central</p> <div style="text-align: center;">  <p>Code 27048</p> </div>	
<p><input type="checkbox"/> Piece 374,- €</p>	<p><input type="checkbox"/> Piece 562,- €</p>	<p><input type="checkbox"/> Piece 154,- €</p>	

* only in combination with seat plate raising +6cm CODE 27016 possible

footrest

<p>Footrest coloured (for footrest plate)</p> <p>colour: _____</p> <p>_____</p> <p>Code 417</p> <p>(see frame colours on page 3)</p>	<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Note: clear colours as the frame colour please consider CODE 27089 „DUO-COLOR II“</p>	
<p><input type="checkbox"/> OE 64,- €</p>		

accessories

<p>Edition "DUO-Y1"</p> <p>Colour 1: _____</p> <ul style="list-style-type: none"> - frame - back plate ASR * - push bow * <p>Colour 2: _____</p> <ul style="list-style-type: none"> - footplate - design castor fork - alu-handrim rear wheel * <p>(Frame color see page 1)</p>	<p style="writing-mode: vertical-rl; transform: rotate(180deg);">* only when you choose the option</p>	
<p><input type="checkbox"/> Code 27089 OE 220,- €</p>		

note

Technical changes and print mistakes reserved.

VD2383E-13

Height of push handles


Height of push handles for companion = Back height + Seat height + Height of push handle

Height of push handles for companion = BH + SH + HPH


	Back standard	Back with height adjustable push handle				bent rewards
		15cm normal	35cm long	45cm extra long reinforced	cropped	
HPH						
min.		4cm	4cm	4cm	21cm	12cm
max.	3cm	19cm	39cm	49cm	38cm	29cm
					push handle each side 6cm outside	push handle each side 9cm backwards

Side pads for Fidibus (from BH 30cm)


Side pads straight



Side pads offset (20mm)




Side pads



	T	S
size 0	120mm	60mm
size 1	180mm	80mm
size 2	205mm	100mm


Extension side pads



height H

H = BH + 0,5cm
H = BH - 1,5cm
H = BH - 3,5cm


H = BH - 9,5cm
H = BH - 7,5cm
H = BH - 5,5cm







height to the side pads: _____ mm
(from the seat area back to upper edge side pads)

Technical changes and print mistakes reserved.

VD2383E-13

back * Note: CODE 2205V and 2205L are only in combination with CODE 27321 possible III				
Back with adjustable upholstery, back angle adjustable  <input type="checkbox"/> Code 27320	Back with adjustable upholstery and height adjustable push handles  <input type="checkbox"/> 15cm (standard) <input type="checkbox"/> 35cm (long) <input type="checkbox"/> offset outwards <input type="checkbox"/> bent backwards Code 27321	Push handles height adjustable, reinforced (from 40kg recommended) Code 2205V <input type="checkbox"/> OE 136,- € Push handles extra long 45cm push handles are reinforced Code 2205L *	Back with adjustable upholstery and push handles height adjustable (instead of push handles)  <input type="checkbox"/> trapezium Code 27322 <input type="checkbox"/> U-form Code 27323 (from SW30)	
Standard	<input type="checkbox"/> Piece OE 262,- €	<input type="checkbox"/> OE 180,- €	<input type="checkbox"/> Piece OE 496,- €	

back * only with FIDIBUS ASR back possible				
SlimLine design for breathable upholstery (AG 410, 430, 441, 450, 451, 460, 470 and AG 490)  colour 1 (inside): _____ colour 2 (outside): _____ bicoloured upholstery <input type="checkbox"/> Code 202 OE 82,- €	Distance for push handle holder per set 20mm displaced backward Code 27324 <input type="checkbox"/> Set OE 75,- €	Side pads flat pluggable conical shape * mounted on distance push handle holder, cover is black pad size <input type="checkbox"/> size 1 <input type="checkbox"/> size 2  Code 27327 <input type="checkbox"/> Pair 422,- €	Side pads flat pluggable curved low shape * mounted on distance push handle holder, cover is black pad rack <input type="checkbox"/> straight B = SB-2,5cm <input type="checkbox"/> 20mm (standard) B = SB-6,5cm <input type="checkbox"/> 40mm B = SB-10,5cm B = width between the pads  Code 27328 <input type="checkbox"/> Pair 422,- €	pad size <input type="checkbox"/> Gr. S <input type="checkbox"/> Gr. M <input type="checkbox"/> Gr. L <input type="checkbox"/> Gr. XL

accessories					
headrest "light" adjustable, alu. parts (mounted at the back tube)  Code 2235 <input type="checkbox"/> Piece 324,- €	headrest adjustable steel and alu. parts (mounted at the back tube)  Code 2225 <input type="checkbox"/> Piece 320,- €	holder for head rest for head rest tube: <input type="checkbox"/> 15x15mm Code 2225Halt <input type="checkbox"/> Ø 19mm Code 2235Halt (without head rest) <input type="checkbox"/> Piece 204,- €	holder for chest harness with folding buckles on the vertical head rest tube Ø18,7  Code 2235G only in combination with CODE 2235 <input type="checkbox"/> Piece OE 229,- €	chest harness, black (Neopren and AGW black) with folding buckles  Code 2235B - without head rest: assembly on T-girder (see CODE 2223G) - with head rest: with holder for chest harness (see CODE 2235G or 2225G) <input type="checkbox"/> Piece OE 195,- €	T-girder as holder for chest harness with straps incl. holder on the back tube  Code 2223G not in combination with head rest <input type="checkbox"/> Piece OE 298,- €

back				
FIDIBUS back ergonomic back cushion extrem light ergonomic formed back cushion curved back 30mm  Code 2292 Please take prices and further informations from FIDIBUS order form <input type="checkbox"/> Piece OE 590,- €	FIDIBUS ASR back anatomical shaped back plate ASR alu back plate 30mm coloured, curved and beveled (without cushion) colour: frame colour CODE 2296B <input type="checkbox"/> Piece OE 360,- €	anatomical shaped back cushion ASR back cushion (foam) with cover (without back plate) CODE 2296A <input type="checkbox"/> Piece OE 368,- €	back extension for the FIDIBUS-ASR back back extension plate is telescopic about 18cm, with head pad (fabric75 black) with velcro only in combination with FIDIBUS-ASR back (with CODE 2296B) for BH 30cm - 40cm Colour: frame colour CODE 2296V Note: Combination with headrest is possible  <input type="checkbox"/> Piece 340,- €	Note: FIDIBUS back CARBON see FIDIBUS order form VD2620

back	
side pads for FIDIBUS back (from BH 30) (black fabric 75)  <input type="checkbox"/> size 0 SW 18-26cm <input type="checkbox"/> size 1 SW 28-36cm <input type="checkbox"/> size 2 SW 38-40cm height of the side pads: _____ mm <input type="checkbox"/> CODE 2292P1 side pads straight <input type="checkbox"/> CODE 2292P2 side pads offset (20mm) <input type="checkbox"/> Pair 304,- €	

Technical changes and print mistakes reserved.
 VD2383E-13

seat

Seat with alu-seat plate mechanical tilting angle (adjustable in 5° steps)



tilting seat


- 5° to 40° standard
- 0° to 45°

Code 27018

Note: -5° with therapy table not possible

Seat plate extension


additional alu plate screwed on the seat plate, plate infinitely depth adjustable SD+40mm



Code 27019

Seat plate forward

seat attachment profile 6cm longer for a passive seating position



Code 27014

Seat plate raising +5cm

additional support under the seat plate, the seat plate is 5cm higher (for greater LLL)

Code 27015

Standard

Piece

219,- €

Piece

OE 163,- €

Piece

239,- €

seat

Seat cushion with breathable fabric (compounded foam with cover)

fabric : _____



- 3 cm Code 471
- 5 cm Code 472

Change cover

Cover black

Code 121

Cover breathable

Code 470

fabric AG410 yellow
fabric AG430 red
fabric AG441 pink
fabric AG450 ultramarine

fabric AG451 king blue
fabric AG480 lemon
fabric AG470 grey
fabric AG490 black

Seat cushion with black fabric (compounded foam with standard cover)



- 3 cm Code 119
- 5 cm Code 120

FIDIBUS-F - seat

anatomical seat cushion

extreme ergonomical seat cushion



from SW 24
from SD 26

Code 2291FOB

Please take prices and further informations from FIDIBUS order form

Piece

110,- €

Piece

74,- €

Piece

107,- €

Piece

OE 512,- €

seat

Seat belt black

metal clock

Code 125

Piece

88,- €

Safety belt with cushion, black

2-Point-pelvis belt with metal lock

Code 124

Piece

167,- €

FIDIBUS-F - seat and back cushion

ergonomic seat cushion and back cushion complete system



from SW 24
from SD 26
from BH 20

Code 2290FR9


OE 1042,- €

Note: FIDIBUS back curved 50mm at YUKI is not possible!!!

Please take prices and further informations from FIDIBUS order form

side guard

Clothing guard ABS plastic black, screwed on




Code 27330

Pair

278,- €

Armrest short height adjustable only in combination with clothing guard CODE 27330



Code 27331

not in combination with brake in side guard Code 27370 und 27371 possible. (with Code 27372 und 27373 possible)


Pair

326,- €

therapy table

* tilting the seat to -5° is no longer possible (except with seat booster +5cm).

Therapy table central - under the seat plate pluggable



Code 27339*


SW	B	T	A
<input type="checkbox"/> 26-30	30	35	12
<input type="checkbox"/> 32-36	35	38	12
<input type="checkbox"/> 38-40	40	40	12

not in combination with Code 27046 und 27030 possible!!!

Piece

482,- €

Abduction wedge under the seat plate pluggable



Code 27030*


note: combination with footrest foldable CODE 27046 or with therapy table CODE 27339 is not possible!!!

Piece

B

- size 1 6cm
- size 2 7,5cm
- size 3 9cm

Abduction wedge pluggable with special holder on seat plate



Code 27033

note: combination with seat plate extension CODE 27019 is not possible

Piece

B

- size 1 6cm
- size 2 7,5cm
- size 3 9cm

384,- €

Note: When using SlimLine-Design (CODE 202) the seat cushion (CODE 470 / 471 / 472) is also supplied in SlimLine-Design.

Technical changes and print mistakes reserved.

VD2383E-13

rear wheel

rear wheel standard (alu hub black) with quick release axle pneumatic <input type="checkbox"/> 22"x1 rough profile * Code 2792 <input type="checkbox"/> 22"x1 fine profile * Code 2793 <input type="checkbox"/> 22"x1 black Code 2794 <input type="checkbox"/> 24"x1 fine profile * Code 2797 <input type="checkbox"/> 24"x1 black Code 2798		solid <input type="checkbox"/> 22"x1 * Code 2682 <input type="checkbox"/> 22"x1 black Code 2683 <input type="checkbox"/> 24"x1 * Code 2684 <input type="checkbox"/> 24"x1 black Code 2685	Design rear wheel 24" (Alu hub silver) with quick release axle, straight spoke wheel <input type="checkbox"/> 24"x1 pneumatic * Code 7391 <input type="checkbox"/> 24"x1 solid * Code 7392 <input type="checkbox"/> 24"x1 solid black Code 7393	Performance tyre <input type="checkbox"/> 24"x1 Code 570 Marathon Plus (grey tyre) <input type="checkbox"/> 22"x1 Code 577 Marathon Plus Evolution (black tyre) <input type="checkbox"/> 24"x1 Code 572 Marathon Plus Evolution (black tyre)	Right Run 24"x1 Code 573 <input type="checkbox"/> red <input type="checkbox"/> blue <input type="checkbox"/> grey <input type="checkbox"/> black 22"x1 Code 576 <input type="checkbox"/> black	Camber 4° <input type="checkbox"/> 7° <input type="checkbox"/> 9° <input type="checkbox"/> (standard) 11° <input type="checkbox"/>
<p align="center">Standard</p>			<p align="right">OE 40,- €</p>			

handrim for rear wheel

handrim for rear wheel standard and Design rear wheel 24"							
Aluminium black <input type="checkbox"/> 22" Code 455 <input type="checkbox"/> 24" Code 454	Aluminium silver <input type="checkbox"/> 22" Code 492 <input type="checkbox"/> 24" Code 491	stainless steel polished <input type="checkbox"/> 22" Code 155 <input type="checkbox"/> 24" Code 156	TETRA-GRIP (Super Grip) <input type="checkbox"/> 22 inch Code 252 <input type="checkbox"/> 24 inch Code 452	Maxgrepp ERGO Para <input type="checkbox"/> 22 inch Code 550 <input type="checkbox"/> 24 inch Code 554	CURVE black anodized CURVE <input type="checkbox"/> 22 inch Code 4502 CURVEL <input type="checkbox"/> 24 inch Code 4504 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide	GEKKO black <input type="checkbox"/> 22 inch Code 4501 <input type="checkbox"/> 24 inch Code 4508 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide	GEKKO S black <input type="checkbox"/> 22 inch Code 4503 <input type="checkbox"/> 24 inch Code 4507 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide
<p align="center">Standard</p>			OE 320,- €	OE 358,- €	OE 388,- €	OE 503,- €	OE 503,- €

rear wheel

SAFETY-GRIP rear wheel, rim with integrated hand rim <input type="checkbox"/> 22 inch Code 7385 <input type="checkbox"/> 24 inch Code 7386 only in combination with rear wheel standard or rear wheel with drum brake	Rear wheel with drum brake and quick release axle (for companion) <input type="checkbox"/> 22 inch Code 27060 <input type="checkbox"/> 24 inch Code 27061 Note: only by 4° or 9° camber possible	Handrim cover black  <input type="checkbox"/> 22 inch Code 191 <input type="checkbox"/> 24 inch Code 192	handrim for rear wheel powder coated  Code 8881 only for aluminium hand rim of the rear wheel STANDARD, DESIGN or LWW
<input type="checkbox"/> Pair OE 101,- €	<input type="checkbox"/> Pair OE 342,- €	<input type="checkbox"/> Pair 136,- €	<input type="checkbox"/> Pair OE 188,- €

Light Weight Wheel

one hand drive

* The lowest seat height is not possible.

Light Weight Wheel LWW black rim, 24 spokes black radialspeaks and alu. hand rim with pneumatic tyre (fine profile) grey tyre hand rim black 22 x1" <input type="checkbox"/> CODE 7364 24 x1" <input type="checkbox"/> CODE 7363 hand rim silver <input type="checkbox"/> CODE 7364S <input type="checkbox"/> CODE 7363S black tyre hand rim black <input type="checkbox"/> CODE 7367 <input type="checkbox"/> CODE 7366	handrim additional for the driven wheel for one hand drive handrim in stainless stell Code 198Z (only in combination with one hand drive set)	One hand drive with quick release axle and stainless steel hand rim (with drum brake prly with 4° possible II) # from SW 28cm # onyl with 4°+7° camber # from SH 46cm (by 24") left right distance handrim Code 27092 22" * <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> normal <input type="checkbox"/> narrow Code 27094 24" * <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> normal <input type="checkbox"/> narrow	distance of double handrim normal  narrow  small distance for small handle
<input type="checkbox"/> Pair solid not possible OE 188,- €	<input type="checkbox"/> PC. OE 145,- €	<input type="checkbox"/> Pair OE 998,- €	

rear wheel - spoke cover

Spoke cover transparent  <input type="checkbox"/> 22 inch Code 165 <input type="checkbox"/> 24 inch Code 166	spoke cover with special-motive the price for special-spoke cover are net price and not discountable!! www.speichenschutz.com motive no.: _____ please take the motive no. from the website www.speichenschutz.com <input type="checkbox"/> 22" <input type="checkbox"/> 24" Code 2268	www.rs-speichenschutz.com motive no.: _____ please take the motive no. from the website www.rs-speichenschutz.com <input type="checkbox"/> 22" <input type="checkbox"/> 24" Code 2267	Example  Information about others spoke cover motives please take from website
<input type="checkbox"/> Pair 178,- €	<input type="checkbox"/> Pair net price 230,- €	<input type="checkbox"/> Pair net price 218,- €	

Technical changes and print mistakes reserved.
 VD2383E-13

castor			
Castor solid with design fork black <input type="checkbox"/> 4" Skater Code 2650 <input type="checkbox"/> 4" grey Code 2651 <input type="checkbox"/> 5" grey Code 2652	plastic rim black with black PU tyre <input type="checkbox"/> 4 inch PU solid black Code 2657 <input type="checkbox"/> 5 inch PU solid black Code 2659	Castor solid with plastic rim black and black tyre <input type="checkbox"/> 4 inch Code 2653 <input type="checkbox"/> 5 inch Code 2654	
Standard		<input type="checkbox"/> Pair OE 48,- €	

castor			
Lightwheel Castor with LED lights <input type="checkbox"/> 4 inch Code 2651LED <input type="checkbox"/> 5 inch Code 2652LED	Castor SOFT solid with aluminium rim silver and black SOFT tyre <input type="checkbox"/> 4 inch Code 2655 <input type="checkbox"/> 5 inch Code 2656	Castor SOFT solid with aluminium rim black and black SOFT tyre <input type="checkbox"/> 4 inch Code 2655S <input type="checkbox"/> 5 inch Code 2656S	Soft-castor with plastic rim black tyre (solid) soft plastic rim black 5 inch Code 2658
<input type="checkbox"/> Pair OE 54,- €	<input type="checkbox"/> Pair OE 78,- €	<input type="checkbox"/> Pair OE 78,- €	<input type="checkbox"/> Pair OE 66,- €





castor	
Design fork coloured colour: _____ Code 499 (see frame colour on page 3)	Bumper wheel 63mm at castor adapter (with extra cover) not in combination with anchor plate Code 27097 or back system Code 27096 Code 2695
<input type="checkbox"/> Pair OE 95,- €	<input type="checkbox"/> Pair OE 95,- €





note


note

Technical changes and print mistakes reserved.

VD2383E-13

brake				
Brake integrated in side guard with straight lever and hemisphere 2-piece screwed  <input type="checkbox"/> Code 27370 only in combination with Code 27330 possible	Brake integrated in side guard with lever curved and with ball Ø 32mm screwed  <input type="checkbox"/> Code 27371 only in combination with Code 27330 possible	Knee angle brake offset, with special mounting (instead knee angle brake in side guard)  Code 27374	Knee angle brake offset with locking pin for locking (instead knee angle brake in side guard)  fixed in the braked and opened position Code 27374RD	combination with arm pad CODE 27331 is not possible II Brake for companion without brake in side guard with bowden cable for companion control (without brake linkage)  Code 27376 combination with CODE 27375RD or 27375 is possible II combination with CODE 27370 or 27371 is not possible II
Standard		<input type="checkbox"/> Pair OE 147,- €	<input type="checkbox"/> Pair OE 410,- €	<input type="checkbox"/> Pair OE 233,- €

brake			
additional knee angle offset with special holder mounted under the frame  Code 27375 <input type="checkbox"/> Pair OE 267,- €	additional knee angle brake offset with locking pin for locking  fixed in the braked and opened position Code 27375RD <input type="checkbox"/> Pair OE 514,- €	additional brake only for companion, activated with bowden cable (alternative for drumbrake) (knee angle brake mounted under the frame) (combination with drum brake not possible!!) Code 27379  combination with Code 27374, 27375 or Code 27376 not possible <input type="checkbox"/> Pair 368,- €	brake for companion at brake in side guard with additional bowden cable for the companion control only in combination with CODE 27370 or 27371 Code 27380  combination with drum brake not possible <input type="checkbox"/> Pair OE 329,- €


brake			
Brake integrated in side guard with straight lever and hemisphere 2-piece screwed, with bowden cable, pull at the bottom front of the frame  Code 27372 Combination with Code 27331 possible II <input type="checkbox"/> Pair OE 324,- €	Brake integrated in side guard with lever curved and with ball Ø 32mm screwed, with bowden cable, pull at the bottom front of the frame  Code 27373 Combination with Code 27331 possible II <input type="checkbox"/> Pair OE 324,- €	Brake for companion by brake in side guard, integrated with bowden cable and with additional bowden cable for the companion (only in combination with CODE 27372 or 27373) Code 27378  Combination with drum brake not possible Combination with Code 27331 possible II <input type="checkbox"/> Pair OE 234,- €	

accessories			
hook for Restraint system for transport with a wheelchair in a car according to ISO 7176-19 (without pelvic restraint) Retaining eyelets for front frame during the transport in a car. On the frame backside is no additional eyelet necessary.  Code 27096 additionally you need an extended pelvic belt and the suitable retractors from the specialized trade. <input type="checkbox"/> Set net price 174,- €	Pelvic restraint for the restraint system (for Code 27096) Pelvic restraint for connecting the person with the restraint system Code 27098 <input type="checkbox"/> Piece net 89,- €	Anchor plate system anchor plates for transport a wheelchair in a car (according to ISO 7176-19). Assembly kit for wheelchair including mounting and with integrated pelvic restraint.  Code 27097 <input type="checkbox"/> Set net price 450,- €	

note
(This area is currently blank in the provided image.)

Technical changes and print mistakes reserved.

VD2383E-13

Yuki		accessories	
trakking extension TRIKE as steering and pushing aid quick release (clamp) CODE 9927 <input type="checkbox"/> Piece	 <p># holder quick release (clamp) at the bolt in front of the YUKI frame # castor 10x2" black alu fork # arrangement of levers with gear segment # with ramp as mounting aid</p> <p>capacity up to 75kg (wheelchair incl. payload)</p>	<h1>Trike</h1> <p>trakking extension as steering and pushing aid</p> 	699,- €

TRIKE colour frame		Edition "....-Colour"	
Note: the TRIKE frame parts are made of aluminium	TRIKE- frame colour powder coated Colour : frame colour (see page 3) - frame type right / left - cross tube - castor fork Code 9908	Edition "Duo-Color" colour 1: _____ (castor fork) colour 2: _____ (frame type right / left, cross tube) Code 9909	Castor fork with brake for directional stability Code 9909F
without extra charge	<input type="checkbox"/> OE 132,- €	<input type="checkbox"/> OE 143,- €	<input type="checkbox"/> Piece OE 153,- €

note	
<p>Note:</p> <p>Combination TRIKE with restraint system is possible !!</p> <p>Combination TRIKE with bumper wheel is not possible !!</p> <p>Combination TRIKE with anchor plate system is possible !!</p>	<div style="border: 1px solid black; padding: 10px; text-align: center;"> The transport of the wheelchair with the user in the car combined with the attached TRIKE is not allowed ! </div>

note	

--	--

Technical changes and print mistakes reserved.

 VD2383E-13

note

Technical changes and print mistakes reserved.

VD2383E-13