

Address

Shipping address  see address

Com.:

Order  
 Estimate

Purchaser: \_\_\_\_\_

Telephone: \_\_\_\_\_



**Basic Price 2770,- €**  
 Configuration: **BASIC-Line**  
 Price valid from January 1st 2025 (until revoked)

# SLADE

Capacity up to  
 100 kg (SW 32 till 36cm)  
 120 kg (SW 38 till 46cm)

user weight: \_\_\_\_\_ kg

SLADE SLT	All dimensions in cm Dimensions tol. +/- 0,5cm	SLADE AR
<p>Frame 70° with integrated footrest (without footrest and side guards)</p> <p style="text-align: center;">Length of the frame (at 70° Frame type)</p> <p>55cm = short for SD 34-38                      59cm = middle for SD 40-42                      63cm = long for SD 44-46</p> <p><input type="checkbox"/> Total length depends on the wheel position and position of the footrest  <input type="checkbox"/> Frame length for UNITOMIC L+3cm</p> <p>Code 405 <input type="checkbox"/></p>		<p>Frame with detachable footrest (without footrest and side guards)</p> <p style="text-align: center;">Length of the frame together with footrest holder</p> <p>58cm = short for SD 34-38                      62cm = middle for SD 40-42                      66cm = long for SD 44-46</p> <p><input type="checkbox"/> Total length depends on the wheel position and position of the footrest  <input type="checkbox"/> Frame length for UNITOMIC L+3cm</p> <p>Code 505 <input type="checkbox"/></p>

basic measures				
<p>Seat width (SW)</p> <p><input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36 <input type="checkbox"/> 38 <input type="checkbox"/> 40</p> <p><input type="checkbox"/> 42 <input type="checkbox"/> 44 <input type="checkbox"/> 46</p> <p>Special (SW)</p> <p><input type="checkbox"/> 48 <input type="checkbox"/> 50</p> <p>Code 409B OE 188,- €</p>	<p>Seat depth (SD)</p> <p><input type="checkbox"/> 34* <input type="checkbox"/> 36* <input type="checkbox"/> 38*</p> <p><input type="checkbox"/> 40 <input type="checkbox"/> 42</p> <p><input type="checkbox"/> 44 <input type="checkbox"/> 46</p> <p>Frame short                      Frame middle                      Frame long</p>	<p>* Frame short (only with closing guard)</p> <p>Special (SD)</p> <p><input type="checkbox"/> 48 <input type="checkbox"/> 50</p> <p>Code 409 OE 155,- €</p>	<p>Back height (BH)</p> <p><input type="checkbox"/> 30 <input type="checkbox"/> 35</p> <p><input type="checkbox"/> 40 <input type="checkbox"/> 45</p> <p>+2,5cm adjustable not with UNITOMIC-back</p>	<p>Lower leg Length (LLL):</p> <p>LLL: ..... cm</p> <p>from 32 / 35cm (without cushion)</p> <p>Slade SLT from 35cm (from 28cm*)                      Slade AR from 32cm (from 28cm*)</p> <p>max. LLL = SH - 3cm</p> <p>Technical data see back side</p>


seat height	
	<p>Seat height in cm see possible wheel combination (without Seat cushion)</p> <p>front: _____ cm (standard = 48/49cm)</p> <p>back: _____ cm (standard = 45/46cm)</p>

Technical changes and print mistakes are reserved. VD2361E-29

## Technical data


### seat width **SW**

from outside crossbar to outside crossbar +6mm




### seat depth **SD**

from back tube to upper edge seat upholstery



### back height **BH**

from upper edge seat upholstery to upper edge back upholstery



#### Lower Leg Length LLL:

35 to 49 cm

#### Total width wheelchair:

with wheels and handrim  
with drum brake

SW + 18 cm\*  
SW + 20 cm\*

\* +1,5cm at side guard RACY

#### folding measurement:

with wheels  
with drum brake  
without wheels

about 30cm  
about 32cm  
about 22cm

#### maximum burden:

120 kg

#### Weight:

standard configuration  
(without rear wheels)

from 11 kg  
from 8,5 kg

## Seat height **SH** (to the seat upholstery)

### Slade (Rear wheel **24 inch** / short fork 39x132) / long fork 39x170)

rear wheel	castor - fork	minimum seat height		maximum seat height	
		front	back	front	back
22 Zoll	4 Zoll - short	43 cm	39 cm*	46 cm	46 cm
	- long	46 cm	39 cm*	50 cm	49 cm
	5 Zoll - short	44 cm	39 cm*	47 cm	46 cm
24 Zoll	- long	46 cm	39 cm*	51 cm	49 cm
	6 Zoll - short	45 cm	39 cm*	48 cm	48 cm
	- long	48 cm	39 cm*	52 cm	51 cm
24 Zoll	4 Zoll -short	44 cm	43 cm*	46 cm	46 cm
	- long	46 cm	43 cm*	50 cm	49 cm
	5 Zoll - short	44 cm	43 cm*	47 cm	46 cm
24 Zoll	- long	47 cm	43 cm*	51 cm	50 cm
	6 Zoll - short	45 cm	43 cm*	48 cm	46 cm
	- long	48 cm	43 cm*	52 cm	51 cm

All measure  $\pm 0,5$  cm

\* note: with drum brake you have to add +2cm !!

Notice: at the castor wheels **PU-black** are the minimal seat height with the fork **short** and **extra short** not possible

frame colour

Because of the material are different colours possible

shiny

- |   |  |   |  |
|---|--|---|--|
| <input type="checkbox"/>  25 RAL9010 white           | <input type="checkbox"/>  06 dormantred               | <input type="checkbox"/>  64 petrolgreen met.    | <input type="checkbox"/>  19 silvermetallic |
| <input type="checkbox"/>  56 RAL1021 goldyellow met. | <input type="checkbox"/>  53 cassis shiny             | <input type="checkbox"/>  50 applegreen          | <input type="checkbox"/>  63 platin met.    |
| <input type="checkbox"/>  24 RAL1028 melonyellow     | <input type="checkbox"/>  59 atlanticblue met.        | <input type="checkbox"/>  51 applegreen metallic | <input type="checkbox"/>  23 RAL9005 black  |
| <input type="checkbox"/>  27 mandarin met.           | <input type="checkbox"/>  16 RAL5002 ultramarine blue | <input type="checkbox"/>  60 mojitogreen met.    |  |
| <input type="checkbox"/>  41 RAL3020 trafficrod met. | <input type="checkbox"/>  17 dormantblue              |   |  |

met. = metalized

frame colour

Because of the material are different colours possible

mat / satined

- |   |  |  |
|---|--|--|
| <input type="checkbox"/>  76 white satined             | <input type="checkbox"/>  70 ultramarine blue satined | <input type="checkbox"/>  77 silvermetallic satined |
| <input type="checkbox"/>  65 goldyellow met. satined   | <input type="checkbox"/>  75 petrolgreen met. satined | <input type="checkbox"/>  78 platin met. satined    |
| <input type="checkbox"/>  66 mandarin met. satined     | <input type="checkbox"/>  73 yellowgreen met. satined | <input type="checkbox"/>  22 RAL9011 black mat      |
| <input type="checkbox"/>  67 traffic red satined       | <input type="checkbox"/>  74 mojitogreen met. satined | <input type="checkbox"/>  58 satinschblack          |
| <input type="checkbox"/>  71 atlanticblue met. satined |  |  |

met. = metalized

upholstery colours

upholstery standard

-  DE290 black

upholstery breathable fabric




- |  |  |
|--|--|
| <input type="checkbox"/>  AG410 yellow      | <input type="checkbox"/>  AG451 king blue |
| <input type="checkbox"/>  AG430 red         | <input type="checkbox"/>  AG460 lemon     |
| <input type="checkbox"/>  AG441 pink        | <input type="checkbox"/>  AG470 grey      |
| <input type="checkbox"/>  AG450 ultramarine | <input type="checkbox"/>  AG490 black     |

only for adjustable back upholstery

Code 201

OE 68,- €

frame accessories

<p><b>Tip shackle</b></p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p>  <p>Code 105</p> <p><input type="checkbox"/> Piece 72,- €</p>	<p><b>Transit wheels</b></p>  <p>Code 102</p> <p><input type="checkbox"/> Pair 242,- €</p>	<p><b>Walking stick holder, aluminium</b></p> <p>for 2 crutches</p> <p><input type="checkbox"/> rechts <input type="checkbox"/> links</p>  <p>Code 103</p> <p><input type="checkbox"/> Piece 85,- €</p>	<p><b>Anti-tip wheel</b></p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p>  <p>Code 104</p> <p><input type="checkbox"/> Piece 145,- €</p>	<p><b>Anti-tip wheel high adjustable nad with gear segment</b></p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p>  <p>Code 2405</p> <p><input type="checkbox"/> Piece 185,- €</p>
--	---	--	--	--

note

Technical changes and print mistakes are reserved.

VD2361E-29

	BASIC-Line	TREND-Line	HIGH-Line
Edition-Line Slade	<p>The <b>BASIC-Line</b> is the standard equipment. There are only certain parts in the frame colours powder-coated and the upholstery is standard.</p> <p><input type="checkbox"/> Code 439B</p>	<p>If you order the <b>TREND-Line</b> there are a variety of attachments also in colour of the wheelchair. And it is possible, to select a breathable upholstery.</p> <p><b>Code 439T</b></p>	<p>The <b>HIGH-Line</b> optimizes the design by ordering many attachments in colour of the wheelchair. And it is possible to order the upholstery in SLIMLINE-Design.</p> <p><b>Code 439H</b></p>
	<b>standard</b>	<input type="checkbox"/> Piece	OE 104,- €

frame accessories


Overview for **Edition-Line Slade**

	BASIC-Line	TREND-Line	HIGH-Line
axle plate	black anodized	colour of the wheelchair	colour of the wheelchair
shell for axle plate		black anodized	black anodized
handrim aluminium			colour of the wheelchair
castor adapter			
cap for castor adapter			
cap for extender			
fork			
footplate		colour of the wheelchair	colour of the wheelchair
front frame parts	colour of the wheelchair	colour of the wheelchair	colour of the wheelchair
back frame parts			
cross bar			
footrest holder (SLADE 505)			
side guard			
upholstery standard	upholstery	upholstery	upholstery
upholstery breathable fabric and uni coloured			
upholstery breathable fabric SLIMLINE-Design			
Edition-Line Slade	Standard	comprised CODE 201	comprised CODE 201 comprised CODE 202 <b>SLIMLine-Design</b> for adjustable, breathable back upholstery  bicoulored upholstery (more data see page 7)




note





Technical changes and print mistakes are reserved.

VD2361E-29

Slade SLT			frame	Slade AR	
<p>Frame with 80° Frame length shorter about 4cm</p>  <p><b>Code 401</b></p> <p>80°-frame only with 4"/5" Castor only in combination with CODE 405 not in combination with CODE 4591 or 2459</p>	<p>V-frame front (from SW 38cm)</p> <p>(only with footrest Code 440 possible)</p> <p><b>Code 421</b></p>	<p>frame offset inwards (from SW 38cm)</p>  <p><b>Code 4593</b></p> <p>not in combination with CODE 401, 4591, 4592, 2459 or 421</p>		<p>Abduction frame front front frame with 6cm abduction from LLL 35cm</p>  <p><b>Code 522</b></p>	<p>Spasticity frame steel back frame</p> <p>Recommended by strong spastics</p> <p><b>Code 426</b></p>
<input type="checkbox"/>	0,- €	<input type="checkbox"/>	OE 180,- €	<input type="checkbox"/>	OE 180,- €
<p>Abduction frame frame in front with (6cm) abduction from LLL 38cm from 4° camber</p>  <p>Total frame length is 6cm longer</p> <p><b>Code 4592</b></p>	<p>Spasticity frame Steel back frame</p> <p>Recommended by strong spastics</p> <p><b>Code 426</b></p> <p>not in combination with CODE 4591</p>	<p>Special front frame Castor wheel mount displaced slightly</p>  <p><b>Code 4591</b></p> <p>not in combination with Code 401, 4592 or 4593 not for frame short</p>			
<input type="checkbox"/>	OE 286,- €	<input type="checkbox"/>	OE 348,- €	<input type="checkbox"/>	OE 238,- €

footrest		frame accessories			
<p>Single footrest (footplate is color coated)</p>  <p><b>Code 440</b></p>	<p>Side guard for footplate</p>  <p><b>Code 440S</b></p>		<p>Front frame reinforced for electric drive  (e.g. for e-Fix or e-motion attachment)  (for frame 405 and frame 505)</p> <p><b>Code 425</b></p>		
<input type="checkbox"/>	Piece 311,- €	<input type="checkbox"/>	Pair 102,- €	<input type="checkbox"/>	OE 268,- €

single footrest					
<p>Single footrest, <b>alu-profile</b>, angle adjustable (colour coated)</p>  <p><b>Code 442</b></p>	<p>Single footrest, <b>flat profile</b>, angle adjustable (colour coated)</p>  <p><b>Code 4421</b></p>	<p>Mechanism for swing away (single footrest swing up to the outside)</p> <p>from LLL 38cm</p>  <p><b>Code 418</b></p> <p>only with Code 442 or Code 4421</p>	<p>Spasticity locking for single footrest</p> <p>footrest <b>alu-profile</b></p> <p><b>Code 122</b></p> <p>footrest <b>alu. flat-profile</b></p> <p><b>Code 1122</b></p> <p>only with Code 442 or Code 4421</p>	<p>Footrest single, <b>alu-profil</b>, displaced with footrest bracket and clamp plate, angle adjustable</p> <p>from LLL 28</p> <p>Clamp plate 85mm</p>  <p><b>Code 4427</b></p>	<p>Footrest single <b>flat profile</b> displaced with footrest bracket and clamp plate displaced mounted, angle adjustable</p> <p>from LLL 28</p> <p>Clamp plate 85mm</p>  <p><b>Code 4429</b></p>
<input type="checkbox"/>	Piece 322,- €	<input type="checkbox"/>	Piece 320,- €	<input type="checkbox"/>	Piece OE 172,- €
<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	Piece OE 87,- €
<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	Piece 358,- €
<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	Piece 358,- €

double footrest					
<p>Double footrest, <b>alu-profile</b>, angle adjustable (colour coated)</p>  <p><b>Code 514</b></p>	<p>Double footrest, <b>alu. flat-profile</b>, angle adjustable</p>  <p><b>Code 5141</b></p>	<p>Double footrest, <b>plastic</b>, black, angle adjustable (From SW 36)</p>  <p><b>Code 443</b></p>	<p>Double footrest, <b>alu-Profil</b> displaced</p>  <p><b>Code 4426</b></p>	<p>Double footrest <b>flat profile</b> displaced with footrest bracket and clamp plate displaced mounted, angle adjustable from LLL 28</p> <p>Clamp plate 85mm</p>  <p><b>Code 4428</b></p>	
<input type="checkbox"/>	Pair 366,- €	<input type="checkbox"/>	Pair 366,- €	<input type="checkbox"/>	Pair 302,- €
<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	Piece 388,- €
<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	Piece 388,- €

Technical changes and print mistakes are reserved.

VD2361E-29

## SLADE



back with adjustable upholstery  
with SLIM-Line design




## SLADE

UNITOMIC back with adjustable upholstery  
with SLIM-Line design



back				
Back with adjustable upholstery  <input type="checkbox"/> Code 447	Back with adjustable upholstery and high adjustable handles <input type="checkbox"/> 15cm (standard) <input type="checkbox"/> 35cm (long)  Code 448	multi-adjustable segment for back angle adjuſtion for straight back From BH 35  note: only in combination with CODE 447 or 448 Code 407	push handle foldable only in combination with CODE 109 back with adjustable upholstery  Code 4107 <small>not in combination with drum brake, height adjustable push handles or UNITOMIC back</small>	without back upholstery Code 507 <small>(only in combination with CODE 447 or 448)</small>
<b>standard</b>	<input type="checkbox"/> Piece      OE 262,- €	<input type="checkbox"/> Piece      OE 206,- €	<input type="checkbox"/> Pair      OE 163,- €	<input type="checkbox"/> Piece      0,- €

back		
<b>SlimLine-design</b> for adjustable, breathable back upholstery (fabric AG410 - AG490)  colour 1 (inside): _____ standard = black AG490 colour 2 (outside): _____ bicoloured upholstery (only in combination with CODE 201 possible)		 SlimLine-design at MATRIX-Aktiv back 
<input type="checkbox"/> Code 202      OE 82,- €		

back		
<b>back system MATRIX</b> light weight back cushion, breathable with individual adjustable holder and Slim-Line -Design back <b>MATRIX-Aktiv</b> with 7cm contour depth Code: Aktiv <input type="checkbox"/>		Take prices and further Informations from respective MATRIX order form  Advice: price reduction for back upholstery already is considered in MATRIX price!
<input type="checkbox"/> adapter 20x20      Code: <b>Aktiv-KH</b> <input type="checkbox"/> headrest Aktiv (15x15) <b>Aktiv-K</b> <input type="checkbox"/> adapter Ø19 <b>Aktiv-KLH</b> <input type="checkbox"/> headrest light (Ø18,7) <b>Aktiv-KL</b> <input type="checkbox"/> lateral support straight <b>SPG</b> <input type="checkbox"/> lateral support cropped <b>SPA</b>	back <b>MATRIX-Varlo</b> with 12cm contour depth Code: Varlo <input type="checkbox"/>	
<input type="checkbox"/> adapter 20x20      Code: <b>Varlo-KH</b> <input type="checkbox"/> headrest Aktiv (15x15) <b>Varlo-K</b> <input type="checkbox"/> adapter Ø19 <b>Varlo-KLH</b> <input type="checkbox"/> headrest light (Ø18,7) <b>Varlo-KL</b> <input type="checkbox"/> positioning aid (Ø18,7) <b>Aktiv-KLP</b>	back <b>MATRIX-VarloT</b> with 18cm contour depth Code: VarloT <input type="checkbox"/>	


back			
Back <b>UNITOMIC*</b> with adjustable back (anatomical back) From BH 35  Information: Choose seat-depth 2 cm shorter Code 446	Back <b>UNITOMIC*</b> with adjustable back and high adjustable handles From BH 35  Information: choose seat-depth 2 cm shorter Code 449	multi-adjustable segment for back angle adjuſtion for <b>UNITOMIC</b> back From BH 40 at Code 446 From BH 35 at Code 449  Code 411 (only in combination with CODE 446 or 449)	* attention: with UNITOMIC back choose seat-depth 2cm shorter  <b>Advice:</b> to ensure the optimal and ergonomic seat position, we suggest from 2cm seat inclination the option multi-adjustable segment (CODE 411 or 407) for back adjustment.
<input type="checkbox"/> Piece      OE 221,- €	<input type="checkbox"/> Piece      OE 468,- €	<input type="checkbox"/> Piece      OE 206,- €	


note


Technical changes and print mistakes are reserved.


VD2361E-29

Notes: when using SlimLine design (Code 202) the seat cushion (Code 470 / 471 / 472) is also supplied in SlimLine design.

seat					
Cushion, compounded foam, with cover black  Code 119 <input type="checkbox"/> Code 120 <input type="checkbox"/>	Cushion, compounded foam with cover breathable Code 471 <input type="checkbox"/> Code 472 <input type="checkbox"/>	Change cover cover black <input type="checkbox"/> Code 121 cushion breathable <input type="checkbox"/> Code 470	Seat belt black Plastic closure Code 227 <input type="checkbox"/> Piece 75,- € Metal closure Code 125	Seat belt with pads, black 2-point-pelvic restraint belt Metal closure Code 124	without seat upholstery Code 502
<input type="checkbox"/> Piece 110,- €		<input type="checkbox"/> Piece 74,- €		<input type="checkbox"/> Piece 88,- €	
				<input type="checkbox"/> Piece 167,- €	<input type="checkbox"/> Piece 0,- €

seat		
Seat <b>UNITOMIC</b> crossbar bended  Code 438 Combination with MATRIX-seat cushion is not possible <input type="checkbox"/> Piece OE 248,- €		Ergonomic seat cushion <b>MATRIX-Simplify</b> light weight seat cushion, with breathable fabric <input type="checkbox"/> seat cushion <b>MATRIX-Simplify</b> up to SW42 Code: <b>SIMPLY-1</b> <input type="checkbox"/> seat cushion <b>MATRIX-Simplify</b> SW 44 - 46 Code: <b>SIMPLY-2</b> <input type="checkbox"/> seat cushion <b>MATRIX-Simplify</b> up to SW50 Code: <b>SIMPLY-3</b> In combination with UNITOMIC seat (CODE 438) not possible! Please take prices and further informations from respectiv MATRIX order form

side guards		
Clothing side guard <b>ERGO AL</b> Aluminium with cold protection, screwed on (in frame colour)  Code 437 <input type="checkbox"/> Pair 292,- €	Clothing side guard <b>ERGO CARBON</b> Carbon, screwed on  Code 437CAR <input type="checkbox"/> Pair 708,- €	

side guards		
Armrest swingable to side and high adjustable Combination only with clothing guards possible (together with 30°-back not possible) <input type="checkbox"/> armrest short <input type="checkbox"/> armrest long Code 432 (without clothing guard)  <input type="checkbox"/> Pair 274,- €		Clothing side guard <b>ERGO AL</b> Aluminium with armrest <b>short</b> screwed on, with cold protection (side guard in frame colour) armrest short  Code 4371 <input type="checkbox"/> Pair 359,- €

note		

Technical changes and print mistakes are reserved.

VD2361E-29

## Combination rear wheels with frame length

rear wheel	Slade SLT (with integrated footrest) CODE 405		Slade AR (with detachable footrest) CODE 505	
	frame straight (integrated)	fram with aduction (integrated)	frame straight (with demountable footrest holder)	frame with abduction (with demountable footrest holder)
22"	SD 34 - 38 frame short possible <small>(only with castor 4" or 5" possible)</small>  ST 40 - 42 frame middle possible  ST 44 - 46 frame long possible	SD 34 - 38 frame short possible  SD 40 - 42 frame middle possible  SD 44 - 46 frame long possible	SD 34 - 38 frame short possible  SD 40 - 42 frame middle possible  SD 44 - 46 frame long possible	SD 34 - 38 frame short possible <small>(only with castor 4" or 5" possible ) (wheel position „A“ not possible !!!) (wheel position „B“ only with pull to lock brake !!)</small>  SD 40 - 42 frame middle possible  ST 44 - 46 frame long possible
24"	SD 34 - 38 frame short possible  SD 40 - 42 frame middle possible  SD 44 - 46 frame long possible	SD 34 - 38 frame short possible  SD 40 - 42 frame middle possible  SD 44 - 46 frame long possible	SD 34 - 38 frame short <b>not possible</b>  SD 40 - 42 frame middle possible  SD 44 - 46 frame long possible	SD 34 - 38 frame short <b>not possible</b>  SD 40 - 42 frame middle possible <small>(only with castor 4" or 5" possible ) (wheel position „A“ not possible !!!)</small>  SD 44 - 46 frame long possible

rear wheel

* grey tyres	<b>Rear wheel standard (alu-hub black) with quick release axle</b> Pneumatic <span style="margin-left: 100px;">Solid</span>		<b>Design-rear wheel 24"</b> (Alu-rim silver) with quick release axle and with straight spokes	<b>Performance tyre</b>		<b>Right Run 24"x1</b> Code 573 <input type="checkbox"/> red <input type="checkbox"/> blue <input type="checkbox"/> grey <input type="checkbox"/> black	<b>Camber</b> 0° <input type="checkbox"/> 2° <input type="checkbox"/> (standard) 4° <input type="checkbox"/> 7° <input type="checkbox"/>
	<input type="checkbox"/> 22"x1 fine profile* Code 144 <input type="checkbox"/> 22"x1 black Code 144S <input type="checkbox"/> 24"x1 fine profile* Code 157 <input type="checkbox"/> 24"x1 black (Sentinel) Code 157S	<input type="checkbox"/> 22"x1 grey Code 141 <input type="checkbox"/> 22"x1 black Code 141S <input type="checkbox"/> 24"x1 grey Code 154 <input type="checkbox"/> 24"x1 black Code 154S		<input type="checkbox"/> 24"x1 pneumatic grey Code 591 <input type="checkbox"/> 24"x1 pneumatic black Code 594 <input type="checkbox"/> 24"x1 solid grey Code 592 <input type="checkbox"/> 24"x1 solid black Code 593	<input type="checkbox"/> 24"x1 Marathon Plus (grey tyre) Code 570 <input type="checkbox"/> 24"x1 Marathon Plus Evolution (black tyre) Code 572 <input type="checkbox"/> 24"x1.20 AIRBORNE (black tyre) Code 5701 <input type="checkbox"/> 24"x1 Schwalbe ONE (black tyre) Code 5702		
<b>standard</b>				OE 40,- €			

handrim for rear wheel standard

handrim for <b>standard wheel and design wheel 24"</b>								Handrim cover black  <input type="checkbox"/> 22" Code 191 <input type="checkbox"/> 24" Code 192 <input type="checkbox"/> Pair 136,- €
<b>aluminium black</b> <input type="checkbox"/> 22" Code 455 <input type="checkbox"/> 24" Code 454 extension narrow <input type="checkbox"/> wide	<b>aluminium silver</b> <input type="checkbox"/> 22" Code 492 <input type="checkbox"/> 24" Code 491 extension narrow <input type="checkbox"/> wide	<b>stainless steel</b> <input type="checkbox"/> 22" Code 155 <input type="checkbox"/> 24" Code 156	<b>TETRA-GRIP (Super Grip)</b> <input type="checkbox"/> 22" Code 252 <input type="checkbox"/> 24" Code 452 extension narrow	<b>Maxgrepp ERGO Para</b> <input type="checkbox"/> 22" Code 550 <input type="checkbox"/> 24" Code 554 extension narrow	<b>GEKKO S black anodized with rubber lip Ø - smaller</b> <input type="checkbox"/> 22" Code 4503 <input type="checkbox"/> 24" Code 4507 <input type="checkbox"/> narrow <input type="checkbox"/> wide	<b>CURVE black anodized</b> CURVE <input type="checkbox"/> 22" Code 4502 CURVE L <input type="checkbox"/> 24" Code 4504 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide	<b>GEKKO black anodized with rubber lip</b> <input type="checkbox"/> 22" Code 4501 <input type="checkbox"/> 24" Code 4508 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide	
<b>Standard</b>			OE 320,- €	OE 358,- €	OE 503,- €	OE 388,- €	OE 503,- €	

rear wheel

wheel plate

<b>Rear wheel 24" with drum brake and quick release axle (for companion)</b> <input type="checkbox"/> 22" Code 288 <input type="checkbox"/> 24" Code 289 not in combination with Design wheel, LWW, TENSIO or active wheel	<b>SAFETY-GRIP-rear wheel rim with Integrated handrim</b> <input type="checkbox"/> 22" Code 261 <input type="checkbox"/> 24" Code 461 only in combination with rear wheel Standard or rear wheel with drum back	<b>Center of gravity adjustment staggered wheel plate *</b> wheel position:  * at frame short with wheel plate straight
<input type="checkbox"/> Pair OE 318,- €	<input type="checkbox"/> Pair OE 101,- €	

light weight wheels

<b>Light weight wheel LWW with black rim, 24 radial spokes black with alu hand rim and pneumatic tyre (fine profile)</b> grey tyre hand rim black <input type="checkbox"/> 22 x1" CODE 564 hand rim silver <input type="checkbox"/> CODE 564S <input type="checkbox"/> 24 x1" CODE 563 <input type="checkbox"/> CODE 563S not possible with solid tyre !	black tyre hand rim black <input type="checkbox"/> CODE 2867 <input type="checkbox"/> CODE 2866	<b>Light Weight Wheel 25" LWW 25"x1</b> black rim, black radial spokes, black pneumatic tyre (SENTINEL) black tyre black hand rim CODE 4863	<b>Active wheel 24x1" rim with double wall and high flange hub stainless steel hand rim and pneumatic tyre (fine profile)</b> cross spoked Code 562
<input type="checkbox"/> Pair OE 188,- €	<input type="checkbox"/> Pair OE 268,- €	<input type="checkbox"/> Pair OE 236,- €	

rear wheel - spoke cover

<b>spoke cover transparent</b>  <input type="checkbox"/> 22 Zoll Code 165 <input type="checkbox"/> 24 Zoll Code 166	<b>spoke cover with special-motive</b> the price for special-spoke cover are net price and not discountable!! www.speichenschutz.com motive no.: <input type="checkbox"/> 24" <input type="checkbox"/> 22" please take the motive no. from the website www.speichenschutz.com Code 2268	<b>Example</b>  Information about others spoke cover motives please take from website www.rs-speichenschutz.com motive no.: <input type="checkbox"/> 24" <input type="checkbox"/> 22" please take the motive no. from the website www.rs-speichenschutz.com Code 2267
<input type="checkbox"/> Pair 178,- €	<input type="checkbox"/> Pair net price 230,- €	<input type="checkbox"/> Pair net price 218,- €

Technical changes and print mistakes are reserved.

VD2361E-29

## Wheel plate:

Center of gravity adjustment (measured from back tube to wheel center)


Wheel plate staggered / back straight:

A = 9,0 cm (only with side guard ERGO)  
(with short frame **not** possible)

B = 7,0 cm (only with side guard ERGO)

C = 5,0 cm

Notice: at frame short we use the wheel plate standard / straight



Wheel plate staggered / UNITOMIC back:

A = 12,0 cm (8,5cm at bow) (only with side guard ERGO)  
(with short frame **not** possible)


B = 10,0 cm (6,5cm at bow) (only with side guard ERGO)

C = 8,0 cm (4,5cm at bow)

D = 6,0 cm (2,5cm at bow)

E = 4,0 cm (0,5cm at bow)

Notice: at frame short we use the wheel plate standard / straight



**castor**

<b>Castor with screw axle short and Design fork</b> solid tyre <input type="checkbox"/> 4 inch Skater Code 530 <input type="checkbox"/> 4 inch Code 531 <input type="checkbox"/> 5 inch Code 532 <input type="checkbox"/> 6 inch Code 533 <hr/> <input type="checkbox"/> 6 inch pneumatic Code 536		PU tyre in black <input type="checkbox"/> 4 inch Code 531S <input type="checkbox"/> 5 inch Code 532S <input type="checkbox"/> 6 inch Code 533S		<b>Lightwheel castor with LED</b> <input type="checkbox"/> 4 inch Code 181LED <input type="checkbox"/> 5 inch Code 582LED		<b>Castor wheel more outside and more forward</b> (forward 40mm / outside 38mm)   Code 2459 SLADE SLT frame 80° not possible !! SLADE SLT abduction frame not possible !! SLADE SLT frame 70° from SD40 possible SLADE AR abduction from frame middle or longer possible	
<b>standard</b>				<input type="checkbox"/> Pair OE 54,- €	<input type="checkbox"/> Pair OE 98,- €		


**castor**

<b>Castor solid with plastic rim black and black tyre</b> <input type="checkbox"/> 4 inch Code 534 <input type="checkbox"/> 5 inch Code 535		<b>Design castor slim black tyre (solid)</b> aluminium rim silver <input type="checkbox"/> 4 inch Code 537 <input type="checkbox"/> 5 inch Code 538 aluminium rim black <input type="checkbox"/> 5 Zoll Code 538S		<b>Soft-aluminium-castor black tyre (solid) soft</b> aluminium rim silver <input type="checkbox"/> 4 inch Code 5394 <input type="checkbox"/> 5 inch Code 5395 aluminium rim black <input type="checkbox"/> 4 inch Code 5394S <input type="checkbox"/> 5 inch Code 5395S		<b>Soft-castor plastic rim black tyre (solid) soft</b> plastic rim black <input type="checkbox"/> 5 inch Code 5385 <input type="checkbox"/> 6 inch Code 5386	
<input type="checkbox"/> Pair OE 46,- €	<input type="checkbox"/> Pair OE 75,- €		<input type="checkbox"/> Pair OE 102,- €		<input type="checkbox"/> Pair OE 66,- €		

**accessories**

<p><b>Note:</b>                  The wheelchair SLADE is tested and approved for transport in the car even without anchor plate (ISO 7176-19). The wheelchair must be equipped with a restraint system at the defined positions be attached to the wheelchair.</p> 		<p><b>Anchor plate system</b>                  anchor plates for transport in cars (ISO 7176-19)                  Assembly kit for wheelchairs including mounting</p>  Code 590 <input type="checkbox"/> Set Net price 450,- €	
---	--	---	--

**brake**

<b>Knee angle brake</b> incline  for clothing guard and side guard Code 174		offset  Code 174A		<b>Brake lever extension for knee angle brake offset</b> straight pluggable  Code 172		straight fold-away  Code 175		<b>Knee angle brake "Pull to lock"</b>  Code 174Pull	
<b>standard</b>				<input type="checkbox"/> Pair 71,- €	<input type="checkbox"/> Pair 81,- €	<input type="checkbox"/> Pair OE 77,- €			

**note**

Technical changes and print mistakes are reserved.

VD2361E-29

## SLADE SLT

traking extension **TRIKE**  
as steering and pushing aid

hook closure



capacity up to **60kg**  
(wheelchair incl. payload)

size 1: seat width 26cm - 28cm  
size 2: seat width 30cm - 34cm

CODE 9901

# holder lateral at frame (for type d.23)  
with hook closure  
# castor 10x2" black alu fork  
# arrangement with gear segment  
# with ramp as mounting aid

capacity up to **90kg**  
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm  
size 4: seat width 42cm - 46cm

CODE 9902

# Trike

traking extension  
as steering and pushing aid

 Piece

483,- €

 Piece

623,- €

## SLADE AR

traking extension **TRIKE**  
as steering and pushing aid

hook closure



capacity up to **60kg**  
(wheelchair incl. payload)

size 1: seat width 26cm - 28cm  
size 2: seat width 30cm - 34cm

CODE 9906

# special holder lateral at frame (for type d.23)  
with hook closure  
# castor 10x2" black alu fork  
# Gestänge mit Zahnsegment  
# mit Rampe als Montagehilfe

capacity up to **90kg**  
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm  
size 4: seat width 42cm - 46cm

CODE 9907

 Piece

510,- €

 Piece

669,- €

## TRIKE colour frame Edition "....-Color"

<p>Note: the TRIKE frame parts are made of aluminium</p>	<p>TRIKE- frame colour powder coated</p> <p>Colour : frame colour (see page 1)</p> <ul style="list-style-type: none"> <li>- frame type right / left</li> <li>- cross tube</li> <li>- castor fork</li> </ul> <p>Code 9908</p>	<p>Edition "Duo-Color"</p> <p>colour 1: _____ (castor fork)</p> <p>colour 2: _____ (frame type right / left, cross tube)</p> <p>Code 9909</p>	<p>Castor fork with brake for directional stability</p> <p>Code 9909F</p>
	<p>without extra charge <input type="checkbox"/></p> <p>OE 132,- €</p>	<p><input type="checkbox"/></p> <p>OE 143,- €</p>	<p><input type="checkbox"/> Piece</p> <p>OE 153,- €</p>

## SLADE SLT

traking extension **TRIKE**  
as steering and pushing aid

quick release  
(clamp)

capacity up to **60kg**  
(wheelchair incl. payload)

size 1: seat width 28cm - 28cm  
size 2: seat width 30cm - 34cm

CODE 9921

# holder quick release (clamp)  
at frame (for pipe Ø 23mm)  
# castor 10x2" black alu fork  
# arrangement of levers with gear segment  
# with ramp as mounting aid  
# with adjusting ring at frame (Ø 23mm)

capacity up to **90kg**  
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm  
size 4: seat width 42cm - 46cm

CODE 9922

 Piece

491,- €

 Piece

633,- €

### Note:

SLADE AR: combination TRIKE with anchor plate system is **not** possible !!

SLADE SLT: combination TRIKE (hook) with anchor plate system is from frame middle (from SD 40) possible !!  
combination TRIKE (clamp) with anchor plate system is possible !!

note

Technical changes and print mistakes are reserved.

VD2361E-29

## General Terms and Conditions of Business (GTC)

### Validity

All sales are subject to our delivery and payment conditions, without any exception. Orders and other agreements will not be valid unless confirmed by us in writing. We expressly object to the customer's purchase conditions.

### Quotations and contract conclusion

Quotations are always subject to change, unless they are expressly limited in terms of time. Orders require a written confirmation. After confirmation, prices quoted in orders are fixed but we reserve the right to make adequate price adjustments in the event of price increases for which we are not responsible (e.g. tax increases, wage increases, price changes on the part of our suppliers). Cost estimates for customized products and repairs are always non-binding. We reserve the right to make technical modifications. The contract will not be concluded before the order is confirmed.

### Shipment

To the extent the customer has not made any specification, shipment will be made in usual packaging using an adequate method. Insurance will only be taken out upon request and at the expense of the customer.

Delivery will be made carriage forward. We are free to select a method of shipment. If the customer has special requests, e.g. express delivery, express freight, etc., the additional cost will also be borne by the recipient. The goods will always be shipped at the buyer's risk. In case of damage during transport, the recipient must apply for an ascertainment of the facts with the respective forwarding agent.

### Prices

All prices quoted by BEROLLKA will be quoted ex works, excluding any applicable statutory value added tax, public charges and levies such as potential customs tariffs, and insurance and packaging costs that will be charged separately.

### Minimum quantity surcharge

If a small order is placed with a net value below 20 euros, an additional lump-sum minimum quantity surcharge of 15.00 euros will additionally be charged to cover administrative costs.

### Delivery periods

The delivery dates and periods stated are subject to change. Any delay in delivery will not entitle the customer to withdraw from the contract. The assertion of damage claims is ruled out. BEROLLKA can make partial deliveries for justified reasons.

### Wrong orders / return of merchandise

Any goods erroneously ordered will only be taken back provided we are responsible for such an error and the merchandise is in impeccable condition. In the event that an item erroneously ordered or merchandise that was returned is taken back in an individual case as a gesture of goodwill, attention must be paid to the following:

1. It is necessary to state the article number, the designation of the article, the date and number of the delivery note and the invoice number.
2. The return shipment must be carriage paid.
3. The merchandise must correspond to the article number(s) listed in the delivery note. In no event will any individual parts removed from an article be taken back.
4. The returned merchandise must be in impeccable condition.
5. Processing fees amounting to 10% of the net merchandise value not, however, less than €35.- will be charged for any instance where goods are taken back.

Deliveries effected more than 3 months earlier as well as sewing pieces and customized products cannot be exchanged. A copy of the delivery note or of the invoice will serve as proof in this regard.

### Warranty and notices of defects

Excluding any further claims, the seller is liable for defects of the merchandise in that the seller will mend or replace all those parts free of charge that have become defective or unusable within 6 months due to provable defects of material or workmanship, and of which the seller has been notified in writing immediately after knowledge was gained of the defect. Should longer periods of time be required for statutory reasons, the warranty period is agreed to be 12 months.

The customer must grant the seller the required time and opportunity for effecting delivery of the replacement parts. Replaced parts will become the property of the seller. The buyer must check the merchandise without undue delay after it has been delivered by the seller and, if a defect is found, notify the seller of the defect without undue delay. Should the buyer fail to notify the seller, the merchandise will be deemed accepted unless a defect occurs that could not have been found when the merchandise was checked.

In any event in which a complaint is brought to the notice of BEROLLKA, BEROLLKA invariably has the right to inspect and check the item delivered that is the subject matter of said complaint, for which the customer will grant BEROLLKA the required time and opportunity. BEROLLKA can also demand that the customer sends the item delivered that is the subject matter of a complaint back to BEROLLKA at the expense of BEROLLKA. Should a notice of defects given by the customer turn out to be wilfully or gross negligently unfounded, the customer will be obliged to compensate BEROLLKA for any and all expenses incurred in this connection. BEROLLKA will be entitled to remedy warranty defects at its own discretion either by rectification of the defect or by replacement of the defective part or of the entire item delivered at no cost for the customer. Should the customer itself repair an item that gave rise to a complaint, or should the customer endeavour to rectify the defects itself without prior written approval of the seller, the seller will not grant any claims for reimbursement of expenses (such as transport, road, labour or material costs) or warranty claims.

The following are excluded from the liability for damages:

damage arising from natural wear and tear, damage due to negligent and/or improper treatment, or violent damage. A revocation of the purchase contract, a reduction of the purchase price or damage claims of any kind are ruled out. The warranty obligation will cease if repairs and/or modifications or replacements of individual parts are performed by other parties than the seller or the delivering company.

### Reservation of title

With regard to resellers: The merchandise delivered will remain our property until any and all invoices – also for different deliveries – have been fully paid. Our merchandise that is hence still our property may only be resold within the ordinary course of business. Amounts receivable from any resale are assigned to us. We must be notified without undue delay and on the reseller's own initiative of any disposal of said merchandise outside of the ordinary course of business, e.g. through pledging our property or amounts receivable assigned to us.

### Terms of payment

Any invoices are payable within 30 days from the date of the invoice strictly net cash. A 2% discount will be granted for payments received within 8 days provided any and all payment claims under earlier deliveries have been settled. We are entitled to charge default interest if the 30-day payment deadline is exceeded. The interest rate will be the customary market rate charged by major banks. We expressly reserve the right to effect delivery with cash on delivery.

### Data Protection

BEROLLKA and the customer are responsible themselves for compliance with the respective data protection rules applicable to them. The customer must not provide BEROLLKA with personal data that is illegal or that the customer is not legally authorised to distribute.

### The place of performance and the place of jurisdiction will be the place where the invoice is issued.

Heidelberg, Germany, will be the exclusive place of jurisdiction for any and all disputes arising under the contractual relationship. However, BEROLLKA is entitled to sue the customer at any other legal venue. These General Terms and Conditions of Business are governed by the laws of the Federal Republic of Germany, excluding of the United Nations Convention on Contracts for the International Sale of Goods of Goods (CISG).

Technical modifications and printing errors excepted. A current list of prices can be ordered at any time.