

Address

Shipping address

☐ see address

☐ Order  
☐ Estimate

Purchaser: \_\_\_\_\_

Telephone: \_\_\_\_\_



Com.: \_\_\_\_\_

**basic price from 2958,- €**

Price valid from January 1st 2025  
(until revoked)

# Luke

Capacity up to 136 kg

user weight: \_\_\_\_\_ kg



## Luke SLT

All dimensions in cm  
Dimensional tol. +/- 0,5cm

## Luke AR

Rigid active-wheelchair made of aluminium, with **integrated** footrest

Frame without footrest  
and without side guards  
frame 70°  
(standard)



Length of frame (frame with 70°)

☐ 55cm = short SD 34-38

☐ 59cm = middle SD 40-42

☐ 63cm = long SD 44-46

● total length depends on the wheel position  
and the position of the footrest

● frame length with UNITOMIC L+3cm


● frame length with abduction L+7cm

Code 4800 ☐

**Basic Price 2958,- €**

Rigid active-wheelchair made of aluminium, with **detachable** footrest

Frame without footrests and  
without side guards



length of the frame with footrest

☐ 58cm = short SD 34-38

☐ 62cm = middle SD 40-42

☐ 66cm = long SD 44-46

● total length depends on the wheel position  
and the position of the footrest

● frame length with UNITOMIC L+3cm

Code 5800 ☐

**Basic Price 2988,- €**

### basic measures

Seat width (SW)

☐ 32 ☐ 34 ☐ 36 ☐ 38 ☐ 40  
☐ 42 ☐ 44 ☐ 46 ☐ 48

Seat depth (SD)

frame length 1 34 ☐ 36 ☐ 38 ☐

frame length 2 40 ☐ 42 ☐

frame length 3 44 ☐ 46 ☐

Special seat width  
frame length 4 48 ☐ 50 ☐ Code 409 OE 155,- €

Back height (BH)

☐ 25 ☐ 30 ☐ 35  
☐ 40 ☐ 45

+2,5cm adjustable  
not with UNITOMIC back

Lower Leg Length (LLL):

LLL: ..... cm

from 35cm (without cushion)\*

\*Luke SLT from 35cm

Luke AR from 32cm

max. LLL = SH - 3cm

technicality data see rear side

Note: more dimensions in special  
construction on request possible !!

### seat height



seat height in cm  
see possible wheel combination  
(without seat cushion)


front: \_\_\_\_\_ cm  
(Standard = 48/49cm)

back: \_\_\_\_\_ cm  
(Standard = 45/46cm)

## Technical data


### seat width **SW**

from outside crossbar to  
outside crossbar +6mm




### seat depth **SD**

from back tube to upper edge seat  
upholstery



### back height **RH**

from upper edge seat upholstery to  
upper edge back upholstery



### Lower Leg Length LLL:

35 to 49 cm

### Total width wheelchair:

with wheels and handrim  
with drum brake  
with One hand drive wheels  
with One hand drive wheels+drum brake

SW + 18 cm  
SW + 20 cm  
SW + 24 cm  
SW + 26 cm

### maximum burden:

136 kg

## Seat height **SH**

**Note:**  
special seat heights in  
special construction possible !!

### Luke

Rear wheel	Castor fork	minimum seat height		maximum seat height	
		front	back	front	back
22 inch	4 inch - short - long	43 cm 46 cm	39 cm* 39 cm*	46 cm 50 cm	46 cm 49 cm
	5 inch - short - long	44 cm 46 cm	39 cm* 39 cm*	47 cm 51 cm	46 cm 49 cm
	6 inch - short - long	45 cm 48 cm	39 cm* 39 cm*	48 cm 52 cm	48 cm 51 cm
	140 mm - wide	46 cm	39 cm*	50 cm	49 cm
24 inch	4 inch - short - long	44 cm 46 cm	43 cm* 43 cm*	46 cm 50 cm	46 cm 49 cm
	5 inch - short - long	44 cm 47 cm	43 cm* 43 cm*	47 cm 51 cm	46 cm 50 cm
	6 inch - short - long	45 cm 48 cm	43 cm* 43 cm*	48 cm 52 cm	46 cm 51 cm
	140mm - wide	46 cm	43 cm*	50 cm	49 cm

All measurements ± 0,5 cm


















\* note: with drum brake you have to add +2cm !!

**Notice:** at the castor wheels **PU-black** are the minimal seat height with the fork **short** and **extra short** not possible

## frame colour

Because of the material are different colours possible

shiny














<input type="checkbox"/>  25 RAL9010 white	<input type="checkbox"/>  06 dormantred	<input type="checkbox"/>  64 petrolgreen met.	<input type="checkbox"/>  19 silvermetallic
<input type="checkbox"/>  56 RAL1021 goldyellow met.	<input type="checkbox"/>  53 cassis	<input type="checkbox"/>  50 applegreen	<input type="checkbox"/>  63 platin met.
<input type="checkbox"/>  24 RAL1028 melonyellow	<input type="checkbox"/>  59 atlanticblue met.	<input type="checkbox"/>  51 applegreen metallic	<input type="checkbox"/>  23 RAL9005 black
<input type="checkbox"/>  27 mandarin met.	<input type="checkbox"/>  16 RAL5002 ultramarine blue	<input type="checkbox"/>  60 mojitogreen met.	
<input type="checkbox"/>  41 RAL3020 trafficked met.	<input type="checkbox"/>  17 dormantblue		

met. = metalized

## frame colour

Because of the material are different colours possible

mat / satined

<input type="checkbox"/>  76 white satined	<input type="checkbox"/>  70 ultramarine blue satined	<input type="checkbox"/>  77 silvermetallic satined
<input type="checkbox"/>  65 goldyellow met. satined	<input type="checkbox"/>  75 petrolgreen met. satined	<input type="checkbox"/>  78 platin met. satined
<input type="checkbox"/>  66 mandarin met. satined	<input type="checkbox"/>  73 yellowgreen met. satined	<input type="checkbox"/>  22 RAL9011 black mat
<input type="checkbox"/>  67 traffic red satined	<input type="checkbox"/>  74 mojitogreen met. satined	<input type="checkbox"/>  58 satinschblack
<input type="checkbox"/>  71 atlanticblue met. satined		









met. = metalized

## upholstery colours

upholstery standard

☐  DE290 black

upholstery breathable fabric






<input type="checkbox"/>  AG410 yellow	<input type="checkbox"/>  AG451 king blue
<input type="checkbox"/>  AG430 red	<input type="checkbox"/>  AG460 lemon
<input type="checkbox"/>  AG441 pink	<input type="checkbox"/>  AG470 grey
<input type="checkbox"/>  AG450 ultramarine	<input type="checkbox"/>  AG490 black

only for adjustable back upholstery

Code 201

OE 68,- €














## frame accessories

<b>Tip shackle</b> <input type="checkbox"/> right <input type="checkbox"/> left  <b>Code 105</b> <input type="checkbox"/> Piece 72,- €	<b>Transit wheels</b>  <b>Code 102</b> <input type="checkbox"/> Pair 242,- €	<b>Walking stick holder, aluminium</b> for 2 crutches <input type="checkbox"/> rechts <input type="checkbox"/> links  <b>Code 103</b> <input type="checkbox"/> Piece 85,- €	<b>Anti-tip wheel</b> <input type="checkbox"/> right <input type="checkbox"/> left  <b>Code 104</b> <input type="checkbox"/> Piece 145,- €	<b>Anti-tip wheel high adjustable and with gear segment</b> <input type="checkbox"/> right <input type="checkbox"/> left  <b>Code 2405</b> <input type="checkbox"/> Piece 185,- €	
--	--	--	--	--	--

## note

Technical changes and print mistakes are reserved.

VD2384E-10

Luke SLT			frame		Luke AR	
Frame with 80°  Frame length shorter about 4cm only with 4° / 5° possible    Code 401				frame for e-fix reinforced (for e-Fix or e-Motion)  (stronger frame parts in front)  Code 425	Abduction frame front front frame with 6cm abduction from LLL 35cm   Code 5822	
<input type="checkbox"/>	0,- €			<input type="checkbox"/>	OE 268,- €	<input type="checkbox"/> OE 286,- €
frame front for e-Fix reinforced  (e.g. for e-Fix or E-Drive annexe)  (stronger frame parts in front)  Code 425		Abduction frame frame in front with (6cm) abduction from LLL 38cm from 4° camber only with 4° / 5° possible  Total frame length is 6cm longer Code 4822	frame part +30mm backwards only for straight back  Code 504  back tube 30mm displaced backwards (e.g. for straight back with back shell)			
<input type="checkbox"/>	OE 268,- €	<input type="checkbox"/>	OE 286,- €	<input type="checkbox"/>	OE 116,- €	
footrest						
Single footrest, flat-profile, black, angle adjustable, not folding upwards (not possible for V-frame)   Code 4815		Single footrest alu. flat-profile black angle adjustable lateral folding upwards (not possible for V-frame)   Code 1151		Double footrest, alu. flat-profile black, angle adjustable lateral folding upwards (not possible for V-frame)   Code 1161		
<input type="checkbox"/> Piece	292,- €	<input type="checkbox"/> Piece	300,- €	<input type="checkbox"/> Pair	330,- €	
Single footplate Alu-Plate black, angle adjustable (not folding upwards)   Code 4810		Single footrest Alu-Plate, black angle adjustable lateral folding upwards   Code 4811				
<input type="checkbox"/> Piece	292,- €	<input type="checkbox"/> Piece	300,- €			
footrest with holder						
Single footrest, alu. flat-profile black, angle adjustable lateral folding upwards, with footrest holder   Code 1131		Double footrest, alu. flat-profile black angle adjustable lateral folding upwards, with footrest holder   Code 1141				
<input type="checkbox"/> Piece	318,- €	<input type="checkbox"/> Pair	348,- €			
				Elevating footrest with double footrest alu. flat-profile, angle adjustable and calf pad (from SW 36)   Code 5816		
				<input type="checkbox"/> Pair 654,- €		
Mechanism for swing away (single footrest swing up to the outside) from LLL 38cm   Code 418  only in combination with Code 1151 or Code 1131		Spasticity locking for single footrest  footrest alu. flat-profile  Code 1122  only with Code 1131 or Code 1151		Footrest coloured  colour: _____  Code 417  (see frame colour on page 3)		Spasticity locking for double footrest  footrest alu. flat-profile  Code 1123  only with Code 1141 or Code 1161
<input type="checkbox"/> Piece	OE 172,- €	<input type="checkbox"/> Piece	OE 87,- €	<input type="checkbox"/>	OE 64,- €	<input type="checkbox"/> Pair OE 151,- €

Technical changes and print mistakes are reserved.


VD2384E-10

## Height of push handles


Height of push handles for companion = Back height + Seat height + Height of push handle

$$\text{Height of push handles for companion} = \text{BH} + \text{SH} + \text{HPH}$$

Back  
standard




15cm  
normal




Back with height adjustable push handle

35cm  
long




45cm  
extra long  
reinforced

cropped



bent rewards



HPH

min.

4cm

4cm

4cm

21cm

12cm

max.

3cm

19cm

39cm

49cm





38cm

29cm






push handle  
each side 6cm  
outside

push handle  
each side 9cm  
backwards

## back




<b>back with adjustable upholstery</b>  <input type="checkbox"/> Code 4109	<b>back with adjustable upholstery and height adjustable handles</b> <input type="checkbox"/> 15cm (standard) <input type="checkbox"/> 35cm (long)  <b>Code 4110</b>	<b>Gear segment for back angle adjuſtion for straight back</b> from BH 35  <b>Code 407</b>	<b>push handle foldable</b> only in combination with CODE 4109 back with adjustable upholstery from BH 30 (from BH 25 only in combination with Code 407)  <b>Code 4107</b> <small>not in combination with drum brake, height adjustable push handles or UNITOMIC back</small>	<b>without back upholstery</b>  <b>Code 507</b> <small>(only in combination with CODE 107 or 108)</small>
<b>Standard</b>	<input type="checkbox"/> Piece OE 262,- €	<input type="checkbox"/> Piece OE 206,- €	<input type="checkbox"/> Pair OE 163,- €	<input type="checkbox"/> Piece 0,- €

## back




<div>Back angle adjustable and tiltable with locking pin</div> <div>back angle 70° - 120° (10° step) only for straight back from BH 30</div> <div></div> <div>Code 4118</div>	<div>Back with upholstery and push bow angle adjustable, height adjustable (instead of push handles)</div> <div><div><div>with plastic joint</div><div><input type="checkbox"/> Code 4113 U-form</div><div><input type="checkbox"/> Code 4114 trapezium</div></div><div></div><div><div>with gear segment</div><div><input type="checkbox"/> Code 4113S U-form</div><div><input type="checkbox"/> Code 4114S trapezium</div></div></div>	<div>SlimLine-Design for adaptable, back upholstery with breathable fabric (fabric AG410 - AG490)</div> <div><div><div><div><div>1</div><div></div><div>2</div></div><div>bicoloured upholstery</div></div><div><div>colour 1 (inside):</div><div>_____</div><div>colour 2 (outside):</div><div>_____</div></div></div></div>	<div></div> <div>SlimLine-Design (at MATRIX-back cushion)</div> <div></div>
<div><input type="checkbox"/> Piece</div> <div>OE 342,- €</div>	<div><input type="checkbox"/> Piece</div> <div>OE 492,- €</div>	<div><input type="checkbox"/> Piece</div> <div>OE 556,- €</div>	<div><input type="checkbox"/> Code 202</div> <div>OE 82,- €</div>

## back

\* Attention: with UNITOMIC back choose seat depth 2cm shorter

<b>back UNITOMIC * with adaptable upholstery (anatomical back)</b> from BH 35  information: choose seat depth 2cm shorter <b>Code 412</b>	<b>back UNITOMIC * with adaptable upholstery and height adjustable</b> from BH 35  information: choose seat depth 2cm shorter <b>Code 410</b>	<b>Gear segment for back angle adjuſtion for UNITOMIC back</b>  information: only in combination with CODE 410 or 412 possible !! <b>Code 411</b>	<b>*Advice:</b> To ensure the optimal and ergonomic seat position, we suggest from 2cm seat inclination the option gear segment (Code 411 or 407) for back adjustment !
<input type="checkbox"/> Piece OE 272,- €	<input type="checkbox"/> Piece OE 506,- €	<input type="checkbox"/> Piece OE 206,- €	

## back

<b>MAGNUS back system ergonomic back</b> extrem light ergonomic formed back cushion and aluminium back plate (2 part system) SW 32 - 50cm BH 25 - 40cm  <b>Code 8596</b> <small>Please take prices and further informations from MAGNUS order form</small>	<b>MAGNUS back plate</b> alu back plate coloured, curved and beveled (without cushion) colour: frame colour SW 32 - 50cm BH 25 - 40cm  <b>Code 8596B</b>	<b>MAGNUS back cushion</b> back cushion (foam) with cover (without back plate) SW 32 - 50cm BH 25 - 40cm  <b>Code 8596A</b>	
<input type="checkbox"/> Piece OE 752,- €	<input type="checkbox"/> Piece OE 385,- €	<input type="checkbox"/> Piece OE 392,- €	



## back

<b>back system MATRIX</b> light weight back cushion, breathable with individual adjustable holder and Slim-Line -Design <b>back MATRIX-Aktiv</b> with 7cm contour depth Code: Aktiv <input type="checkbox"/> Code: <input type="checkbox"/> adapter 20x20 <b>Aktiv-KH</b> <input type="checkbox"/> headrest Aktiv (15x15) <b>Aktiv-K</b> <input type="checkbox"/> adapter Ø19 <b>Aktiv-KLH</b> <input type="checkbox"/> headrest light (Ø18,7) <b>Aktiv-KL</b> <input type="checkbox"/> lateral support straight <b>SPG</b> <input type="checkbox"/> lateral support cropped <b>SPA</b>	<b>back MATRIX-Varlo</b> with 12cm contour depth Code: Varlo <input type="checkbox"/> Code: <input type="checkbox"/> adapter 20x20 <b>Varlo-KH</b> <input type="checkbox"/> headrest Aktiv (15x15) <b>Varlo-K</b> <input type="checkbox"/> adapter Ø19 <b>Varlo-KLH</b> <input type="checkbox"/> headrest light (Ø18,7) <b>Varlo-KL</b> <input type="checkbox"/> positioning aid (Ø18,7) <b>Aktiv-KLP</b>	<b>back MATRIX-VarloT</b> with 18cm contour depth Code: VarloT <input type="checkbox"/> Code: <input type="checkbox"/> adapter 20x20 <b>Varlo-KH</b> <input type="checkbox"/> headrest Aktiv (15x15) <b>Varlo-K</b> <input type="checkbox"/> adapter Ø19 <b>Varlo-KLH</b> <input type="checkbox"/> headrest light (Ø18,7) <b>Varlo-KL</b> <input type="checkbox"/> positioning aid (Ø18,7) <b>Aktiv-KLP</b>	Take prices and further informations from respective MATRIX order form  <b>Advice:</b> price reduction for back upholstery already is considered in MATRIX price!
--	---	---	--










Note: when using SlimLine design (Code 202) the seat cushion (Code 470 / 471 / 472) is also supplied in SlimLine design.






Technical changes and print mistakes are reserved.  
VD2384E-10

seat						
Seat with adjustable upholstery (seat depth adjustable)  <input checked="" type="checkbox"/> Code 4130	Seat bag under the belt at the seat upholstery Code 4131	Cushion, compounded foam, with cover black  Code 119 <input type="checkbox"/> Code 120 <input type="checkbox"/>	Cushion, compounded foam with cover breathable Code 471 <input type="checkbox"/> Code 472 <input type="checkbox"/>	Change cover cover black <input type="checkbox"/> Code 121 cushion breathable <input type="checkbox"/> Code 470	Seat belt black <b>Plastic closure</b> Code 227 <input type="checkbox"/> Piece 75,- € <b>Metal closure</b> Code 125 <input type="checkbox"/> Piece 88,- €	Seat belt with pads, black 2-point-pelvic restraint belt Metal closure Code 124 <input type="checkbox"/> Piece 167,- €
<b>Standard</b>	<input type="checkbox"/> Piece 114,- €	<input type="checkbox"/> Piece 110,- €	<input type="checkbox"/> Piece 74,- €	<input type="checkbox"/> Piece 88,- €	<input type="checkbox"/> Piece 167,- €	

seat				
Alu-seat plate mounted on seat tube (and with Velcro / fleece fixed) with fleece strips for seat cushions Code 4135	Alu-seat plate with locking device placed on seat tube and axially fixed with locking bolt at the rear (and with Velcro / fleece fixed) with fleece strips for seat cushions Code 4134	Alu-seat plate with KU-Clips fitted to seat tube with KU-Clips and axially fixed with sliding block with fleece strips for seat cushions Code 4133	Alu-seat plate with clamp screwed on seat tube and axially fixed with fleece strips for seat cushion Code 4136	Attention seat cushion recommended
<input type="checkbox"/> Piece OE 304,- €	<input type="checkbox"/> Piece OE 355,- €	<input type="checkbox"/> Piece OE 398,- €	<input type="checkbox"/> Piece OE 384,- €	

accessories		seat
<b>Side pads pluggable</b> mounted at push handle holder long  Code 137S (only in combination with back CODE 108 or 110)	<b>Side pads removable</b> mounted at push handle holder long  Code 137A (only in combination with back CODE 108 or 110)	<b>Ergonomic seat cushion MATRIX-Simplify</b> light weight seat cushion, with breathable fabric <input type="checkbox"/> seat cushion <b>MATRIX-Simplify</b> up to SW42 Code: <b>SIMPLY-1</b> <input type="checkbox"/> seat cushion <b>MATRIX-Simplify</b> SW 44 - 46 Code: <b>SIMPLY-2</b> <input type="checkbox"/> seat cushion <b>MATRIX-Simplify</b> up to SW48 Code: <b>SIMPLY-3</b> In combination with UNITOMIC seat (CODE 438) not possible! Please take prices and further informations from respectiv MATRIX order form
<input type="checkbox"/> Pair 422,- €	<input type="checkbox"/> Pair 422,- €	

side pads					
<b>side pads narrow shape</b> angle-adjustable with joint element mounted on the spacer with bar Cover black MM190 size side pads: <input type="checkbox"/> size S D=12cm H=8cm <input type="checkbox"/> size M D=15cm H=7cm <input type="checkbox"/> size L D=18cm H=8cm <input type="checkbox"/> size XL D=20,5cm H=10cm W = SB-2,5cm W = width between the side pads	<b>side pads foldable</b> with straight pad splint mounted at push handle holder Joint side pad holder flat foldable, with connecting joint and with straight pad splint  Code 1371	<b>side pads foldable</b> with straight pad splint mounted at push handle holder Plug-in connection side pad holder flat, with connection joint and with straight pad splint  Code 1372	<b>side pads foldable</b> with ball joint element mounted at push handle holder Joint side pad holder flat foldable, with connecting joint and with straight pad splint with ball  Code 1373	<b>side pads pluggable</b> with ball joint element mounted at push handle holder Plug-in connection side pad holder flat, with connection joint and with pad splint with ball  Code 1374	<b>additional set of joint elements</b> 2 additional joint elements for side pads (right and left)  Code 1379
	<input type="checkbox"/> Pair 589,- €	<input type="checkbox"/> Pair 589,- €	<input type="checkbox"/> Pair 686,- €	<input type="checkbox"/> Pair 686,- €	<input type="checkbox"/> Pair 128,- €


accessories					
<b>Head rest adjustable</b> (for back with CODE 4109 and 4112)  Code 224	<b>Head rest adjustable</b> for height adjustable handles (for back with CODE 4110 and 4111)  Code 225	<b>Holder for head rest</b> for height adjustable handles for back with CODE 108, 110 a. 410 for head rest tube: 15x15mm  Code 225V		<b>Stabilization bar</b> (only for height adjustable handles) from BH 30  Code 178	<b>Stabilization bar for push handles</b> (= pushing bar)  Code 478
<input type="checkbox"/> Piece 320,- €	<input type="checkbox"/> Piece 320,- €	<input type="checkbox"/> Piece 204,- €		<input type="checkbox"/> Piece 153,- €	<input type="checkbox"/> Piece 167,- €

## Wheel plate:

Center of gravity adjustment (measured from back tube to wheel center)


Wheel plate standard / Back straight:

A = 7,0 cm	(at 24" only with side guard ERGO)
B = 5,0 cm	
C = 3,0 cm	




Wheel plate standard / UNITOMIC back:

A = 10,0 cm	(6,5cm at bow)	(at 24" only with side guard ERGO)
B = 8,0 cm	(4,5cm at bow)	
C = 6,0 cm	(2,5cm at bow)	
D = 4,0 cm	(0,5cm at bow)	
E = 2,0 cm	(-1,5cm at bow)	




Wheel plate staggered (CODE 5951) / back straight:

A = 9,0 cm	(22" / 24" only with side guard ERGO) (short frame with 24" is not possible)
B = 7,0 cm	(at 24" only with side guard ERGO)
C = 5,0 cm	



Wheel plate staggered (CODE 5951) / UNITOMIC back:


A = 12,0 cm	(8,5cm at bow)	(22" / 24" only with side guard ERGO) (short frame with 24" is <u>not</u> possible)
B = 10,0 cm	(6,5cm at bow)	(at 24" only with side guard ERGO)
C = 8,0 cm	(4,5cm at bow)	
D = 6,0 cm	(2,5cm at bow)	
E = 4,0 cm	(0,5cm at bow)	





## side guards

Clothing guard **round**  
screwed on, **Aluminium**  
with cold protection  
(in frame colour)




810g/Pair

Code 433

☐ Pair

284,- €

Clothing guard **round**  
PC-Carbon screwed on  
(CARBON-Optic)



Code 230

☐ Pair

272,- €

Clothing side guard **ERGO AL**  
**Aluminium** with  
cold protection, screwed on  
(in frame colour)



Code 437


☐ Paar

292,- €

## side guards

Clothing guard **Carbon**  
screwed on

Carbon




Code 433CAR

460g/Pair

☐ Pair

998,- €

Clothing side guard  
**ERGO CARBON**  
screwed on



Carbon

Code 437CAR

☐ Pair

708,- €

## Seitenteile


Clothing guard round  
**Aluminium** with cold  
protection and arm rest short  
(in frame colour)

☐ Arm rest  
short

Code 231

☐ Arm rest  
long

Code 2312



Pair

330,- €


Armrest swingable to side and  
height adjustable

Combination only with clothing  
guard pluggable / screwed on

☐ Arm rest short  
☐ Arm rest long

Code 432

(without clothing guard)




Pair

274,- €

Clothing guard **ERGO AL** off aluminium  
with arm rest **short** screwed on  
and with insulation for cold  
(in frame colour)

Arm rest short

Code 4371

☐ Pair

359,- €

## note

## note

## Combination rear wheels with frame length


rear wheel	Luke SLT (with integrated footrest) CODE 4800		Luke AR (with detachable footrest) CODE 5800	
	frame straight (integrated)	fram with aduction (integrated)	frame straight (with demountable footrest holder)	frame with abduction (with demountable footrest holder)
22"	SD 34 - 38 frame length 1 possible (only with castor 4" or 5" possible)  SD 40 - 42 frame length 2 possible  SD 44 - 46 frame length 3 possible  SD 48 - 50 frame length 4 possible	SD 34 - 38 frame length 1 possible  SD 40 - 42 frame length 2 possible  SD 44 - 46 frame length 3 possible  SD 48 - 50 frame length 4 possible	SD 34 - 38 frame length 1 possible  SD 40 - 42 frame length 2 possible  SD 44 - 46 frame length 3 possible  SD 48 - 50 frame length 4 possible	SD 34 - 38 frame length 1 partly possible (only with castor 4" or 5" possible ) (wheel 4" only position C and D possible III) (wheel 5" only position D possible III)  SD 40 - 42 frame length 2 possible  SD 44 - 46 frame length 3 possible  SD 48 - 50 frame length 4 possible
24"	SD 34 - 38 frame length 1 possible  SD 40 - 42 frame length 2 possible  SD 44 - 46 frame length 3 possible  SD 48 - 50 frame length 4 possible	SD 34 - 38 frame length 1 possible  SD 40 - 42 frame length 2 possible  SD 44 - 46 frame length 3 possible  SD 48 - 50 frame length 4 possible	SD 34 - 38 frame length 1 not possible  SD 40 - 42 frame length 2 possible  SD 44 - 46 frame length 3 possible  SD 48 - 50 frame length 4 possible	SD 34 - 38 frame length 1 not possible  SD 40 - 42 frame length 2 possible (only with castor 4" or 5" possible ) (wheel 4" only position C and D possible III) (wheel 5" only position D possible III)  SD 44 - 46 frame length 3 possible  SD 48 - 50 frame length 4 possible

## Suspensioned wheel plate:

### Seat height **SH** with suspensioned wheel plate

Technical changes and print mistakes are reserved.

VD2384E-10



#### rear wheel 22"

40cm  
42,5cm  
45cm  
47,5cm

#### rear whell 24"

42,5cm  
45cm  
47,5cm  
50cm

## rear wheel standard

* gray tyre	Rear wheel standard (Alu hub black) quick release axle		Design-rear wheel 24" (Aluminium hub silver) with quick release axle and straight spokes	Performance tyre			Camber
				Right Run			
	pneumatic			solid			
				24"x1			
				22"x1			
<input type="checkbox"/> 22"x1 fine profil* Code 144	<input type="checkbox"/> 22"x1* Code 141	<input type="checkbox"/> 24"x1 pneumatic gray Code 591	<input type="checkbox"/> 24"x1 Marathon Plus (gray tyre) Code 570	<input type="checkbox"/> Code 573	<input type="checkbox"/> Code 576	0° <input type="checkbox"/>	
<input type="checkbox"/> 22"x1 black Code 144S	<input type="checkbox"/> 22"x1 black Code 141S	<input type="checkbox"/> 24"x1 pneumatic black Code 594	<input type="checkbox"/> 22"x1 Marathon Plus Evolution (black tyre) Code 577	<input type="checkbox"/> red	<input type="checkbox"/>	2° <input type="checkbox"/>	
<input type="checkbox"/> 24"x1 fine profil* Code 157	<input type="checkbox"/> 24"x1* Code 154	<input type="checkbox"/> 24"x1 solid gray Code 592	<input type="checkbox"/> 24"x1 Marathon Plus Evolution (black tyre) Code 572	<input type="checkbox"/> blue	black	(standard)	
<input type="checkbox"/> 24"x1 black Code 157S	<input type="checkbox"/> 24"x1 black Code 154S	<input type="checkbox"/> 24"x1 solid black Code 593		<input type="checkbox"/> gray		4° <input type="checkbox"/>	
				<input type="checkbox"/> black		7° <input type="checkbox"/>	
Standard				OE 40,- €			

## handrim for rear wheel standard

Handrim for rear wheel standard and design rear wheel 24"						handrim cover black
aluminium black	aluminium silver	stainless steel polished	TETRA-GRIP (Super Grip)	Maxgripp ERGO Para	GEKKO S black anodized with rubber lip Ø - smaller	
<input type="checkbox"/> 22" Code 455	<input type="checkbox"/> 22" Code 492	<input type="checkbox"/> 22" Code 155	<input type="checkbox"/> 22" Code 252	<input type="checkbox"/> 22" Code 550	<input type="checkbox"/> 22" Code 4503	
<input type="checkbox"/> 24" Code 454	<input type="checkbox"/> 24" Code 491	<input type="checkbox"/> 24" Code 156	<input type="checkbox"/> 24" Code 452	<input type="checkbox"/> 24" Code 554	<input type="checkbox"/> 24" Code 4507	<input type="checkbox"/> 22" Code 191
Extension narrow <input type="checkbox"/> wide <input type="checkbox"/>					extension <input type="checkbox"/> narrow <input type="checkbox"/> wide	<input type="checkbox"/> 24" Code 192
Standard			OE 320,- €	OE 358,- €	OE 503,- €	<input type="checkbox"/> Pair 136,- €

## rear wheel






SAFETY-GRIP-wheel rim with integrated hand rim	Rear wheel with drum brake and quick release axle (for companion)	Rear wheel OFF-ROAD 24" (special size rim 507) with aluminium hand rim black combination with drumbrake is possible I	Rear wheel OFF-ROAD 24" additional (special size rim 507) with aluminium hand rim black and with quick release axle	Active 24 x 1" rim with double wall and high flange hub and stainless steel hand rim
<input type="checkbox"/> 22" Code 261	<input type="checkbox"/> 22" Code 160	OFF ROAD 24"x1,75 (47-507) Mountainbike profile Code 260	additional to standard rear wheels 24" (to switch wheels)	cross spoked Code 562
<input type="checkbox"/> 24" Code 461	<input type="checkbox"/> 24" Code 159		OFF ROAD 24"x1,75 (47-507) Mountainbike profile Code 260ZU	
only in combination with rear wheel Standard or rear wheel with drum brake	not possible in combination with special rear wheels			
<input type="checkbox"/> Pair OE 101,- €	<input type="checkbox"/> Pair OE 318,- €	<input type="checkbox"/> Pair OE 328,- €	<input type="checkbox"/> Pair 748,- €	<input type="checkbox"/> Pair OE 236,- €

## light weight wheel




## one hand drive

Light Weight Wheel LWW 22" / 24" with black rim, 24 spokes black radialspeaks pneumatic tyre (fine profile)			Light Weight Wheel 25" LWW 25"x1 black rim, black radial spokes, black pneumatic tyre (SENTINEL)	handrim additional for the driven wheel	One hand drive with quick release axle and stainless steel hand rim
grey tyre		black tyre	black tyre black hand rim CODE 4863	handrim in stainless steel Code 198Z	Combination with drum brakes is possible I
hand rim black	hand rim silver	hand rim black			
22 x1" <input type="checkbox"/> CODE 564	<input type="checkbox"/> CODE 564S	<input type="checkbox"/> CODE 2867			
24 x1" <input type="checkbox"/> CODE 563	<input type="checkbox"/> CODE 563S	<input type="checkbox"/> CODE 2866			
<input type="checkbox"/> Pair	not possible with solid tyre I	OE 188,- €	<input type="checkbox"/> Pair OE 268,- €	<input type="checkbox"/> Piece OE 145,- €	<input type="checkbox"/> Pair OE 998,- €

## wheel plate for rear wheel

center of gravity adjustment	staggered wheel plate 20mm staggered	wheel extension for drum brake	wheel extension	wheel plate suspended for rear wheel
 <p>wheel position:</p> <p>not for the suspended wheel plate Code 595</p>	 <p>Code 5951</p> <p>wheel extension or one hand drive is not possible II</p>	 <p>Code 162</p> <p>combination with Code 5951 not possible</p>	 <p>Code 161</p> <p>combination with Code 5951 not possible</p>	 <p>only with 0° camber</p> <p>user weight: _____ kg</p> <p>Code 595</p> <p>combination with one hand drive and wheel extension not possible combination with anchor plate system not possible</p>
	<input type="checkbox"/> Pair OE 101,- €	<input type="checkbox"/> Pair 200,- €	<input type="checkbox"/> Pair 155,- €	<input type="checkbox"/> Pair OE 498,- €

## rear wheel - spoke cover

<b>spoke cover transparent</b>  <input type="checkbox"/> 22 inch Code 165 <input type="checkbox"/> 24 inch Code 166	<b>spoke cover with special-motive</b> the price for special-spoke cover are net price and not discountable!! <b>www.speichenschutz.com</b> Motiv-Nr.: _____ <input type="checkbox"/> 24" <input type="checkbox"/> 22" please take the motive no. from the website <b>www.speichenschutz.com</b> Code 2268	<b>www.rs-speichenschutz.com</b> Motiv-Nr.: _____ <input type="checkbox"/> 24" <input type="checkbox"/> 22" please take the motive no. from the website <b>www.rs-speichenschutz.com</b> Code 2267	<b>Example</b>   Information about others spoke cover motives please take website
<input type="checkbox"/> Pair 178,- €	<input type="checkbox"/> Pair net price 230,- €	<input type="checkbox"/> Pair net price 218,- €	



## castor

<b>Castor with screw axle short, castor adapter M8 and Design fork black</b> <b>solid</b> <input type="checkbox"/> 4 inch Skater Code 530 <input type="checkbox"/> 4 inch grey Code 531 <input type="checkbox"/> 5 inch grey Code 532 <input type="checkbox"/> 140mm soft (grey) Code 539 <input type="checkbox"/> 140mm soft (black) Code 539S <input type="checkbox"/> 6 inch grey Code 533		<b>pneumatic</b> <input type="checkbox"/> 6 inch Code 536	<b>PU tyre in black</b> <b>PU black</b> <input type="checkbox"/> 4 inch Code 531S <input type="checkbox"/> 5 inch Code 532S <input type="checkbox"/> 6 inch Code 533S	<b>Lightwheel (Skater)</b> <b>Castor with LED lights</b> <input type="checkbox"/> 4 inch Code 181LED <input type="checkbox"/> 5 inch Code 582LED
<b>Standard</b>				<input type="checkbox"/> Pair OE 54,- €

## castor

<b>Castor solid with plastic rim black and black tyre</b> <input type="checkbox"/> 4 inch Code 534 <input type="checkbox"/> 5 inch Code 535	<b>Design castor slim black tyre (solid)</b> <b>aluminium rim silver</b> <input type="checkbox"/> 4 inch Code 537 <input type="checkbox"/> 5 inch Code 538	<b>aluminium rim black</b> <input type="checkbox"/> 5 inch Code 538S	<b>Soft-aluminium-castor black tyre (solid) soft</b> <b>aluminium rim silver</b> <input type="checkbox"/> 4 inch Code 5394 <input type="checkbox"/> 5 inch Code 5395	<b>aluminium rim black</b> <input type="checkbox"/> 4 inch Code 5394S <input type="checkbox"/> 5 inch Code 5395S	<b>Soft-castor plastic rim black tyre (solid) soft</b> <b>plastic rim black</b> <input type="checkbox"/> 5 inch Code 5385 <input type="checkbox"/> 6 inch Code 5386
<input type="checkbox"/> Pair OE 46,- €	<input type="checkbox"/> Pair OE 75,- €		<input type="checkbox"/> Pair OE 102,- €		<input type="checkbox"/> Pair OE 66,- €





## castor

<b>Castor fork with quick release axle</b>  Code 180	<b>Quick release axle adjustment kit (only in black)</b> <input type="checkbox"/> 4" solid with design castor fork short Code 480 <input type="checkbox"/> 4" solid with design castor fork long Code 481 <input type="checkbox"/> 5" solid with design castor fork short Code 482 <input type="checkbox"/> 5" solid with design castor fork long Code 483 <input type="checkbox"/> 6" solid with design castor fork short Code 484 <input type="checkbox"/> 6" solid with design castor fork long Code 485 <input type="checkbox"/> 6" pneumatic design with castor fork short Code 486 <input type="checkbox"/> 6" pneumatic design with castor fork long Code 487 <input type="checkbox"/> 140mm soft design with castor wide Code 488		<b>Castor staggered outward and in the front (in the front 40mm / outward 38mm)</b>  Code 2459 only by frame 70° straight possible
<input type="checkbox"/> Pair OE 165,- €	<input type="checkbox"/> Set only in combination with CODE 180 OE 288,- €		<input type="checkbox"/> Pair OE 98,- €




## castor

<b>Design fork coloured</b> colour: _____ Code 499 (look at the frame colour on page 3)		<b>Edition „LRA M8 Color“ castor adapter coloured</b> - cap for bearing - cap for eccentric plate - castor adapter colour: _____ Code 5390 (look at the frame colour on page 3)
<input type="checkbox"/> Pair OE 95,- €		<input type="checkbox"/> Pair OE 104,- €



## brake

<b>knee angle brake incline</b>  <input type="checkbox"/> Code 174 for clothing guard	<b>knee angle brake offset</b>  <input type="checkbox"/> Code 174A for Desk side guard and standard side guard	<b>knee angle brake offset with short lever stroke</b>  <input type="checkbox"/> Code 174K for short frame sometimes necessary!	<b>knee angle brake "Pull to lock"</b>  Code 174Pull	<b>Performance brake (mounted under the seat)</b>  Code 4172
<b>Standard</b>			<input type="checkbox"/> Pair    OE 77,- €	<input type="checkbox"/> Pair    OE 99,- €

## brake

Brake lever extension for knee angle brake <b>offset</b>		One hand brake with brake lever extension	Knee angle brake offset with <b>locking pin</b> for locking		
straight pluggable	straight foldaway	<div><input type="checkbox"/> right</div> <div><input type="checkbox"/> left</div> <div>Code 173</div>	<div></div> <div>fixed in the braked position</div> <div><input type="checkbox"/> Code 174Rast</div>	<div></div> <div>fixed in the braked and opened position</div> <div><input type="checkbox"/> Code 174RastD</div>	<div></div> <div>fixed in the opened position</div> <div><input type="checkbox"/> Code 174RastO</div>
<div><input type="checkbox"/> Pair</div> 71,- €	<div><input type="checkbox"/> Pair</div> 81,- €	<div><input type="checkbox"/> Piece</div> OE 272,- €	OE 188,- €	OE 288,- €	OE 264,- €

## note

<b>Anchor plate system</b> anchor plates for transport in cars (ISO 7176-19) Assembly kit for wheelchairs including mounting  Code 4890		<b>Note:</b> The wheelchair LUKE is tested and approved for transport in the car even without anchor plate (ISO 7176-19). The wheelchair must be equipped with a restraint system at the defined positions be attached to the wheelchair. 
<input type="checkbox"/> Set    net price 450,- €		

## note

## note

## Luke SLT

## accessories

trakkung extension **TRIKE**  
as steering and pushing aid

hook closure



capacity up to **60kg**  
(wheelchair incl. payload)

size 1: seat width 28cm - 28cm  
size 2: seat width 30cm - 34cm

CODE 9901

# holder lateral at frame (for type d.23)  
with hook closure  
# castor 10x2" black alu fork  
# arrangement with gear segment  
# with ramp as mounting aid

capacity up to **90kg**  
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm  
size 4: seat width 42cm - 46cm

CODE 9902

# Trike

trakkung extension  
as steering and pushing aid



☐ Piece

483,- €

☐ Piece

623,- €

## Luke AR

trakkung extension **TRIKE**  
as steering and pushing aid

hook closure



capacity up to **60kg**  
(wheelchair incl. payload)

size 1: seat width 28cm - 28cm  
size 2: seat width 30cm - 34cm

CODE 9906

# special holder lateral at frame (for type d.23)  
with hook closure  
# castor 10x2" black alu fork  
# Gestänge mit Zahnsegment  
# mit Rampe als Montagehilfe

capacity up to **90kg**  
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm  
size 4: seat width 42cm - 46cm

CODE 9907

☐ Piece

510,- €

☐ Piece

669,- €

## TRIKE colour frame Edition "...-Color"

<p>Note: the TRIKE frame parts are made of aluminium</p>	<p>TRIKE- frame colour powder coated</p> <p>Colour : frame colour (see page 1)</p> <ul style="list-style-type: none"> <li>- frame type right / left</li> <li>- cross tube</li> <li>- castor fork</li> </ul> <p>Code 9908</p>	<p>Edition "Duo-Color"</p> <p>colour 1: _____ (castor fork)</p> <p>colour 2: _____ (frame type right / left, cross tube)</p> <p>Code 9909</p>		<p>Castor fork with brake for directional stability</p> <p>Code 9909F</p>
without extra charge	<input type="checkbox"/> OE 132,- €	<input type="checkbox"/> OE 143,- €		<input type="checkbox"/> Piece OE 153,- €

## Luke SLT

## accessories

trakkung extension **TRIKE**  
as steering and pushing aid

quick release  
(clamp)



capacity up to **60kg**  
(wheelchair incl. payload)

size 1: seat width 28cm - 28cm  
size 2: seat width 30cm - 34cm

CODE 9921

# holder quick release (clamp)  
at frame (for pipe Ø 23mm)  
# castor 10x2" black alu fork  
# arrangement of levers with gear segment  
# with ramp as mounting aid  
# with adjusting ring at frame (Ø 23mm)

capacity up to **90kg**  
(wheelchair incl. payload)

size 3: seat width 36cm - 40cm  
size 4: seat width 42cm - 46cm

CODE 9922

☐ Piece

491,- €

☐ Piece

633,- €

## Note:

Luke AR: combination TRIKE with anchor plate system is **not** possible !!  
combination TRIKE with foot plate holder folding upwards is **not** possible!!

Luke SLT: combination TRIKE (hook) with anchor plate system is from frame long (from SD 40) possible !!  
combination TRIKE (clamp) with anchor plate system is possible !!

note

Technical changes and print mistakes are reserved.

VD2384E-10



## General Terms and Conditions of Business (GTC)

### Validity

All sales are subject to our delivery and payment conditions, without any exception. Orders and other agreements will not be valid unless confirmed by us in writing. We expressly object to the customer's purchase conditions.

### Quotations and contract conclusion

Quotations are always subject to change, unless they are expressly limited in terms of time. Orders require a written confirmation. After confirmation, prices quoted in orders are fixed but we reserve the right to make adequate price adjustments in the event of price increases for which we are not responsible (e.g. tax increases, wage increases, price changes on the part of our suppliers). Cost estimates for customized products and repairs are always non-binding. We reserve the right to make technical modifications. The contract will not be concluded before the order is confirmed.

### Shipment

To the extent the customer has not made any specification, shipment will be made in usual packaging using an adequate method. Insurance will only be taken out upon request and at the expense of the customer.

Delivery will be made carriage forward. We are free to select a method of shipment. If the customer has special requests, e.g. express delivery, express freight, etc., the additional cost will also be borne by the recipient. The goods will always be shipped at the buyer's risk. In case of damage during transport, the recipient must apply for an ascertainment of the facts with the respective forwarding agent.

### Prices

All prices quoted by BEROLLKA will be quoted ex works, excluding any applicable statutory value added tax, public charges and levies such as potential customs tariffs, and insurance and packaging costs that will be charged separately.

### Minimum quantity surcharge

If a small order is placed with a net value below 20 euros, an additional lump-sum minimum quantity surcharge of 15.00 euros will additionally be charged to cover administrative costs.

### Delivery periods

The delivery dates and periods stated are subject to change. Any delay in delivery will not entitle the customer to withdraw from the contract. The assertion of damage claims is ruled out. BEROLLKA can make partial deliveries for justified reasons.

### Wrong orders / return of merchandise

Any goods erroneously ordered will only be taken back provided we are responsible for such an error and the merchandise is in impeccable condition. In the event that an item erroneously ordered or merchandise that was returned is taken back in an individual case as a gesture of goodwill, attention must be paid to the following:

1. It is necessary to state the article number, the designation of the article, the date and number of the delivery note and the invoice number.
2. The return shipment must be carriage paid.
3. The merchandise must correspond to the article number(s) listed in the delivery note. In no event will any individual parts removed from an article be taken back.
4. The returned merchandise must be in impeccable condition.
5. Processing fees amounting to 10% of the net merchandise value not, however, less than €35.- will be charged for any instance where goods are taken back.

Deliveries effected more than 3 months earlier as well as sewing pieces and customized products cannot be exchanged. A copy of the delivery note or of the invoice will serve as proof in this regard.

### Warranty and notices of defects

Excluding any further claims, the seller is liable for defects of the merchandise in that the seller will mend or replace all those parts free of charge that have become defective or unusable within 6 months due to provable defects of material or workmanship, and of which the seller has been notified in writing immediately after knowledge was gained of the defect. Should longer periods of time be required for statutory reasons, the warranty period is agreed to be 12 months.

The customer must grant the seller the required time and opportunity for effecting delivery of the replacement parts. Replaced parts will become the property of the seller. The buyer must check the merchandise without undue delay after it has been delivered by the seller and, if a defect is found, notify the seller of the defect without undue delay. Should the buyer fail to notify the seller, the merchandise will be deemed accepted unless a defect occurs that could not have been found when the merchandise was checked.

In any event in which a complaint is brought to the notice of BEROLLKA, BEROLLKA invariably has the right to inspect and check the item delivered that is the subject matter of said complaint, for which the customer will grant BEROLLKA the required time and opportunity. BEROLLKA can also demand that the customer sends the item delivered that is the subject matter of a complaint back to BEROLLKA at the expense of BEROLLKA. Should a notice of defects given by the customer turn out to be wilfully or gross negligently unfounded, the customer will be obliged to compensate BEROLLKA for any and all expenses incurred in this connection. BEROLLKA will be entitled to remedy warranty defects at its own discretion either by rectification of the defect or by replacement of the defective part or of the entire item delivered at no cost for the customer. Should the customer itself repair an item that gave rise to a complaint, or should the customer endeavour to rectify the defects itself without prior written approval of the seller, the seller will not grant any claims for reimbursement of expenses (such as transport, road, labour or material costs) or warranty claims.

The following are excluded from the liability for damages:

damage arising from natural wear and tear, damage due to negligent and/or improper treatment, or violent damage. A revocation of the purchase contract, a reduction of the purchase price or damage claims of any kind are ruled out. The warranty obligation will cease if repairs and/or modifications or replacements of individual parts are performed by other parties than the seller or the delivering company.

### Reservation of title

With regard to resellers: The merchandise delivered will remain our property until any and all invoices – also for different deliveries – have been fully paid. Our merchandise that is hence still our property may only be resold within the ordinary course of business. Amounts receivable from any resale are assigned to us. We must be notified without undue delay and on the reseller's own initiative of any disposal of said merchandise outside of the ordinary course of business, e.g. through pledging our property or amounts receivable assigned to us.

### Terms of payment

Any invoices are payable within 30 days from the date of the invoice strictly net cash. A 2% discount will be granted for payments received within 8 days provided any and all payment claims under earlier deliveries have been settled. We are entitled to charge default interest if the 30-day payment deadline is exceeded. The interest rate will be the customary market rate charged by major banks. We expressly reserve the right to effect delivery with cash on delivery.

### Data Protection

BEROLLKA and the customer are responsible themselves for compliance with the respective data protection rules applicable to them. The customer must not provide BEROLLKA with personal data that is illegal or that the customer is not legally authorised to distribute.

### The place of performance and the place of jurisdiction will be the place where the invoice is issued.

Heidelberg, Germany, will be the exclusive place of jurisdiction for any and all disputes arising under the contractual relationship. However, BEROLLKA is entitled to sue the customer at any other legal venue. These General Terms and Conditions of Business are governed by the laws of the Federal Republic of Germany, excluding of the United Nations Convention on Contracts for the International Sale of Goods (CISG).

Technical modifications and printing errors excepted. A current list of prices can be ordered at any time.