


Technical data


seat width **SW**

from outside crossbar to outside crossbar +6mm




seat depth **SD**

from back tube to upper edge seat upholstery



back height **RH**

from upper edge seat upholstery to upper edge back upholstery



Lower Leg Length LLL:

12 to 40 cm

total width wheelchair:

with wheel and hand rim (extension narrow)

without brake
in side guard
with 0° camber
with 3° camber
with 5° camber
with 7° camber
with 10° camber

without brake
in side guard
SW + 16cm
SW + 20cm
SW + 24cm
SW + 28cm
SW + 32cm

with brake
in side guard
SW + 18cm
SW + 22cm
SW + 26cm
SW + 30cm
SW + 34cm

Seat height **SH**

Slash

Rear wheel	Castor fork	minimum seat height		maximum seat height	
		front	back	front	back
22 inch	4 inch - short	38 cm	37 cm	41 cm	40 cm
	- long	41 cm	37 cm	45 cm	40 cm
	5 inch - short	39 cm	37 cm	42 cm	40 cm
	- long	42 cm	37 cm	46 cm	40cm
24 inch	6 inch - short	41 cm	37 cm	43 cm	40 cm
	- long	43 cm	37 cm	48 cm	40 cm
	140mm - wide	41 cm	37 cm	44 cm	40 cm
	4 inch - kurz	38 cm	39 cm	41 cm	42 cm
24 inch	- lang	41 cm	39 cm	45 cm	42 cm
	5 inch - short	39 cm	39 cm	42 cm	42 cm
	- long	42 cm	39 cm	46 cm	42cm
	6 inch - short	40 cm	39 cm	43 cm	42cm
24 inch	- long	43 cm	39 cm	48 cm	42 cm
	140mm - wide	41 cm	39 cm	44 cm	42 cm

All measurements ± 0,5 cm

Note: seat height without seat upholstery = SH-2cm (regarding to the frame)

* long wheel carrier: seat height back maximum 45/46cm by 24" in special design (0000371L)

Notice: at the castor wheels **PU-black** are the minimal seat height with the fork **short** and **extra short** not possible

frame colour

Because of the material are different colours possible

shiny

<input type="checkbox"/>  25 RAL9010 white	<input type="checkbox"/>  06 dormant red	<input type="checkbox"/>  44 RAL5015 sky blue met.	<input type="checkbox"/>  51 apple green metallic
<input type="checkbox"/>  56 RAL1021 gold yellow met.	<input type="checkbox"/>  40 red metallic	<input type="checkbox"/>  16 RAL5002 ultramarine blue	<input type="checkbox"/>  45 RAL6018 yellow green
<input type="checkbox"/>  24 RAL1028 melon yellow	<input type="checkbox"/>  43 RAL4010 telemagenta met.	<input type="checkbox"/>  17 dormant blue	<input type="checkbox"/>  60 mojit green met.
<input type="checkbox"/>  27 mandarin met.	<input type="checkbox"/>  53 cassis	<input type="checkbox"/>  64 petrol green met.	<input type="checkbox"/>  19 silver metallic
<input type="checkbox"/>  41 RAL3020 trafficed met.	<input type="checkbox"/>  59 atlantic blue met.	<input type="checkbox"/>  50 apple green	<input type="checkbox"/>  23 RAL9005 black met. = metalized

frame colour

Because of the material are different colours possible

mat / satined

<input type="checkbox"/>  76 white satined	<input type="checkbox"/>  69 purpur met. satined	<input type="checkbox"/>  75 petrol green met. satined
<input type="checkbox"/>  65 gold yellow met. satined	<input type="checkbox"/>  61 cool mint mat	<input type="checkbox"/>  73 yellow green met. satined
<input type="checkbox"/>  66 mandarin met. satined	<input type="checkbox"/>  72 sky blue met. satined	<input type="checkbox"/>  74 mojit green met. satined
<input type="checkbox"/>  67 traffic red satined	<input type="checkbox"/>  71 atlantic blue met. satined	<input type="checkbox"/>  77 silver metallic satined
<input type="checkbox"/>  68 telemagenta met. satined	<input type="checkbox"/>  70 ultramarine blue satined	<input type="checkbox"/>  22 RAL9011 black mat

met. = metalized

upholstery colours

upholstery standard






 DE290 black

upholstery breathable fabric

<input type="checkbox"/>  AG410 yellow	<input type="checkbox"/>  AG451 king blue
<input type="checkbox"/>  AG430 red	<input type="checkbox"/>  AG460 lemon
<input type="checkbox"/>  AG441 pink	<input type="checkbox"/>  AG470 grey
<input type="checkbox"/>  AG450 ultramarine	<input type="checkbox"/>  AG490 black

only for adjustable back upholstery

frame accessories

<p>Anti- tip wheel, swing up</p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p>  <p>Code 7304</p>	<p>Tip shackle</p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p>  <p>Code 7305</p>	<p>Anti-tip wheel vertical swing away</p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p>  <p>Code 7306</p>	<p>Anti-tip wheel vertical swing away with gear segment</p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p>  <p>Code 7307</p>	<p>Walking stick holder</p> <p><input type="checkbox"/> right <input type="checkbox"/> left</p>  <p>Code 7303</p>	<p>Note: only 2 piece of Anti-tip wheel, Tip tip shackle or walking stick holder is possible!!</p>
<input type="checkbox"/> Piece 148,- €	<input type="checkbox"/> Piece 85,- €	<input type="checkbox"/> Piece 178,- €	<input type="checkbox"/> Piece 238,- €	<input type="checkbox"/> Piece 115,- €	

note

Technical changes and print mistakes are reserved.

VD2378E-19

Edition-Line				
Edition-Line for Slash	<p>BASIC-Line</p> <p>The BASIC-Line is the standard equipment. There are only certain parts in the frame colours powder-coated.</p> <p><input type="checkbox"/> Code 7390B</p>	<p>TREND-Line</p> <p>If you order the TREND-Line there are a variety of attachments also in colour of the wheelchair.</p> <p>Code 7390T</p>	<p>HIGH-Line</p> <p>The HIGH-Line optimizes the design by ordering many attachments in colour of the wheelchair.</p> <p>Code 7390H</p>	
	Standard	<input type="checkbox"/> Piece	OE 104,- €	<input type="checkbox"/> Piece

Edition-Line			
Overview for Edition-Line Slash			
	BASIC-Line	TREND-Line	HIGH-Line
castor adapter	black anodized	black anodized	colour of the wheelchair
cap for castor adapter			
cap for extender			
fork		colour of the wheelchair	
footplate	black matt fine structure		
frame	colour of the wheelchair	colour of the wheelchair	colour of the wheelchair
back frame			
cross tube			
back holder			
triangel for side guard			

notice





notice			
<p>Edition "TRI-Color" SLASH</p> <p>Color 1: _____</p> <ul style="list-style-type: none"> - frame - back frame - cross tube - back holder <p>Color 2: _____</p> <ul style="list-style-type: none"> - footplate 1, 2, 3 - castor adapter 2 - cap for castor adapter 2 - cap for extender 2 <p>Color 3: _____</p> <ul style="list-style-type: none"> - triangel - design fork 1, 2, 4 <p><input type="checkbox"/> Code 7396</p>	<p style="font-size: small;">1 only in combination with TREND-Line 2 only in combination with HIGH-Line 3 or in combination with CODE 417 possible 4 or in combination with CODE 469 possible</p>	<p>Edition "DUO-Color" SLASH</p> <p>Color 1: _____</p> <ul style="list-style-type: none"> - frame - back frame - cross tube - back holder <p>Color 2: _____</p> <ul style="list-style-type: none"> - footplate 1, 2, 3 - triangel - design fork 1, 2, 4 - castor adapter 2 - cap for castor adapter 2 - cap for extender 2 <p><input type="checkbox"/> Code 7399</p>	<p style="font-size: small;">1 only in combination with TREND-Line 2 only in combination with HIGH-Line 3 or in combination with CODE 417 possible 4 or in combination with CODE 469 possible</p>
	OE 143,- €		OE 110,- €




VD2378E-19 Technical changes and print mistakes are reserved.


Height of push handles

Height of push handles for companion = Back height + Seat height + Height of push handle



$$\text{Height of push handles for companion} = \text{BH} + \text{SH} + \text{HPH}$$

	Back standard	Back with height adjustable push handle				
		15cm normal	35cm long	45cm extra long reinforced	cropped	bent rewards
						
HPH						
min.		4cm	4cm	4cm	21cm	12cm
max.	3cm	19cm	39cm	49cm	38cm	29cm
					push handle each side 6cm outside	push handle each side 9cm backwards

footrest			
<p>Single footrest, mounted in the frame, angle adjustable, height adjustable (not for folding upwards) (with clamp plate 145 max. LLL 34/35cm) (with clamp plate 195 max. LLL 39/40cm)</p>  <p>Code 7341</p>	<p>Clamp plate</p> <p><input type="checkbox"/> 105mm (standard)</p> <p><input type="checkbox"/> 145mm</p> <p><input type="checkbox"/> 195mm</p>	<p>Single footrest flat-alu-profile, mounted in the frame, angle adjustable, height adjustable (not for folding upwards) (with clamp plate 145 max. LLL 34/35cm) (with clamp plate 195 max. LLL 39/40cm)</p>  <p>Code 7342</p>	<p>Clamp plate</p> <p><input type="checkbox"/> 105mm (standard)</p> <p><input type="checkbox"/> 145mm</p> <p><input type="checkbox"/> 195mm</p>
<p>Single footrest alu-plate mounted in the frame folded back possible, angle adjustable, height adjustable Note: max LLL = SH -7cm (with clamp plate 145 max. LLL 34/35cm) (with clamp plate 195 max. LLL 39/40cm)</p>  <p>Code 7344</p>	<p>Clamp plate</p> <p><input type="checkbox"/> 105mm (standard)</p> <p><input type="checkbox"/> 145mm</p> <p><input type="checkbox"/> 195mm</p>	<p><input type="checkbox"/> Piece 256,- €</p>	<p><input type="checkbox"/> Piece 418,- €</p>

footrest			
<p>Footrest single, attachment middle folded back possible footrest tube short: up to LLL 31cm (lowest seat height by footrest tube short = 39cm) footrest tube long: up to LLL 40cm (lowest seat height by footrest tube long = 44cm) Note: max LLL = SH -7cm</p>  <p>Code 7343</p>	<p>Spasticity lock for footrest for Code 7344 or 7343</p> <p>Code 7349</p>	<p>footrest coloured for footrest plate or footrest profil</p> <p>colour: _____</p> <p>Code 417</p> <p>(see colours on page 3)</p>	
<p><input type="checkbox"/> Piece 390,- €</p>	<p><input type="checkbox"/> OE 84,- €</p>	<p><input type="checkbox"/> OE 64,- €</p>	

back			
<p>Back with adjustable upholstery back angle adjustable</p>  <p>Code 7320</p>	<p>Back with adjustable upholstery and height adjustable push handles</p> <p><input type="checkbox"/> 15cm (standard)</p> <p><input type="checkbox"/> 35cm (lang)</p> <p><input type="checkbox"/> cropped</p> <p><input type="checkbox"/> bent rearwards</p>  <p>Code 7321</p>	<p>Pushhandles high adjustable, tightened (ab 40kg empfohlen)</p> <p>Code 2205V</p> <p><input type="checkbox"/> OE 136,- €</p> <p>Push handles extra long 45cm push handles are reinforced</p> <p>Code 2205L</p>	<p>Back with adjustable upholstery and push bow trapezium, height adjustable (instead of push handles)</p>  <p><input type="checkbox"/> trapezium shape Code 7322</p> <p><input type="checkbox"/> U-form Code 7323</p>
<p>Standard</p>	<p><input type="checkbox"/> Piece OE 262,- €</p>	<p><input type="checkbox"/> OE 180,- €</p>	<p><input type="checkbox"/> Piece OE 496,- €</p>



back			
<p>Distance for push handle holder</p> <p>20mm displaced backwards</p> <p>Code 2209</p>	<p>push handle foldable only in combination with CODE 7320 back with special back cushion</p>  <p>Code 7327</p> <p>not in combination with drum brake, height adjustable push handles or UNITOMIC back</p>	<p>SlimLine-design for breathable upholstery (fabric 74, 75, 89, 92, 94, 95 and 96)</p>  <p>colour 1 (inside): <u>AG490 black</u></p> <p>colour 2 (outside): _____</p> <p>bicoloured upholstery</p>	
<p><input type="checkbox"/> Set OE 75,- €</p>	<p><input type="checkbox"/> Pair OE 163,- €</p>	<p><input type="checkbox"/> Code 202 OE 82,- €</p>	

back			
<p>FIDIBUS back ergonomic back cushion extrem light ergonomic formed back cushion from SW 24 from BH 20</p>  <p>Code 2292</p> <p>price reduction of the back upholstery is considered in the price of the FIDIBUS back</p> <p>Please take prices and further informations from FIDIBUS-order form</p>	<p>FIDIBUS ASR back anatomic formed back plate ASR alu-back plate powder coated, rounded and beveled (without cushion) Colour: frame colour</p> <p>Code 2296B</p>	<p>anatomic formed back cushion ASR back cushion (foam) with cover (without alu-plate)</p> <p>Code 2296A</p>	<p>Note: FIDIBUS-back CARBON see FIDIBUS-order form VD2620E</p>
<p><input type="checkbox"/> Piece OE 590,- €</p>	<p><input type="checkbox"/> Piece OE 360,- €</p>	<p><input type="checkbox"/> Piece OE 368,- €</p>	

Technical changes and print mistakes are reserved.
 VD2378E-19

Rahmenlängen



Abduktion-Rahmen CODE 7300



Rahmenlängen Abduktionsrahmen	Maß L1 von Rückenrohr bis Abduktionsbeginn	Maß L2 von Rückenrohr bis Abduktionsende	Maß L3 von Rückenrohr bis Vorderkante Rahmen
1	25 cm	33 cm	49 cm
2	29 cm	37 cm	53 cm
3	33 cm	41 cm	57 cm
4	37 cm	45 cm	61 cm
5	41 cm	49 cm	65 cm

Rahmen gerade CODE 7301

Rahmenlängen Rahmen gerade	Maß L3 von Rückenrohr bis Vorderkante Rahmen
2	49 cm
3	53 cm
4	57 cm
5	61 cm






Note: When using SlimLine-Design (CODE 202) the seat cushion (Code 470/471/472) is also supplied in SlimLine-Design.

seat			
<input type="checkbox"/> Seat with adjustable seat upholstery (standard)  Code 7319 <input type="checkbox"/> Seat with plastic seat plate PC-Carbon Code 7318	Seat cushion with breathable fabric (combination foam with cover) fabric : _____  <input type="checkbox"/> 3 cm Code 471 <input type="checkbox"/> 5 cm Code 472	Change cover cover black <input type="checkbox"/> Code 121 Cover breathable... <input type="checkbox"/> Code 470 fabric 96 green fabric 92 red fabric 95 orange fabric 89 blue fabric 94 bordeaux fabric 75 black	seat cushion with black standard fabric (combination foam with cover)  <input type="checkbox"/> 3 cm Code 119 <input type="checkbox"/> 5 cm Code 120
Standard	Piece 110,- €	<input type="checkbox"/> Piece 74,- €	Piece 110,- €

seat		
FIDIBUS - Seat Fidibus-F straight back ergonomic seat cushion extreme light ergonomic formed seat cushion  from SW 24 from SD 26 Code 2291F Please take prices and further informations from FIDIBUS-order form	seat belt black Plastic closure (from SW 28) Code 227 <input type="checkbox"/> Piece 75,- € Metal closure Code 125 <input type="checkbox"/> Piece 88,- €	FIDIBUS - seat and back ergonomic seat and back cushion, complete system  from SW 24 from SD 26 from BH 20 <input type="checkbox"/> Code 2290FR OE 1116,- € Note: FIDIBUS back 50mm shallow pit by SLASH not possible !!! Please take prices and further informations from FIDIBUS-order form
<input type="checkbox"/> OE 572,- €	<input type="checkbox"/> Piece	

accessories		
Headrest "light" adjustable, aluminium parts, Ø19mm (mounted at the back tube) width headrest: <input type="checkbox"/> small 24cm wide (from SW 20 - 36cm) <input type="checkbox"/> big 33cm wide (von SW 38 - 46cm) Code 7328 only in combination with height adjustable push handle CODE 7321 or 7322	Headrest adjustable steel/aluminium parts, 15x15 (mounted at the back tube) width headrest: <input type="checkbox"/> small 24cm wide (from SW 20 - 36cm) <input type="checkbox"/> big 33cm wide (von SW 38 - 46cm) Code 7329 only in combination with height adjustable push handle CODE 7321 or 7322	Holder for head rest for head rest tube: <input type="checkbox"/> 15x15mm Code 2225Halt <input type="checkbox"/> Ø 19mm Code 2235Halt
<input type="checkbox"/> Piece 324,- €	<input type="checkbox"/> Piece 320,- €	<input type="checkbox"/> Piece 204,- €

side guards	
Clothing guard plastic black, screwed on, with triangel  Code 7330	Clothing guard plastic black, with armrest short, screwed on, with triangel  Code 7331 not in combination with brake in side guard Code 7370 or 7372
<input type="checkbox"/> Pair 281,- €	<input type="checkbox"/> Pair 334,- €

therapy table		
Therapy table mounted on the frame with clamp attachment on the frame frame straight for SW 24 - 46 abduction frame for SW 20 - 46  Code 138	Therapy table plug on the frame with plug attachment on the frame abduction frame for SW 20 - 46 straight frame for SW 24 - 46  Code 139	Therapy table on the frame quick release clamped (at the frame)  Code 138S
<input type="checkbox"/> Piece 472,- €	<input type="checkbox"/> Piece 472,- €	<input type="checkbox"/> Piece 498,- €

VD2378E-19
Technical changes and print mistakes are reserved.

rear wheel

* grey tyres

Rear wheel standard (alu hub black) quick release axle pneumatic tyre <input type="checkbox"/> 22"x1 fine profile* Code 2793 <input type="checkbox"/> 22"x1 black Code 2794 <input type="checkbox"/> 24"x1 fine profile* Code 2797 <input type="checkbox"/> 24"x1 black Code 2798		solid tyre <input type="checkbox"/> 22"x1 grey Code 2682 <input type="checkbox"/> 22"x1 black Code 2683 <input type="checkbox"/> 24"x1 grey Code 2684 <input type="checkbox"/> 24"x1 black Code 2685		Design-rear wheel 24" (alu hub silver) with quick release axle and straight spokes <input type="checkbox"/> 24"x1 grey pneumatic Code 7391 <input type="checkbox"/> 24"x1 solid grey Code 7392 <input type="checkbox"/> 24"x1 solid black Code 7393		performance tyre <input type="checkbox"/> 24"x1 Code 570 Marathon Plus (grey tyre) <input type="checkbox"/> 22"x1 Code 577 Marathon Plus Evolution (black tyre) <input type="checkbox"/> 24"x1 Code 572 Marathon Plus Evolution (black tyre)		Right Run 24"x1 Code 573 <input type="checkbox"/> red <input type="checkbox"/> blue <input type="checkbox"/> grey <input type="checkbox"/> black 22"x1 Code 576 <input type="checkbox"/> black		Camber 0° <input type="checkbox"/> 3° <input type="checkbox"/> 5° <input type="checkbox"/> (standard) 7° <input type="checkbox"/> 10° <input type="checkbox"/>	
Standard				max. 7°- camber possible		OE 40,- €					

handrim for rear wheel

Handrim for standard wheel and design wheel 24"							
aluminium black <input type="checkbox"/> 22" Code 455 <input type="checkbox"/> 24" Code 454 Extension narrow <input type="checkbox"/> wide <input type="checkbox"/>	aluminium silver <input type="checkbox"/> 22" Code 492 <input type="checkbox"/> 24" Code 491 Extension narrow <input type="checkbox"/> wide <input type="checkbox"/>	stainless steel polished <input type="checkbox"/> 22" Code 155 <input type="checkbox"/> 24" Code 156 Extension narrow <input type="checkbox"/> wide <input type="checkbox"/>	TETRA-GRIP (Super Grip) <input type="checkbox"/> 22" Code 252 <input type="checkbox"/> 24" Code 452 extension narrow	Maxgrepp ERGO Para <input type="checkbox"/> 22" Code 550 <input type="checkbox"/> 24" Code 554 extension narrow	CURVE black anodized CURVE <input type="checkbox"/> 22" Code 4502 CURVE L <input type="checkbox"/> 24" Code 4504 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide	GEKKO black anodized with rubber lip <input type="checkbox"/> 22" Code 4501 <input type="checkbox"/> 24" Code 4508 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide	GEKKO S black anodized with rubber lip small <input type="checkbox"/> 22" Code 4503 <input type="checkbox"/> 24" Code 4507 extension <input type="checkbox"/> narrow <input type="checkbox"/> wide
Standard			OE 320,- €	OE 358,- €	OE 388,- €	OE 503,- €	OE 503,- €


rear wheel

SAFETY-GRIP-wheel rim with integrated hand rim <input type="checkbox"/> 22 inch Code 7385 <input type="checkbox"/> 24 inch Code 7386 only in combination with rear wheel Standard <input type="checkbox"/> Pair OE 101,- €	handrim cover black  <input type="checkbox"/> 22 inch Code 191 <input type="checkbox"/> 24 inch Code 192 <input type="checkbox"/> Pair 136,- €
---	--

light weight wheel

Light Weight Wheel LWW black rim, 24 spokes black radialspeaks and alu. hand rim with pneumatic tyre (fine profile)		
grey tyre hand rim black <input type="checkbox"/> 22 x1" CODE 7364 <input type="checkbox"/> 24 x1" CODE 7363	hand rim silver <input type="checkbox"/> CODE 7364S <input type="checkbox"/> CODE 7363S	black tyre hand rim black <input type="checkbox"/> CODE 7367 <input type="checkbox"/> CODE 7366
<input type="checkbox"/> Pair solid not possible max. 7°-camber possible		OE 188,- €

Center of gravity adjustment for rear wheel

center of gravity adjustment wheel position measure X: 	standard measurement „X“ frame length 1 = 6cm frame length 2 = 6cm frame length 3 = 8cm frame length 4 = 10cm frame length 5 = 12cm
---	---

Technical changes and print mistakes are reserved.

VD2378E-19

rear wheel - spoke cover

<p>Spoke cover transparent</p>  <p><input type="checkbox"/> 22" Code 165</p> <p><input type="checkbox"/> 24" Code 166</p>	<p>Spoke cover with special motives the price for special-spoke covers are nett-prices and aren't eligible for discounts!</p> <p>www.speichenschutz.com</p> <p>Motiv-Nr.: _____ <input type="checkbox"/> 24" _____ <input type="checkbox"/> 22"</p> <p>Take the Motive-No. from the Blueprince catalogue (www.speichenschutz.com)</p> <p>Code 2268</p>	<p>Example</p>  <p>Information about others spoke cover motives please take from website</p>
<p><input type="checkbox"/> Pair 178,- €</p>	<p><input type="checkbox"/> Pair net price 230,- €</p>	<p><input type="checkbox"/> Pair net price 218,- €</p>


castor

<p>Castor with screw axle short Design fork (black)</p> <table border="0"> <tr> <td><input type="checkbox"/> 4 inch Skater solid Code 7350</td> <td><input type="checkbox"/> plastic rim black with black PU tyre</td> </tr> <tr> <td><input type="checkbox"/> 4 inch grey solid Code 7351</td> <td><input type="checkbox"/> 4 inch Code 7357</td> </tr> <tr> <td><input type="checkbox"/> 5 inch grey solid Code 7352</td> <td><input type="checkbox"/> 5 inch Code 7358</td> </tr> <tr> <td><input type="checkbox"/> 140mm grey solid Code 7353</td> <td><input type="checkbox"/> 6 inch Code 7359</td> </tr> <tr> <td><input type="checkbox"/> 140mm solid black Code 7353S</td> <td></td> </tr> <tr> <td><input type="checkbox"/> 6 inch grey solid Code 7354</td> <td></td> </tr> </table>	<input type="checkbox"/> 4 inch Skater solid Code 7350	<input type="checkbox"/> plastic rim black with black PU tyre	<input type="checkbox"/> 4 inch grey solid Code 7351	<input type="checkbox"/> 4 inch Code 7357	<input type="checkbox"/> 5 inch grey solid Code 7352	<input type="checkbox"/> 5 inch Code 7358	<input type="checkbox"/> 140mm grey solid Code 7353	<input type="checkbox"/> 6 inch Code 7359	<input type="checkbox"/> 140mm solid black Code 7353S		<input type="checkbox"/> 6 inch grey solid Code 7354		<p>Castor solid tyre with plastic rim black and black tyre</p> <p><input type="checkbox"/> 4 inch Code 73560</p> <p><input type="checkbox"/> 5 inch Code 73561</p>
<input type="checkbox"/> 4 inch Skater solid Code 7350	<input type="checkbox"/> plastic rim black with black PU tyre												
<input type="checkbox"/> 4 inch grey solid Code 7351	<input type="checkbox"/> 4 inch Code 7357												
<input type="checkbox"/> 5 inch grey solid Code 7352	<input type="checkbox"/> 5 inch Code 7358												
<input type="checkbox"/> 140mm grey solid Code 7353	<input type="checkbox"/> 6 inch Code 7359												
<input type="checkbox"/> 140mm solid black Code 7353S													
<input type="checkbox"/> 6 inch grey solid Code 7354													
<p>Standard</p>	<p><input type="checkbox"/> Pair OE 48,- €</p>												

castor

<p>Castor solid with aluminium rim black and black tyre narrow</p> <p>5 inch Code 73565</p>	<p>Lightwheel Castor with LED-lights</p> <p><input type="checkbox"/> 4 inch Code 7351LED</p> <p><input type="checkbox"/> 5 inch Code 7352LED</p>	<p>Soft-aluminium-castor with black soft tyre (solid)</p> <table border="0"> <tr> <td>aluminium rim silver</td> <td>aluminium rim black</td> </tr> <tr> <td><input type="checkbox"/> 4 inch Code 73582</td> <td><input type="checkbox"/> 4 inch Code 73581</td> </tr> <tr> <td><input type="checkbox"/> 5 inch Code 73584</td> <td><input type="checkbox"/> 5 inch Code 73583</td> </tr> </table>	aluminium rim silver	aluminium rim black	<input type="checkbox"/> 4 inch Code 73582	<input type="checkbox"/> 4 inch Code 73581	<input type="checkbox"/> 5 inch Code 73584	<input type="checkbox"/> 5 inch Code 73583	<p>Soft-castor with plastic rim black tyre (solid) soft plastic rim black</p> <p><input type="checkbox"/> 5 inch Code 73585</p> <p><input type="checkbox"/> 6 inch Code 73586</p>
aluminium rim silver	aluminium rim black								
<input type="checkbox"/> 4 inch Code 73582	<input type="checkbox"/> 4 inch Code 73581								
<input type="checkbox"/> 5 inch Code 73584	<input type="checkbox"/> 5 inch Code 73583								
<p><input type="checkbox"/> Pair OE 75,- €</p>	<p><input type="checkbox"/> Pair OE 54,- €</p>	<p><input type="checkbox"/> Pair OE 102,- €</p>	<p><input type="checkbox"/> Pair OE 66,- €</p>						

castor

<p>Castor fork with quick release axle</p>  <p>Code 73570</p>	<p>Quick release change kit with design fork</p> <p><input type="checkbox"/> 4" Skater Code 73571</p> <p><input type="checkbox"/> 4" solid Code 73572</p> <p><input type="checkbox"/> 5" solid Code 73573</p> <p><input type="checkbox"/> 140mm grau Code 73574</p> <p><input type="checkbox"/> 140mm schwarz Code 73575</p> <p><input type="checkbox"/> 6" solid Code 73576</p> <p>only in combination with CODE 73570</p>	<p>Castor wheel more outside and more forward (forward 40mm / outside 38mm)</p>  <p>Code 2459</p>
<p><input type="checkbox"/> Pair OE 165,- €</p>	<p><input type="checkbox"/> Set OE 288,- €</p>	<p><input type="checkbox"/> Pair OE 98,- €</p>

castor

<p>Design fork coloured (powder coated)</p> <p>Colour: _____</p> <p>_____</p> <p>Code 499</p> <p>(See frame colour on page 3)</p>	
<p><input type="checkbox"/> Pair OE 95,- €</p>	


Technical changes and print mistakes are reserved.

VD2378E-19




brake

<p>Knee angle brake offset with short lever stroke</p>  <p><input type="checkbox"/> Code 7374</p>	<p>Brake lever extension straight, tiltable</p>  <p>Code 175</p>	
Standard	<input type="checkbox"/> Pair	81,- €

brake

<p>Knee angle brake 7374 switched through companion</p>  <p>Code 7378 combination with Code 7379 not possible</p>	<p>additional knee angle brake only for companion, activated with bowden cable (alternative for drum brake) (additional brake is mounted under the frame)</p>  <p>Code 7379 combination with Code 7378 not possible</p>		
<input type="checkbox"/> Pair	OE 209,- €	<input type="checkbox"/> Pair	330,- €

brake

<p>Knee brake in side guard integrated with lever straight and hemisphere 2-piece screwed</p>  <p>Code 7370 only in combination with side guard Code 7330</p>	<p>Knee angle brake integrated in side guard with lever curved and with ball Ø32 screwed</p>  <p>Code 7372 only in combination with side guard Code 7330</p>	<p>additional Brake for companion by brake in side guard activation the brake in side guard with additional bowden cable for the companion</p>  <p>Code 7371 only in combination with Code 7370 or 7372 possible !</p>			
<input type="checkbox"/> Pair	OE 174,- €	<input type="checkbox"/> Pair	OE 186,- €	<input type="checkbox"/> Pair	OE 298,- €

Restraint system for tranport in car

<p>Hook for restraint system for transport with a wheelchair in car according to ISO 7176-19 and with 2 transport brackets mounted on the frame backside. (without pelvic restraint)</p>  <p>Code 7398R</p> <p>additional you need an extended pelvic belt and the suitable retractor from specialist shop</p>	<p>Pelvic restraint for the restraint system (for Code 27096)</p> <p>Pelvic restraint for connecting the person with the restraint system</p>  <p>Code 27098</p>	<p>Anchor plate system anchor plates for transport a wheelchair in a car (according to ISO 7176-19) Assembly kit for wheelchair including mounting and with integrated pelvic restraint</p> <p>Code 7397</p>			
<input type="checkbox"/> Set	net price 180,- €	<input type="checkbox"/> Piece	net 92,- €	<input type="checkbox"/> Set	net price 450,- €

note

Technical changes and print mistakes are reserved.

VD2378E-19

Slash

<p>trakkung extension TRIKE as steering and pushing aid</p> <p>hook closure </p> <p>capacity up to 60kg (wheelchair incl. payload)</p> <p>size 1: seat width 28cm - 28cm size 2: seat width 30cm - 34cm</p> <p>CODE 9901</p>	<p># holder lateral at frame (for type d.23) with hook closure # castor 10x2" black alu fork # arrangement with gear segment # with ramp as mounting aid</p> <p>capacity up to 90kg (wheelchair incl. payload)</p> <p>size 3: seat width 36cm - 40cm size 4: seat width 42cm - 46cm</p> <p>CODE 9902</p>	<p>Trike</p> <p>trakkung extension as steering and pushing aid</p> 
<p><input type="checkbox"/> Piece 483,- €</p>	<p><input type="checkbox"/> Piece 623,- €</p>	

Slash

<p>trakkung extension TRIKE as steering and pushing aid</p> <p>quick release (clamp) </p> <p>capacity up to 60kg (wheelchair incl. payload)</p> <p>size 1: seat width 28cm - 28cm size 2: seat width 30cm - 34cm</p> <p>CODE 9921</p>	<p># holder quick release (clamp) at frame (for pipe Ø 23mm) # castor 10x2" black alu fork # arrangement of levers with gear segment # with ramp as mounting aid # with adjusting ring at frame (Ø 23mm)</p> <p>capacity up to 90kg (wheelchair incl. payload)</p> <p>size 3: seat width 36cm - 40cm size 4: seat width 42cm - 46cm</p> <p>CODE 9922</p>	<p>Note:</p> <p>Combination TRIKE with anchor plate system is possible !!</p>
<p><input type="checkbox"/> Piece 491,- €</p>	<p><input type="checkbox"/> Piece 633,- €</p>	

TRIKE colour frame Edition "...-Color"

<p>Note: the TRIKE frame parts are made of aluminium</p>	<p>TRIKE- frame colour powder coated</p> <p>Colour : frame colour (see page 1)</p> <ul style="list-style-type: none"> - frame type right / left - cross tube - castor fork <p>Code 9908</p>	<p>Edition "Duo-Color"</p> <p>colour 1: _____ (castor fork)</p> <p>colour 2: _____ (frame type right / left, cross tube)</p> <p>Code 9909</p>	<p>Castor fork with brake for directional stability</p> <p>Code 9909F</p>	<p><input type="checkbox"/> Piece OE 153,- €</p>
<p>without extra charge <input type="checkbox"/></p>	<p>OE 132,- € <input type="checkbox"/></p>	<p>OE 143,- € <input type="checkbox"/></p>		

note

<p> </p>

<p> </p>

Technical changes and print mistakes are reserved.

VD2378E-19

note

Technical changes and print mistakes are reserved.

VD2378E-19

General Terms and Conditions of Business (GTC)

Validity

All sales are subject to our delivery and payment conditions, without any exception. Orders and other agreements will not be valid unless confirmed by us in writing. We expressly object to the customer's purchase conditions.

Quotations and contract conclusion

Quotations are always subject to change, unless they are expressly limited in terms of time. Orders require a written confirmation. After confirmation, prices quoted in orders are fixed but we reserve the right to make adequate price adjustments in the event of price increases for which we are not responsible (e.g. tax increases, wage increases, price changes on the part of our suppliers). Cost estimates for customized products and repairs are always non-binding. We reserve the right to make technical modifications. The contract will not be concluded before the order is confirmed.

Shipment

To the extent the customer has not made any specification, shipment will be made in usual packaging using an adequate method. Insurance will only be taken out upon request and at the expense of the customer.

Delivery will be made carriage forward. We are free to select a method of shipment. If the customer has special requests, e.g. express delivery, express freight, etc., the additional cost will also be borne by the recipient. The goods will always be shipped at the buyer's risk. In case of damage during transport, the recipient must apply for an ascertainment of the facts with the respective forwarding agent.

Prices

All prices quoted by BEROLLKA will be quoted ex works, excluding any applicable statutory value added tax, public charges and levies such as potential customs tariffs, and insurance and packaging costs that will be charged separately.

Minimum quantity surcharge

If a small order is placed with a net value below 20 euros, an additional lump-sum minimum quantity surcharge of 15.00 euros will additionally be charged to cover administrative costs.

Delivery periods

The delivery dates and periods stated are subject to change. Any delay in delivery will not entitle the customer to withdraw from the contract. The assertion of damage claims is ruled out. BEROLLKA can make partial deliveries for justified reasons.

Wrong orders / return of merchandise

Any goods erroneously ordered will only be taken back provided we are responsible for such an error and the merchandise is in impeccable condition. In the event that an item erroneously ordered or merchandise that was returned is taken back in an individual case as a gesture of goodwill, attention must be paid to the following:

1. It is necessary to state the article number, the designation of the article, the date and number of the delivery note and the invoice number.
2. The return shipment must be carriage paid.
3. The merchandise must correspond to the article number(s) listed in the delivery note. In no event will any individual parts removed from an article be taken back.
4. The returned merchandise must be in impeccable condition.
5. Processing fees amounting to 10% of the net merchandise value not, however, less than €35.- will be charged for any instance where goods are taken back.

Deliveries effected more than 3 months earlier as well as sewing pieces and customized products cannot be exchanged. A copy of the delivery note or of the invoice will serve as proof in this regard.

Warranty and notices of defects

Excluding any further claims, the seller is liable for defects of the merchandise in that the seller will mend or replace all those parts free of charge that have become defective or unusable within 6 months due to provable defects of material or workmanship, and of which the seller has been notified in writing immediately after knowledge was gained of the defect. Should longer periods of time be required for statutory reasons, the warranty period is agreed to be 12 months.

The customer must grant the seller the required time and opportunity for effecting delivery of the replacement parts. Replaced parts will become the property of the seller. The buyer must check the merchandise without undue delay after it has been delivered by the seller and, if a defect is found, notify the seller of the defect without undue delay. Should the buyer fail to notify the seller, the merchandise will be deemed accepted unless a defect occurs that could not have been found when the merchandise was checked.

In any event in which a complaint is brought to the notice of BEROLLKA, BEROLLKA invariably has the right to inspect and check the item delivered that is the subject matter of said complaint, for which the customer will grant BEROLLKA the required time and opportunity. BEROLLKA can also demand that the customer sends the item delivered that is the subject matter of a complaint back to BEROLLKA at the expense of BEROLLKA. Should a notice of defects given by the customer turn out to be wilfully or gross negligently unfounded, the customer will be obliged to compensate BEROLLKA for any and all expenses incurred in this connection. BEROLLKA will be entitled to remedy warranty defects at its own discretion either by rectification of the defect or by replacement of the defective part or of the entire item delivered at no cost for the customer. Should the customer itself repair an item that gave rise to a complaint, or should the customer endeavour to rectify the defects itself without prior written approval of the seller, the seller will not grant any claims for reimbursement of expenses (such as transport, road, labour or material costs) or warranty claims.

The following are excluded from the liability for damages:

damage arising from natural wear and tear, damage due to negligent and/or improper treatment, or violent damage. A revocation of the purchase contract, a reduction of the purchase price or damage claims of any kind are ruled out. The warranty obligation will cease if repairs and/or modifications or replacements of individual parts are performed by other parties than the seller or the delivering company.

Reservation of title

With regard to resellers: The merchandise delivered will remain our property until any and all invoices – also for different deliveries – have been fully paid. Our merchandise that is hence still our property may only be resold within the ordinary course of business. Amounts receivable from any resale are assigned to us. We must be notified without undue delay and on the reseller's own initiative of any disposal of said merchandise outside of the ordinary course of business, e.g. through pledging our property or amounts receivable assigned to us.

Terms of payment

Any invoices are payable within 30 days from the date of the invoice strictly net cash. A 2% discount will be granted for payments received within 8 days provided any and all payment claims under earlier deliveries have been settled. We are entitled to charge default interest if the 30-day payment deadline is exceeded. The interest rate will be the customary market rate charged by major banks. We expressly reserve the right to effect delivery with cash on delivery.

Data Protection

BEROLLKA and the customer are responsible themselves for compliance with the respective data protection rules applicable to them. The customer must not provide BEROLLKA with personal data that is illegal or that the customer is not legally authorised to distribute.

The place of performance and the place of jurisdiction will be the place where the invoice is issued.

Heidelberg, Germany, will be the exclusive place of jurisdiction for any and all disputes arising under the contractual relationship. However, BEROLLKA is entitled to sue the customer at any other legal venue. These General Terms and Conditions of Business are governed by the laws of the Federal Republic of Germany, excluding of the United Nations Convention on Contracts for the International Sale of Goods of Goods (CISG).

Technical modifications and printing errors excepted. A current list of prices can be ordered at any time.