	FLOI	H LT - I	-LC	H HB	G	) BEROL	<b>LKFI</b> newegt
Adress				Shipping adres	SS	Se	ee adress
□ Order				Com.:			
Estimate				Basic	: Pric	e 21	74 - €
Purobasor:		() MADE GERM	IN IANY	Duois		Price valid from Jar	•
Purchaser:		( CRAS	H 50 7179-19			u)	пи гечокец)
Telephone:		,,,,					
		Advice		7			
		the gas spring the height adj				All dimensi	ons in cm
	user	weight + seating	system:	kg		Dimensional toler	
FLC	HLT (Floh mi	ini)		F	LOF	<b>Н</b> нв (F	loh)
1	small seating syste	ems		oility base fo	•	•	
with height adjustment wi	th gas spring		with h	eight adjustment v	with <b>gas spri</b> i	ng	7
* ergonomic aluminium frame * pushing hand bow, angle a	nd hight adjustable	Ž.	* push	nomic steel frame ing hand bow, angle		stable	
* seat basis for different a * height adjustment with gas	spring (1000N)		* heigh	basis for different at adjustment with ga angle adjustable wit	as spring (1150N		
* Seat angle adjustable with * rear wheels 12" with drum to * castor 140mm	100	7.0		wheels 12" with drun		<b>V</b>	6 6
CODE M80	1 basic pric	e 2174,- €		CODE M8	300	basic price	2225,-€
		technic	al data				
seat height:	Weight: 16.5 kg	zium adapter +2,0 kg o wheel +1,0 kg	seat he	eight:	Weight:	Trapeziu <b>28 kg</b> Anchor p	m adapter +2,0 kg plate +3,0 kg
down: 38cm up: 62cm	payload incl. seating shell:	40 kg	down	: 29cm 72cm	navload	Anti-tip wincl. seating shell:	_
measurements with 140mm and 12" wheels from floor to the seat frame	payout mon seaming snow			nents with 7" and 12" whee	els *Note: from	40kg payload you have to	-
seat agnle:	total width: 56cm		seat	angle:	total widt	•	
-8° to 30°	total length: 90 - 140cm (	without push handles)	-	-8° bis 30°		th: 83 - 118cm (wi	thout push handles)
pay	/load up to 40kg				payload up	to ooky	
		nc	to				

Technical changes and print mistakes are reserved.

VD2413E-30



### **FLOH HB**

#### Lifting forces due to the gas spring

The lifting force is the force required to lift the load on the seat.

If the load is greater than the maximum lifting force can lift, the load will not be lifted. In this case, the In this case, an additional force must be applied (pulled) by the accompanying person to lift the load. If the load is smaller than the maximum lifting force can lift, the load is lifted by the gas pressure spring without any additional effort from the attendant.

If the load is to be lowered in this case, the attendant must counteract this by pressing the gas strut, so that the load is lowered. Translated with DeepL.com (free version)

#### maximale lifting force

The maximum lifting force is the force that lifts the maximum load on the seat, lifts

#### Standard gas spring:

1x gas spring 1150N	Application for loads to be lifted up to 20 kg	up to 20 kg
---------------------	--	-------------

#### 2x gas spring 800N (CODE M846):

2x gas spring 800N	Application for loads to be lifted from 20 kg up to 35 kg	up to 35 kg
--------------------	---	-------------

#### 2x gas spring 1150N (CODE M847):

2x gas spring 1150N	Application for loads to be lifted from 35kg up to 50 kg	up to 50 kg
---------------------	--	-------------

## FLOH LT - FLOH HB



			frame colo	DUT Because o	of the material are different colours possible
	25 RAL9010 wh	hite 43 RA	L4010 telemagenta met.	45 RAL 6018 yellow green	
	24 RAL1028 me	elonyellow 44 RA	L5015 sky blue met.	19 silvermetallic	
	27 mandarin me	et. 16 RA	L5002 ultramarine blue	63 platin met.	
	41 RAL 3020 tra	affic red met. 17 dor	mantblue	23 RAL9005 black	
	06 dormantred	64 pet	rolgreen met.		met, = metalized
			frame colo	DUT Because o	of the material are different colours possible
	76 white satined	d 70 ut	ramarine blue satined	77 silvermetallic satined	
			trolgreen met. satined	78 platin met. satined	
	66 mandarin me 67 traffic red sat		llowgreen met. satined	22 RAL9011 black mat	
	68 telemagenta				
	72 sky blue met	t. satined			
Į					met. = metalized
			Edition L	ine	
	Edition "Duo-Color"	Edition "Style-Color"			
	colour 1:(Seat plate, Seat frame adaption)	colour 1: RAL9010 white (25) (frame, seat plate, push handle			
	colour 2: (frame, push handle + bar	optinal: footrest)  colour 2:			
	optinal: footrest)	(seat frame adaption)			
	Code M899	Code M890			
	OE 91,- €	OE 89,- €			
			note		
/ed.					
e reserv					
akes ar					
nt mist					
and pri	FLO	Н ст	frame acces	ssoriesF	LOH нв
Technical changes and print mistakes are reserved.	Trapezium adapter MINI for small seating shells (2 pieces)			Seat with <b>2 gas spring</b> additional gas spring with 800N for support of the height adjustment	Seat with <b>2 gas spring</b> additional gas spring with 1150N for support of the height adjustment
Technic	up to max. 30kg			from a payload from 20 kg to 35 kg	from a payload from 35 kg to 50 kg
				Code M846 2x 800N	Code M847 2x 1150N
VD2413E-30	CODE M825			Note: Despite additional gas spring needs depending on the load by	Note: Despite additional gas spring needs depending on the load by
9	Piece 320 - €			hand support when lifting.  OF 272 - €	hand support when lifting.  □ Piece OF 283 - €

### FLOH LT - FLOH HB



castor		FLOH LT			acce	ess	orie	es	FL	ОН нв	cas	tor	
Castor with scre and plastic fork	w axle											Castor 7" with s and plastic fork	
140mm solid soft CODE	M881											7" pneur CO	natic DE M882
140mm bla solid soft CODE	ck : M881S											7" solid CO	DE M883
Standa	ard											Stand	ard
					foo	otpl	late						
Single footplate v knee angle adjus	table	Single footplate angle adjustmen gear segment		Footplate ar adjustable, a joint for foot adjustable	additional	upv	wards	e folding otplate, with kn E M831 or M83	ee 3)	Single footplate alu. flat-profile knee angle with gear segment, folding back	a	Single footplate Ilu. flat-profile nee angle with sla egment, folding ba	
heel	odge	Footpla	te with al edge	(for single footpla angle CODE M8	te with knee 31 or M833)		F	ootplat <b>without</b> heel edge		Footpla	te with el edge	Fo	otplate with heel edge
Code M	831	Code	M833		Code M832	(not li		Code M83	5	Code M	837	Code	M838
Piece	293,-€	Piece	344,-€	Piece	OE 114,-€		Plece		77,-€	Piece	366,- €	Piece	359,-€
					ad	lap	ter						
Trapezium adapter 2-piece (for seating shell)	s uppe	ezium adapter er part eating shell)	Trapezi adadap (for mobi		HC-Trapezion adapter for seasons shell, 2-piece	eatii						Double for flat-profile with knee ar multi disc joi	egle with
			Banks .	88									Footplate without heel edge
Code M820	Co	de M821	Code	M822	Code M	829						Co	de M836
Set 320	),- €	Piece 134,- €	Pied	e 188,-€	Set	419	9,-€					Piec	e 464,-€
	bacl	k											
Push hand bow angle and heigh adjustable (fixed on the fra	t bo	ever at the hand ow for the seat ting											
Code M81	o	CODE M819											
Standard		Piece OE 102	2,-€										
	wh	neel								ac	cessor	ies	
rear wheel 12" w drum brake and screw axle (for companion)	ith	Wheel extension	8cm						anchor p (ISO 717 Assembl	or plate system Fi lates for transport in c (6-19) y kit for mobility base mounting		Anti-tip whee swing away with adapter	l straight
12" pneumat	ic	0 (	0					FLOH	Інв	CRASH® TESTE	9-19 <b>П</b>		
Code M861		Code M87	7							Code M891	_	Code M	/812
Standa	rd	Pair	188,-€						Set	net price	<b>450,-€</b>	Piece	159,- €

# FLOH LT - FLOH HB



	note
served	
are re	
istakes	
orint m	
s and	
hange	
Technical changes and print mistakes are reserved.	
Techi	
30	
VD2413E-30	
VD2.	