							·	·	
	Adress				Shippin	g adress		see adre	ess
	□ Order				Com.:				
	☐ Estimate		mene i		Bas	sic Pric	e fror	 n 265() €
	Purchaser:		MADE I GERMI			J. J. I.		id from October 1: (until rev	st 2025
	Telephone:	C) TES	TED					
			PINETTE PINETOMIC SERTXBRCK-SYSTER	₹ !X ‴					
	Dudas	L	UNITO ANATOMIC SEATED	DITTIC [®]					
	Ryaer							ity up to 120 k	
	Ryder			sions in cm	7	R	uder f	R	
	Active-wheelchair made of aluminium, foldable, with integrate	ted foot		Active-w		ade of aluminium,			t
	frame without footrest and	(by 70°	frame) tume		vithout footre		frame leng	th with footrest holde	er e
erved.	without side guards frame 70° 55cm = sho		frame) SD 32-34* SD 36-38 SD 40-42 SD 40-42	Williout	side guarda			= extra short SD 3 = short SD 3	32-34* 36-38
print mistakes reserved	(standard) 59cm = mid		SD 40-42 be supported by SD 44-46 supported by SD 44-46 supported by SD 44-46 supported by SD 40-42 supported by SD 44-46 supported					= middle SD 4 = long SD 4	Ē
nd print mi	total length depends of and the position of the frame length with UNIT	footrest	€				and the position	ends on the wheel posen of the footrest	•
	Code 3400 basic price		F7cm •	Cod	de 3500	□ ba		e 2680,- €	٠
Technical changes a	пасте рисс		basic m	neasure	es				
	Seat width (SW) Seat depth (SE	·				Back height (BH) Lov	ver Leg Length (L	.LL):
ents in ossible !!	28 30 32 34 frame extra sh		32 34	Special	donth			LLL:	
Note: more measurements in special constructions possible	36 38 40 42 Special seat width (SW) frame middle		36 38	Эресіаі		25 30	³⁵ *F	35cm (without seat Ryder SLT from 34/3 Ryder AR from 32/3	35cm
more m al constr	44 46	[40 42	48 Code 409		40 4 +2,5cm adjus		ax. LLL = SH - 3cm	1
Note:	OE 198,- €		44 46		DE 155,-€	not by UNITOMIC		nical data see back s	side
	2-2		110	ote			I	at height in cm	
								possible wheel combin hout seat cushion	
80-					10			front:(Standard = 48	cm 3/49cm)
VD2388E-08				V				back:	cm
_	E.			V	_		1	(Standard = 45	i/46cm)

from LLL 28 with footrest "displaced"

(Standard = 45/46cm)




Technical data

seat width SW


seat depth SD


back height RH


from outside crossbar to outside crossbar +6mm



from upper edge seat upholstery to upper edge back upholstery







Lower Leg Length LLL:

Total width wheelchair: with wheels and handrim

with drum brake

with One hand drive wheels

with One hand drive wheels+drum brake

folding measurement: with wheels

with drum brake without wheels

maximum burden: 120 kg

weight:

about 30cm about 32cm

35 to 49 cm

SW + 18 cm

SW + 20 cm

SW + 24 cm

SW + 26 cm

about 22cm

from 8,0 kg *

* without rear wheel

seat height SH

Hinweis: Sondersitzhöhen im Sonderbau möglich!!

Rvder

i tyddi		minimum	seat height	maximum seat height		
rear wheel	castor - fork	front	back	front	back	
	4 Zoll - short	43 cm	39 cm*	46 cm	46 cm	
	- long	46 cm	39 cm*	50 cm	49 cm	
22 Zoll	5 Zoll - short	44 cm	39 cm*	47 cm	46 cm	
	- long	46 cm	39 cm*	51 cm	49 cm	
	6 Zoll - short	45 cm	39 cm*	48 cm	48 cm	
	- long	48 cm	39 cm*	52 cm	51 cm	
	140 mm - wide	46 cm	39 cm*	50 cm	49 cm	
	4 ZoII - short	44 cm	43 cm*	46 cm	46 cm	
	- long	46 cm	43 cm*	50 cm	49 cm	
24 Zoll	5 Zoll - short	44 cm	43 cm*	47 cm	46 cm	
	- loang	47 cm	43 cm*	51 cm	50 cm	
	6 Zoll - short	45 cm	43 cm*	48 cm	46 cm	
	- long	48 cm	43 cm*	52 cm	51 cm	
	140mm - wide	46 cm	43 cm*	50 cm	49 cm	

All measurements ± 0.5 cm

22 inch wheel with castor fork short (4", 5" and 6") 24 inch wheel with castor fork long (4", 5" and 6") or castor fork wide (140mm)

Notice: at the castor wheels PU-black are the minimal seat height with the fork short and extra short not possible

^{*} Advice: with drum brake you have to add 2cm !!





				frame col	our	Because of t	of the material are different colours possible	
	25 R	AL9010 white	06 d	ormantred	44 RAL	5015 sky blue met.	51 applegreen metallic	
	56 R	AL1021 goldyellow met.	40 n	edmetallic	16 RAL	5002 ultramarine blue	45 RAL6018 yellowgreen	
shiny	24 R	AL1028 melonyellow	43 F	RAL4010 telemagenta met.	17 dorn	nantblue	60 mojitogreen	
S)	27 m	andarin met.	53 c	assis	64 petro	olgreen met.	19 silvermetallic	
	41 R	AL3020 trafficred met.	59 a	tlanticblue	50 appl	egreen	23 RAL9005 black met. = metalized	
				frame col	our	Because of t	the material are different colours possible	
	76 wi	hite satined	69 p	urpur met. satined	75 petro	olgreen met. satined		
peu	65 go	ldyellow met. satined	61 c	ool mint mat	73 yello	owgreen met. satined		
satined	66 ma	andarin met. satined	72 s	kyblue met. satined	74 mojir	togreen met. satined		
mat /	67 tra	iffic red satined	71 a	tlanticblue satined	77 silve	rmetallic satined		
_	68 tel	emagenta met. satined	70 u	Itramarine blue satined	22 RAL	.9011 black mat	met. = metalized	
				upholstery	colours		11011 1101111111111	
	DE29	90 black		AG410 yellow	AG451 ki	ing blue		
andaro			able fi	AG430 red	AG460 le	emon		
ery sta			breath	AG441 pink	AG470 g	rey		
upholstery standard			upholstery breathable fabric	AG450 ultramarine	AG490 b	lack		
			Code 201	1			only for adjustable back upholstery OE 68,- €	
			Code 20				OE 00,- €	
Tip s	shackle	Transit wheels	Walking stick hold	frame acce	Anti-tip wheel hig	ıh		
	☐ right		aluminium for 2 crutches	☐ right	adjustable nad with gear segme			
딾			rechts			_		
			links					
	Code 105	Code 102	Code 103	Code 104		ode 2405		
F	Piece 72,-€	Pair 242,- €	Piece 85	,- € Piece 145,-	· €	185,- €		
- اد ۵	ntor for from#	hmente		note			S has the same of	
	pter for frame attac rd or 4th attachment p					colour	Edition "DUO-R1" Ryder	
							frame gg side guard gg footrest holder * g	
	Code 104A					coloui	don we	
	1 piece 2 pieces	•••••					- footrest plate / -profile 5 - Design- castor fork 5 - wheel plate 6	
max. 2	adapter possible	F each					(frame colour see side 1)	

	Ryder SL	7		fra	ne		Ryder A	R
Frame part +30mm backwards only for straight back	frame with 80° frame length shorter about 4cm				Frame part +30 backwards only for straight back	mm 30mm	Abduction frame front front frame with 6cm abduction	•
Code 504	8.				Code 504		Code 3522	
back tube 30mm displaced backwards (e.g. for straight back with back shell)	Code 401 only with castor 4" or 5" from frame short (SD 36	-38) possible			back tube 30mm displa (e.g. for straight back v	vith back shell)	from SD 36/38 with 22" possible (from frame sho	-
OE 116,-	€	0,-€				OE 116,-€	OE 28	36,- €
Abduction frame frame in front with 6cm abductio total frame leng is 6cm longe	(reinforced versio	n) vith			Spasticity frame steel back frame (reinforced version recommended versions)	n) with		
	strong spasticit Code 426				strong spastic			
Code 3422 only from 4° camber possible from frame short (SD 36-38) pos	sible							
OE 286	· ⊔	48,- €				348,-€		
	footre						st with footr	
Single footrest alu-profile be angle adjustable from LLL 34/35cm	single footrest alu. flat-profile angle adjustable from LLL 34/35cn	black,	Double footrest, alu-profile black, angle adjustablest. from LLL 33 cm		Single footrest, alu-profile black, angle adjustable with footrest holde from LLL 33	flat adj	gle footrest, alu. i-profile, angle ustment with trest holder from LLL 33	Double footrest, alu-profile black, angle adjustable with footrest holder from LLL 33cm from SW26cm
Code 3415	Cod 341		Code 3416	0	Code 3515		Code 3511	Code 3516
Piece 30	0,-€ Piece	300,-€	Pair	330,-€	Piece	318,- €	Piece 318,-	€
Double footrest, alu. flat-profile black, angle adjustable from LLL 33 cm	Single footrest, alu-pr displaced with footrest bracket and clamp plate, angle adjusts from LLL 28cm	alu with i able clam	Single footrest I flat-profile displace footrest bracket and p plate angle adjustable LLL 28cm		Double footrest, alu. flat-profile a adjustable with fo holder	otrest	Single footrest alu-profile, displa with footrest bracket a clamp plate, angle adj from LLL 20cm	iced alu flat-profile displaced and with footrest bracket and
Code 3412	Code 3417		Code 3413		from SW26cm		Code 3517	Code 3513
Pair 330,-€	Piece	344,-€	Piece	344,-€	Pair	348,-€	Piece 3	62,- €
Double footrest alu-profile displaced with footrest bracket and clamp plate, angle adjustable from LLL 20cm from SW 28cm	Double footrest alu flat-profile disple with footrest bracket and clamp plate, angle adjust from LLL 20cm from SW 28cm	aced			Double footre alu profile displ with footrest bracket is clamp plate, angle ad from LLL 20cm from SW 28 cm	aced all w cl fin fin	Double footrest u flat-profile displaced ith footrest bracket and amp plate, angle adjustable om LLL 20cm om SW 28 cm	
Piece 368,-€	Piece 36	68,-€			Paar	385,-€	Piece 385,-	€
Mechanism for swing	away single footrest		ty locking	Footrest (all	l u-profile) 능		icity locking	Elevating footrest with double footplate alu-profile
` '	wing away outside)	tor sing	le footrest	coloured like the fram	ne colour * 9 3		uble footrest	angle adjustable and
from LLL 38cm only in combination with	only in commbination with single footrest displaced	footrest alu-profile	footrest alu.	colour:	of second color Duc-Color and Publication and Color Duc-Color Publication and Color Publ	footres	file alu.	from SW 34cm by frame straight from SW 28cm by abduction frame
single footrest		Code	flat-profile Code		of second	Code	flat-profile Code	from LLL 33/34cm YY (from SD 32cm)
Code 418	Code 418A	122	1122	Code	417 988 <u>4</u>		1123	from SW 28cm by frame straight from SW 28cm by abduction frame from LLL 33/34cm (from SD 32cm)
□ Do OE 172 €	□ Do OE 197 €	Disas	OE 97 6	,		: Deir	OE 151 6	Doi: 579 6





Height of push handles

Height of push handles for companion = Back height + Seat height + Height of push handle

Height of push handles for companion = BH + SH + HPH

	Back	Ва	ck with heig	ght adjustable	Back with height adjustable push handle							
	standard	15cm normal	35cm long	45cm extra long reinforced	cropped	bent rewards						
HPH min. max.	3cm	4cm 19cm	4cm 39cm	4cm 49cm	21cm 38cm push handle each side 6cm outside	12cm 29cm push handle each side 9cm backwards						



				bac	k			
back standard (standard handles)	Back w adjusta	ith handles heigh ble	t	Back with adju- upholstery	stable	Back with adjustable upholstery and heigi adjustable handles		without back upholstery
Code 107	(str	g) set ward nt ckwards Code 108		ode 109	(at Desk side guard from BH 35) 15cm (standard) 35cm (long) Code 110		Code 3409	
Standard	Pie	эсө	OE 262,-€	Piece	OE 174,	- € Piece	OE 428,-€	Piece 0,-€
		t approved for transpo capped transport car	ort	bac	k			
Gear segment for back angle adjustion for straight back from BH 35		Back 30° ang pilization bar and an s spring	ti tip wheel rec mechanic with quick (0°, 10 on with		back uphol	-Design for adjustable stery with breathable fab , 441, 450, 451, 460, 470, 49 colour 1 (insid	o); e):	SlimLine- design at MATRIX-Aktiv back
Code 407		- from BH 35 - only with pu 15cm (stand	sh handles	30	biocolou	2 black fabric 75 colour 2 (outside	-	
the combination with CODE 108 or CODE 209 is restricted possible	"	Code 135	Code		upholste			
Piece OE 206,- €	Piece	MP 492,-€	Piece	OE 390,-€	Cod	e 202 OE 82,	.€	
Back UNITOMIC * with adjustable upholstery (anatomical back) from BH35 information: Choose seat depth 2cm shorter Code 412	adjustable back and height adjustable handles from BH35 Information: cose seat depth 2cm shorter adjustable back and height adjustable handles from BH40 angle adjustion for UNITOMIC back from BH40 *Advice: to ensure the optimal and ergonomic seat position we suggest from 2cm seat inclination the option gear segment (Code 411 or 407) for back adjustable back and height adjustable back and height adjustable handles from BH40 *Information: Choose seat depth 2cm shorter Information: only in combination only in combination with CODE 410 *Advice: to ensure the optimal and ergonomic seat position we suggest from 2cm seat inclination the option gear segment (Code 411 or 407) for back adjustable back and height adjustable back and height adjustable handles from BH40 *Advice: to ensure the optimal and ergonomic seat position we suggest from 2cm seat inclination the option gear segment (Code 411 or 407) for back adjustable back and height adjustable back			nomic seat position, at inclination				
Piece OE 272,-€	Piece	OE	506,-€	Piece C	DE 206,-€			
				bac	k			
FIDIBUS back with clips ergonomic back unit with clips extrem light ergonomic formed back standard: SW 28 - 40cm / BH 20 - 40cm curved back 30mm Code 2292F (standard) curved back 50mm Code 2292F-5 Please take prices and further information from FIDIBUS order form curved back 2294F-5			ergonomic shap back cushion Ai back cushion (foam cover (without back 30mm cruved back (standard) 50mm 2 2	ped SR) with	(without cushion) colour: frame colour 30mm curved back (standard) 50mm curved back only with Code 108 or 110 pos	e back H 30cm DE 30ccurve (sta	able tomical shaped k cushion ASR cushion (foam) with cover (without plate) CODE Domm ad back	
Piece	OE 632,- €	Piece	OE 429,- €	Piece	OE 300,- €	Piece OI	. 020,- €	Piece OL 300,- e
	hack	back system MAT	RIY	Advic	e: price reduct	ion for back upholstery alread	.	n the MATRIX or FIDIBUS price!
headrest Aktiv (15x15) adapter Ø19	Code: .ktiv-KH Aktiv-K Lktiv-KLH	th Induvidual adjusts back MATRD with 12cm conto Code: Vario	able holder and	back MATR with 18cm col Code: Vario	IX-VarioT Intour depth INT INTO INTO INTO INTO INTO INTO INTO I	Take prices and further informations from respective MATRIX order form	FIDIB	prices for special sizes FIDIBUS US with special height BH 45cm Code 2292RH45 OE 112,- € US with special hight SW 42 - 50cm Code 2292SB50
│ headrest light (Ø18,7)	Aktiv-KL SPG SPA	☐ head	pter Ø19 drest light (Ø18 tioning aid (Ø1	3,7) Vario	-KL		Piece	OE 101,-

Code 224

Piece

320.-€

204,-€

Code 178

Piece

153.-€

Code 478

167.-€

Piece

Ø 19mm Code 225R

Piece

320.-€

Code 225

Piece



Wheel plate:


Center of gravity adjustment (measured from back tube to wheel center)

Wheel plate standard / Back straight:

A = 7.0 cm (at 24" only with side guard ERGO)

B = 5.0 cm

C = 3,0 cm



Wheel plate standard / UNITOMIC back:


A = 10,0 cm (6,5cm at bow) (at 24" only with side guard ERGO)

B = 8.0 cm (4,5cm at bow)

C = 6,0 cm (2,5cm at bow)

D = 4.0 cm (0,5cm at bow)

E = 2.0 cm (-1,5cm at bow)



Wheel plate staggered (CODE 5951) / back straight:


A = 9.0 cm (22" / 24" only with side guard ERGO)

(short frame with 24" is not possible)

B = 7.0 cm (at 24" only with side guard ERGO)

C = 5,0 cm

C = 8.0 cm



Wheel plate staggered (CODE 5951) / UNITOMIC back:


A = 12,0 cm	(8,5cm at bow)	(22" / 24" only with side guard ERGO)
		(short frame with 24" is not possible)

B = 10,0 cm (6,5cm at bow)

(4,5cm at bow)


D = 6,0 cm (2,5cm at bow)

E = 4.0 cm (0.5cm at bow)



(at 24" only with side guard ERGO)





Piece

304,-€

Piece

Piece

472,-€

Piece

498,-€

472,-€






Combinationen wheels with frame length

	, ,	integrated footrest) E 3400	Ryder AR (with detachable footrest) CODE 3500			
rear wheel	frame straight (integrated)	fram with aduction (integrated)	frame straight (with demountable footrest holder)	frame with abduction (with demountable footrest holder)		
22"	SD 32 - 34 frame extra short possible (only with castor 4" or 5" possible) SD 36 - 38 frame short possible (only with castor 4" or 5" possible) ST 40 - 42 frame middle possible ST 44 - 46 frame long possible	SD 32 - 34 frame short not possible SD 36 - 38 frame short possible SD 40 - 42 frame middle possible SD 44 - 46 frame long possible	SD 32 - 34 frame extra short possible (only with castor 4" or 5" possible) SD 36 - 38 frame short possible SD 40 - 42 frame middle possible SD 44 - 46 frame long possible	SD 32 - 34 frame extra short not possible SD 36 - 38 frame short possible (only with castor 4" or 5" possible) (wheel position A" not possible III) SD 40 - 42 frame middle possible ST 44 - 46 frame long possible		
24"	SD 32 - 34 frame extra short not possible SD 36 - 38 frame short possible SD 40 - 42 frame middle possible SD 44 - 46 frame long possible	SD 32 - 34 frame extra short not possible SD 36 - 38 frame short possible SD 40 - 42 frame middle possible SD 44 - 46 frame long possible	SD 32 - 34 frame extra short not possible SD 36 - 38 frame short not possible SD 40 - 42 frame middle possible SD 44 - 46 frame long possible	SD 32 - 34 frame extra short not possible SD 36 - 38 frame short not possible SD 40 - 42 frame middle possible (only with castor 4" or 5" possible) (wheel position "A" not possible III) SD 44 - 46 frame long possible		

Suspensioned wheel plate:

Seat height SH with suspensioned wheel plate





			rea	ar wheel sta	ndard				
Ī	Rear wheel standard (Alu hub bi	, .	_	n rear wheel 24"	Perfo	ormance tyre			
	pneumatic	solid	١.	ub silver) uick release axle,			Right Ru	m	Camber
	22"x1 3/8 rough profile* Code 150 22"x1 fine profile* Code 144	22"x1 3/8 grey Code 149		nt spoke wheel	24"x1 Co	nde 570			0°
	22"x1 black Code 144S	22"x1grey Code 141		x1 pneumatic Code 591 grey	Marathon Plus (grey tyre)		Code 573 Cod	de 576	2°
	24"x1 3/8 rough profile* Code 151	22"x1 black Code 1413 24"x1 3/8 grey Code 153	3 24">	x1 pneumatic Code 594 black	22"x1 Co	de 577	blue		(standard)
yres	24"x1 Fine profile* Code 157	24"x1 grey Code 154	24">	x1 solid Code 592 grey	Marathon Plus (black tyre)	Evolution		ack	4°
* grey tyres	24 X1 black Gode 1070	24"x1 black Code 154	24")	x1 solid Code 593 black	Marathon Plus		black		
*		Standard		Diagram	(black tyre)	ı	OE	E 40,- €	7° 📙
[for no al code	a al atamala	and a			
				for real whe	eei standa	ard			
	Handrim for re	ar wheel standard and des	ign rear v	wheel 24"	01179.45	- OFIG60	GEKKO		
	aluminium aluminium silver	stainless steel TETRA- polished (Super C		Maxgrepp ERGO Para	CURVE black anodized	GEKKO black anodi with rubber	zed with rubbe		
	22" 22"	22" 22		c 	URVE 22"	22"	·		
	Code 455 Code 492	Code 155 Code		└─Code 550	Code 4502	Code 4	501	4503	
	24" Code 454 Code 491	24" Code 156 Code		24" Code 554	24" Code 4504	□ 24" Code 4			
	Extension narrow v	vide 🗌						narrow wide	
	Standard	OE 32	0,-€	OE 358,- €	OE 388,- €	OE 503	3,- € OE 50)3,-€	
[rear whee	el	'	'		
	SAFETY-GRIP-wheel	Rear wheel with drum brak e	•	"Black Edit		Active wi	heel 24 x 1"	handrim co	ver
	rim with integrated hand rim and quick release axle (for companion)			rum brake rear wheel v		rim with doub	ble wall	black	
	_			ack hub and quick rel e lack cap and with tyre	ease axle with	and high flan	nge hub ss steel hand rim	1 /	()
	22" Code 261	22" Code 160	M	laration Plus Evolution	(black tyre)			·	
	24" Code 461	24" Code 159		22"x1 or 24	l"x1	straight	spoked Code 561	☐ 22 '	" Code 191
	only in combination with			Code 2263 cross s			☐ 24 ¹	" Code 192	
	rear wheel Standard or rear wheel with drum brake	not possible in combination with spec rear wheel LWW or Design		(only in combination with CODE 159 or 160)		Code 562			
	Pair OE 101,-€	Pair OE 3	18,-€ [Pair	OE 108,-€	Pair	OE 236,-€	Pair	136,-€
	light w	eight wheel				one ha	and drive		
	Light weight wheel LWW 22		Light W	eight Wheel 25"	handrim addition	I	One hand drive w	•	ase axle
	24 radial spokes black with alu hand rim	and pneumatic tyre (fine profile)	_	WW 25"x1			and stainless stee	i nand rim	from SW 28cm camber max. 7°
	grey tyre	black tyre		black radial spokes, umatic tyre	handrim in stai	niess steei	Combination with d	Irum brakes is po	
	hand rim hand black sliv		(SENTINE	•			left	ı righ	nt
		564S CODE 2867	black tyre black han		Cod	e 198Z	22" Code		Code 195
		= 563S	c	CODE 4863	only in combination w	Mh an	24" Code	 194 24"	Code 196
	Pair not possible with soil	id tyre ! OE 188,- €	Pair	OE 268,- €	one hand drive set	OE 145,- €	Pair		OE 998,-€
	1 dil 110t possible with son	, ,		·		02 140, 0			OL 330,- €
	contar of growity adjustment	staggered wheel plate		l plate for re		xtension	wheel plate su	renensioned	ı
	center of gravity adjustment	20mm staggered	, 	for drum brake	Wileei e.	Klerision	for rear wheel	•	
	 • • • • • • • • • • • • • • • •					 		Only with to	Camber
	wheel position:							1	user weight: kg
	wheel position.	。 Code 5951				0 0		3	
3			-			Code 595			
	· · 6 6	from frame middle (SD 40/42) wheel extension, one hand dri or frame FLATLINE is not pos	ve	Code 162 only with wheel plate str		e 161 eel plate straight	combination with one not possible combination with anch		
	not for the suspensioned wheel plate Code 595		101,- €		aight onlywiunwh 00,- € Pair			prato oyototti HOC	OE 498,- €



rear wheel - spoke cover										
spoke cover transparent	spoke cover w	rith special-motive or are net price and not discour	ntable!! Examp	le						
⊗ BEROUKA	www.speichenschutz.com	www.rs-speichenso	chutz.com							
о	Motiv-Nr.: 24"	Motiv-Nr.:	24"							
22 inch Code 165	please take the motive no. from the website www.speichenschutz.com	please take the motive i from the website www.rs-speichenschutz.c	com	mation about others spoke cover motives						
24 inch Code 166	Code 2268	Code 2268 Code 2267								
Pair 17	78,- € Pair net price 230,-	€ Pair net	t price 218,- €							
	castor									
Ca	astor with screw axle short, castor adaptor	_		htwheel (Skater)						
solid	pneumatic	PU tyre i	in black Ca	stor with LED lights						
4 inch Skater	Code 530	PU black								
4 inch (grey)	Code 531			4 inch Code 181LED						
5 inch (grey)	Code 532	4 inch	Code 531S							
140mm soft (grey) 140mm soft (black)	Code 539 Code 539S 6 inch Cod	le 536	Code 532S	5 inch Code 582LED						
6 inch (grey)	Code 533	6 inch	Code 533S							
	Standard			Pair OE 54,-€						
		castor								
Castor solid with plastic rim black and black tyre	Design castor slim black tyre (solid)	Soft-aluminion black tyre (s		Soft-castor plastic rim black tyre (solid) soft						
(slim tyre)	aluminium rim aluminium rim black	aluminium rim silver	aluminium rim black	plastic rim black						
4 inch Code 534	4 inch Code 537	4 inch Code 5394	4 inch Code 5394							
5 inch Code 535	5 Zoll Code 538S	5 inch Code 5395	5 5 inch Code 5395	5 inch Code 5385						
	Code 538			6 inch Code 5386						
Pair OE 46,-€	Pair OE 75,-€	Pair	OE 102,-	€						
		castor								
Castor fork with	Quick release axle adjustment kit (only		Ca	stor staggered outward						
quick release axle	4" solid with design castor fork short	Code 480		d in the front he front 40mm / outward 38mm)						
<u></u> †	4" solid with design castor fork long 5" solid with design castor fork short	Code 481 Code 482	(u) c							
	5" solid with design castor fork long	Code 483		Ja May						
	6" solid with design castor fork short 6" solid with design castor fork long	Code 484 Code 485								
1 / 1	6" pneumatic design with castor fork sho			Code 2459						
Code 180	140mm soft design with castor wide	Code 488								
				ame 70° straight possible from SD 40 me with abduction from frame middle possible						
Pair OE 165,- 6	€ Set only in combination with CODE 180	OE 288,-€		Pair OE 98,-€						
		castor								
Design fork coloured			Castor fork with	Castor fork with locking device						
like the frame colour *			"straight keeper" direction locking device	(locking pin) direction locking device						
colour:			for directional stability	for directional stability						
			for 4", 5", 140mm or 6" wheel	for 4", 5", 140mm oder 6"-wheel						
Code 499			Code 281	Code 2285						
(look at the frame colour on page 3)			Note: castor with quick release	Note: castor with quick release						
Pair OE 95,-			not possiblel Pair OE 194,- €	not possiblel Pair OE 215,- €						

Technical changes and print mistakes reserved.

VD2388E-08



brake										
knee angle brake incline	knee angle offset	brake	knee angle brake offset with short lever stroke	T	gle brake	Brake leverstraight	er extension	One hand b	rake ever extension	
Code 174	Code	// 174A	Code 174K			(only for CODE 17	4K)	right		
for clothing guard	for Desk side standard si		for short frame sometime necessaryl	Code	174Pull	0052 11	Code 175	C	ode 173	
	Sta	ndard		Pair	OE 77,-€	E Pair	81,-€	Piece	OE 272,-€	
				bra	ke					
Knee angle brake 1; switched through co (combination with drum brake Co and with Code 175 not possible	mpanion ode 140 / 159 / 160	only for cor activated w (alternative for	ith bowden cable					gle brake offse king pin for lo fixed in the braked		
Code 2478		(combination wit	2479 A drum brake Code 140 / 159 / 160 and					and opened position Code 174RastD	opened position Code 174RastO	
Pair	OE 209,- €	Pair	s not possible) 330,-€					OE 288,- €	OE 264,- €	
				bra	ke		· · · · · · · · · · · · · · · · · · ·			
	Knee angle	brake integ	rated in side guard		<u> </u>	gle brake in	tegrated in ERGO AL sid	le guard		
with brake lever long cap (rubber) Code 2289	he	misphere 2-p screwed			with brake lever cap (rubber)		hemisphere 2-piece screwed Code 2289K	I	ake lever curved 32mm screwed Code 2289B	
Pair only in co	mbination with side	guard CODE 4	33, 232 or 230	E 174,-€	Pair ont	ly in combination	with side guard ERGO AL CODI	≣ 437	OE 176,-€	
			- -	acces	sories					
Anchor plate anchor plates for trans (ISO 7176-19) Assembly kit for whee	sport in cars	ng mounting			ev TI	ven without a he wheelcha	Note: ir RYDER is tested and ap anchor plate (ISO 7176-19 ir must be equipped with a positions be attached to the). ı restraint syste		
Ryder AR from SD36/3 Ryder SLT possible		ode 3490					CRASH TEST	iso 7179-19		
Set	net p	rice 450,-	ε		th		stem with hook at postion C n 4° camber !!	of the wheel pla	te	
				no						

Technical changes and print mistakes reserved.

Piece

483,-€

Piece



Ryder SLT		accessories	
trakking extension TRIKE as steering and pushing aid hook closure	# holder lateral at frame (for type d.23) with hook closure # casotr 10x2* black alu fork # arrangement with gear segment # with ramp as mounting aid	Trike	
capacity up to 60kg (wheelchair incl. payload)	capacity up to 90kg (wheelchair incl. payload)	111110	
size 1: seat width 26cm - 28cm size 2: seat width 30cm - 34cm	size 3: seat width 36cm - 40cm size 4: seat width 42cm - 46cm	trakking extension	
CODE 9901	CODE 9902	as steering and pushing aid	

623,-€

Ryder AR # special holder lateral at frame (for type d.23) with hook closure trakking extension TRIKE Note: as steering and pushing aid # castor 10x2" black alu fork # Gestänge mit Zahnsegment # mit Rampe als Montagehilfe hook closure with brake in side guard from SD36/38cm and with special holder T1016331 possible!! capacity up to 90kg capacity up to 60kg (wheelchair incl. payload) (wheelchair incl. payload) Combination TRIKE hook closure with anchor plate system NOT possible !! size 1: seat width 26cm - 28cm size 2: seat width 30cm - 34cm size 3: seat width 36cm - 40cm size 4: seat width 42cm - 46cm **CODE 9906 CODE 9907** Piece 510,-€ Piece 669,-€

TRIKE	colour frame	Edition "Color'	•	
	TRIKE- frame colour powder coated	Edition "Duo-Color"		Castor fork with brake for directional stability
Note: the TRIKE frame parts are made of aluminium	Colour: frame colour (see page 1) - frame type right / left - cross tube - castor fork	colour 1: (castor fork) colour 2: (frame type right / left, cross tube)	ur 2:	
	Code 9908	Code 9909		Code 9909F
without extra charge	OE 132,- €	OE 143,- €		Piece OE 153,- €

trakking extension TRIK as steering and pushing		# holder quick release (clamp) at frame (for pipe Ø 23mm) # castor 10x2" black alu fork	
quick release (clamp)		# arrangement of levers with gear segment # with ramp as mounting ald # with adjusting ring at frame (Ø 23mm)	nt
capacity up to 60kg (wheelchair incl. payload)		capacity up to 90kg (wheelchair incl. payload)	
size 1: seat width 26cm - 28cm size 2: seat width 30cm - 34cm		size 3: seat width 36cm - 40cm Größe 4: Sitzbreite 42cm - 46cm	
CODE 9921		CODE 9922	
Piece	491,-€	☐ Piece 633,- €	€

Note:

Ryder AR: combination TRIKE with anchor plate system is **not** possible!!

Ryder SLT: combination TRIKE (hook closure) with anchor plate system is from frame middle (from SD 40) possible !! *

combination TRIKE (quick release) with anchor plate system is possible !! **

- * with table 138 / 138S / 139 not possible!
- ** combination TRIKE (clamp) with anchor plate system and table 138S possible

nc	ote



General Terms and Conditions of Business (GTC)

Validity

All sales are subject to our delivery and payment conditions, without any exception. Orders and other agreements will not be valid unless confirmed by us in writing. We expressly object to the customer's purchase conditions.

Quotations are always subject to change, unless they are expressly limited in terms of time. Orders require a written confirmation. After confirmation, prices quoted in orders are fixed but we reserve the right to make adequate price adjustments in the event of price increases for which we are not responsible (e.g. tax increases, wage increases, price changes on the part of our suppliers). Cost estimates for customized products and repairs are always non-binding. We reserve the right to make technical modifications. The contract will not be concluded before the order is confirmed.

Shipment

To the extent the customer has not made any specification, shipment will be made in usual packaging using an adequate method. Insurance will only be taken out upon request and at the expense of the customer.

Delivery will be made carriage forward. We are free to select a method of shipment. If the customer has special requests, e.g. express delivery, express freight, etc., the additional cost will also be borne by the recipient. The goods will always be shipped at the buyer's risk. In case of damage during transport, the recipient must apply for an ascertainment of the facts with the respective forwarding agent.

All prices quoted by BEROLLKA will be quoted ex works, excluding any applicable statutory value added tax, public charges and levies such as potential customs tariffs, and insurance and packaging costs that will be charged separately.

Minimum quantity surcharge

If a small order is placed with a net value below 20 euros, an additional lump-sum minimum quantity surcharge of 15.00 euros will additionally be charged to cover administrative costs.

Delivery periods

The delivery dates and periods stated are subject to change. Any delay in delivery will not entitle the customer to withdraw from the contract. The assertion of damage claims is ruled out. BEROLLKA can make partial deliveries for justified reasons.

Wrong orders / return of merchandise

Any goods erroneously ordered will only be taken back provided we are responsible for such an error and the merchandise is in impeccable condition. In the event that an item erroneously ordered or merchandise that was returned is taken back in an individual case as a gesture of goodwill, attention must be paid to the following:

- 1. It is necessary to state the article number, the designation of the article, the date and number of the delivery note and the invoice number.
- 2 The return shipment must be carriage paid.
- 3. The merchandise must correspond to the article number(s) listed in the delivery note. In no event will any individual parts removed from an article be taken back.
- 4. The returned merchandise must be in impeccable condition.
- 5. Processing fees amounting to 10% of the net merchandise value not, however, less than €35.- will be charged for any instance where goods are

Deliveries effected more than 3 months earlier as well as sewing pieces and customized products cannot be exchanged. A copy of the delivery note or of the invoice will serve as proof in this regard.

Warranty and notices of defects

Excluding any further claims, the seller is liable for defects of the merchandise in that the seller will mend or replace all those parts free of charge that have become defective or unusable within 6 months due to provable defects of material or workmanship, and of which the seller has been notified in writing immediately after knowledge was gained of the defect. Should longer periods of time be required for statutory reasons, the warranty period is agreed to be

The customer must grant the seller the required time and opportunity for effecting delivery of the replacement parts. Replaced parts will become the property of the seller. The buyer must check the merchandise without undue delay after it has been delivered by the seller and, if a defect is found, notify the seller of the defect without undue delay. Should the buyer fail to notify the seller, the merchandise will be deemed accepted unless a defect occurs that could not have been found when the merchandise was checked.

In any event in which a complaint is brought to the notice of BEROLLKA, BEROLLKA invariably has the right to inspect and check the item delivered that is the subject matter of said complaint, for which the customer will grant BEROLLKA the required time and opportunity. BEROLLKA can also demand that the customer sends the item delivered that is the subject matter of a complaint back to BEROLLKA at the expense of BEROLLKA. Should a notice of defects given by the customer turn out to be wilfully or gross negligently unfounded, the customer will be obliged to compensate BEROLLKA for any and all expenses incurred in this connection. BEROLLKA will be entitled to remedy warranty defects at its own discretion either by rectification of the defect or by replacement of the defective part or of the entire item delivered at no cost for the customer. Should the customer itself repair an item that gave rise to a complaint, or should the customer endeavour to rectify the defects itself without prior written approval of the seller, the seller will not grant any claims for reimbursement of expenses (such as transport, road, labour or material costs) or warranty claims.

The following are excluded from the liability for damages:

damage arising from natural wear and tear, damage due to negligent and/or improper treatment, or violent damage. A revocation of the purchase contract, a reduction of the purchase price or damage claims of any kind are ruled out. The warranty obligation will cease if repairs and/or modifications or replacements of individual parts are performed by other parties than the seller or the delivering company.

Reservation of title

With regard to resellers: The merchandise delivered will remain our property until any and all invoices – also for different deliveries – have been fully paid. Our merchandise that is hence still our property may only be resold within the ordinary course of business. Amounts receivable from any resale are assigned to us. We must be notified without undue delay and on the reseller's own initiative of any disposal of said merchandise outside of the ordinary course of business, e.g. through pledging our property or amounts receivable assigned to us.

Terms of payment

Any invoices are payable within 30 days from the date of the invoice strictly net cash. A 2% discount will be granted for payments received within 8 days provided any and all payment claims under earlier deliveries have been settled. We are entitled to charge default interest if the 30-day payment deadline is exceeded. The interest rate will be the customary market rate charged by major banks. We expressly reserve the right to effect delivery with cash on delivery.

Data Protection

BEROLLKA and the customer are responsible themselves for compliance with the respective data protection rules applicable to them. The customer must not provide BEROLLKA with personal data that is illegal or that the customer is not legally authorised to distribute.

The place of performance and the place of jurisdiction will be the place where the invoice is issued.

Heidelberg, Germany, will be the exclusive place of jurisdiction for any and all disputes arising under the contractual relationship. However, BEROLLKA is entitled to sue the customer at any other legal venue. These General Terms and Conditions of Business are governed by the laws of the Federal Republic of Germany, excluding of the United Nations Convention on Contracts for the International Sale of Goods of Goods (CISG).

Technical modifications and printing errors excepted. A current list of prices can be ordered at any time.